

# Hands-on Lab: Create Tables and Load Data in MySQL using phpMyAdmin

Estimated time needed: 20 minutes

In this lab, you will learn how to create tables and load data in the MySQL database service using the phpMyAdmin graphical user interface (GUI) tool.

### Software Used in this Lab

In this lab, you will use MySQL. MySQL is a Relational Database Management System (RDBMS) designed to efficiently store, manipulate, and retrieve data.



To complete this lab you will utilize MySQL relational database service available as part of IBM Skills Network Labs (SN Labs) Cloud IDE. SN Labs is a virtual lab environment used in this course.

## Database Used in this Lab

Books database has been used in this lab.

The following diagram shows the structure of the **myauthors** table from the Books database:

myauthors		
author_id	int	
first_name	varchar(100)	
middle_name	varchar(50)	
last_name	varchar(100)	

In the table, **author\_id** is an integer, **first\_name** is a string that stores a maximum of 100 characters, **middle\_name** is a string that stores a maximum of 50 characters, and **last\_name** is a string that stores a maximum of 100 characters.

## **Objectives**

After completing this lab, you will be able to use phpMyAdmin with MySQL to:


- Create a database.
- Create tables.
- Load data into tables manually using the phpMyAdmin GUI.
- Load data into tables using a text/script file.

## **Exercise**

In this exercise through different tasks, you will learn how to create tables and load data in the MySQL database service using the phpMyAdmin graphical user interface (GUI) tool.

#### Task A: Create a database

1. Go to **Terminal > New Terminal** to open a terminal from the side by side launched Cloud IDE.



2. Start MySQL service session in the Cloud IDE using the command below in the terminal. Find your MySQL service session password from the highlighted location of the terminal shown in the image below. Note down your MySQL service session password because you may need to use it later in the lab.

```
theia@theiadocker-sandipsahajo:/home/project$ start_mysql
Starting your MySQL database....
This process can take up to a minute.

MySQL database started, waiting for all services to be ready....

Your MySQL database is now ready to use and available with username: root password: MTY5MTUtc2FuZGlw

You can access your MySQL database via:

• The browser at: https://sandipsahajo-8080.theiadocker-27.proxy.cognitiveclass.ai

• CommandLine: mysql --host=127.0.0.1 --port=3306 --user=root --password=MTY5MTUtc2FuZGlw

theia@theiadocker-sandipsahajo:/home/project$
```

3. Copy your phpMyAdmin weblink from the highlighted location of the terminal shown in the image below. Past it into the address bar in a new tab of your web browser. This will open the phpMyAdmin tool.

```
theia@theiadocker-sandipsahajo:/home/project$ start_mysql
Starting your MySQL database....
This process can take up to a minute.

MySQL database started, waiting for all services to be ready....

Your MySQL database is now ready to use and available with username: root password: MTY5MTUtc2FuZGlw


You can access your MySQL database via:

• The browser at: https://sandipsahajo-8080.theiadocker-27.proxy.cognitiveclass.ai

• CommandLine: mysql --host=127.0.0.1 --port=3306 --user=root --password=MTY5MTUtc2FuZGlw

theia@theiadocker-sandipsahajo:/home/project$
```


4. You will see the phpMyAdmin GUI tool.



5. In the tree-view, click **New** to create a new empty database. Then enter **Books** as the name of the database and click **Create**.

The encoding will be left as utf8mb4\_0900\_ai\_ci. UTF-8 is the most commonly used character encoding for content or data.


Proceed to Task B.




#### Task B: Create tables

1. In the Create table interface for the empty database **Books**, enter **myauthors** as the table name and **4** for the Number of columns. This is the first step to creating the table **myauthors** that was shown earlier in this lab.


Then click Go.



2. Enter the table definition for the myauthors table as shown in the image below with highlighted boxes. Then click Save.




3. The Table structure for the **myauthors** table will appear. Proceed to Task C.



## Task C: Load data into tables manually using the phpMyAdmin GUI

1. Sometimes, you may want to load a few data rows of data, but you may not have a SQL script on hand to do that. In this case, you can manually load the data into phpMyAdmin. Since this is a manual process, it is better for inserting a small amount of data rather than a large amount.

To load data manually, go to the **Insert** tab for the **myauthors** table. Enter data for 2 rows of the **myauthors** table as shown in the image below with highlighted boxes. Then click **Go** at the bottom.




2. Notification of the successful insertion of 2 rows to the **myauthors** table will appear.

```
2 rows inserted.

INSERT INTO `myauthors` (`author_id`, `first_name`, `middle_name`, `last_name`) VALUES ('1', 'Merritt', '', 'Eric'), ('2', 'Linda', '', 'Mui');
```

3. Go to the **Browse** tab for the **myauthors** table to check the newly inserted rows. Proceed to Task D.




## Task D: Load data into tables using a text/script file.

1. Now you will use a SQL script to import the remainder of the **myauthors** table data. A SQL script file contains commands and statements that perform operations on your database, and can be useful when importing a large amount of data.

Download the SQL script below to your local computer:


- o mysql table-myauthors insert-data.sql
- 2. Go to **Import** tab for the **myauthors** table. Click **Choose File** and load the **mysql\_table-myauthors\_insert-data.sql** file from your local computer storage. The rest of the settings can be left as they are because you are importing a SQL script that is encoded with UTF-8.

Then click **Go**. Notification of import success will appear.



3. Go to the **Browse** tab for the **myauthors** table again to check the newly inserted rows appear along with previously inserted 2 rows.





Congratulations! You have completed this lab, and you are ready for the next topic.

## Author(s)

• Sandip Saha Joy

## Other Contributor(s)

Kathy An

## Changelog

Date	Version	Changed by	Change Description
2021-03-15	1.0	Sandip Saha Joy	Created initial version
2021-10-18	1.1	Kathy An	Updated lab instructions

© IBM Corporation 2021. All rights reserved.