

2026-03-18

MiniMax M2.7: Early Echoes of Self-Evolution

MiniMax M2.7

Building Complex Agent Harnesses for Elaborate Productivity Tasks

Cookie Consent

We use cookies to analyze website usage to improve your experience.

By clicking "Accept All Cookies", you agree to the storing of cookies on your device to enhance site navigation, analyze site usage, and assist in our marketing efforts. You may click **Customize** to reject non-essential cookies or personalize the types of cookies you would like to allow.

[Read our Cookies Policy.](#)

Reject All

Customize

Accept All Cookies

M2.7 is capable of building complex agent harnesses and completing highly elaborate productivity tasks, leveraging capabilities such as Agent Teams, complex Skills, and dynamic tool search. For example, when developing M2.7, we let the model update its own memory and build dozens of complex skills in its harness to help with reinforcement learning experiments. We further let the model improve its learning process and harness based on the experiment results. This process initiates a cycle of model self-evolution.

1. M2.7 delivers outstanding performance in real-world software engineering, including end-to-end full project delivery, log analysis, bug troubleshooting, code security, machine learning, and more. On the SWE-Pro benchmark, M2.7 scored 56.22%, nearly approaching Opus's best level. This capability also extends to end-to-end full project delivery scenarios (VIBE-Pro 55.6%) and deep understanding of complex engineering systems on Terminal Bench 2 (57.0%).
2. We have also enhanced the model's expertise and task delivery capabilities across various fields in the professional office software domain. Its ELO score on GDPval-AA is 1495, the highest among open-source models. M2.7 shows significantly improved ability for complex editing in the Office suite — Excel, PPT, and Word — and can better handle multi-round revisions and high-fidelity editing. M2.7 is capable of interacting with complex environments: It maintains a 97% skill adherence rate while working with over 40 complex skills, each exceeding 2,000 tokens.
3. M2.7 exhibits excellent character consistency and emotional intelligence, opening up more room for product innovation.


Based on these capabilities, M2.7 is also significantly accelerating our own evolution

Cookie Consent

We use cookies to analyze website usage to improve your experience.

By clicking "Accept All Cookies", you agree to the storing of cookies on your device to enhance site navigation, analyze site usage, and assist in our marketing efforts. You may click **Customize** to reject non-essential cookies or personalize the types of cookies you would like to allow.

[Read our Cookies Policy.](#)



Building an agent for model self-evolution

We first share an internal workflow that enables the M2-series models to self-evolve. This workflow also serves as an exploration of the boundaries of the model's agentic capabilities.

Modern agent harness utilizes a combination of complex skills, memory, and other external modules to help improve its adaptability to various workspace environments. In MiniMax, our agents are routinely faced with very complex and disparate working environments spanning multiple departments. As such, to improve the robustness of our agents in these heterogeneous environments, we tasked an internal version of M2.7 to build a research agent harness that interacts and collaborates with different research project groups. The harness supports data pipelines, training environments, infrastructure, cross-team collaboration, and persistent memory — enabling researchers to drive it to deliver better models. The research agent harness drives the iteration cycle that produces the next generation of models under the guidance set by


Cookie Consent

We use cookies to analyze website usage to improve your experience.

By clicking "Accept All Cookies", you agree to the storing of cookies on your device to enhance site navigation, analyze site usage, and assist in our marketing efforts. You may click **Customize** to reject non-essential cookies or personalize the types of cookies you would like to allow.

[Read our Cookies Policy.](#)

models faster. Here, M2.7 is capable of handling 30%–50% of the workflow.



During the iteration process, we realized that the model's ability to recursively evolve its own harness is also critical. Our internal harness autonomously collects feedback, builds evaluation sets for internal tasks, and based on this continuously iterates its own architecture, skills/MCP implementation, and memory mechanisms to complete tasks better and more efficiently.

For example, we had M2.7 optimize a model's programming performance on an internal scaffold. M2.7 ran entirely autonomously, executing an iterative loop of "analyze failure trajectories → plan changes → modify scaffold code → run evaluations → compare results → decide to keep or revert changes" for over 100 rounds. During this process, M2.7 discovered effective optimizations for the model: systematically searching for the optimal combination of sampling parameters such as temperature, frequency penalty.

Cookie Consent


We use cookies to analyze website usage to improve your experience.

By clicking "Accept All Cookies", you agree to the storing of cookies on your device to enhance site navigation, analyze site usage, and assist in our marketing efforts. You may click **Customize** to reject non-essential cookies or personalize the types of cookies you would like to allow.

[Read our Cookies Policy.](#)

open-sourced by OpenAI. These competitions can be run on a single A30 GPU, yet they cover virtually all stages of machine learning workflow.

We designed and implemented a simple harness to guide the agent in autonomous optimization. The core modules include three components: short-term memory, self-feedback, and self-optimization. Specifically, after each iteration round, the agent generates a short-term memory markdown file and simultaneously performs self-criticism on the current round's results, thereby providing potential optimization directions for the next round. The next round then conducts further self-optimization based on the memory and self-feedback chain from all previous rounds. We ran a total of three trials, each with 24 hours for iterative evolution. From the figure below, one can see that the ML models trained by M2.7 continuously achieved higher medal rates over time. In the end, the best run achieved 9 gold medals, 5 silver medals, and 1 bronze medal. The average medal rate across the three runs was 66.6%, a result second only to Opus-4.6 (75.7%) and GPT-5.4 (71.2%), tying with Gemini-3.1 (66.6%).



Cookie Consent

We use cookies to analyze website usage to improve your experience.

By clicking "Accept All Cookies", you agree to the storing of cookies on your device to enhance site navigation, analyze site usage, and assist in our marketing efforts. You may click **Customize** to reject non-essential cookies or personalize the types of cookies you would like to allow.

[Read our Cookies Policy.](#)

learning, Android development, and more.

Take a common production scenario as an example: debugging in a live environment. This requires not just code generation, but strong comprehensive reasoning abilities. When faced with alerts in production, M2.7 can correlate monitoring metrics with deployment timelines to perform causal reasoning, conduct statistical analysis on trace sampling and propose precise hypotheses, proactively connect to databases to verify root causes, pinpoint missing index migration files in the code repository, and even have the awareness to use non-blocking index creation to stop the bleeding first before submitting a merge request. From observability analysis and database expertise to SRE-level decision-making — this is not merely a model that can write code, but one that truly understands production systems. Compared to traditional manual troubleshooting processes, using M2.7, we have on multiple occasions reduced the recovery time for live production system incidents to under three minutes.



Live production environment debugging


Cookie Consent

We use cookies to analyze website usage to improve your experience.

By clicking "Accept All Cookies", you agree to the storing of cookies on your device to enhance site navigation, analyze site usage, and assist in our marketing efforts. You may click **Customize** to reject non-essential cookies or personalize the types of cookies you would like to allow.

[Read our Cookies Policy.](#)

What deserves even more attention is its deep understanding of complex engineering systems. On Terminal Bench 2 (57.0%) and NL2Repo (39.8%), both of which demand a high degree of system-level comprehension, M2.7 also performs solidly. This further confirms that it excels not only at code generation but can also deeply understand the operational logic and collaborative dynamics of software systems.



WildGuard demo webpage generated by M2.7


To improve development efficiency, one particularly important feature is native Agent Teams (multi-agent collaboration). Agent Teams impose paradigm-level demands on the model: role boundaries, adversarial reasoning, protocol adherence, and behavioral differentiation — these cannot be achieved through prompting alone and must be internalized as native capabilities of the model. In Agent Teams scenarios, the model needs to stably anchor its role identity, proactively challenge teammates' logical and

Cookie Consent

We use cookies to analyze website usage to improve your experience.

By clicking "Accept All Cookies", you agree to the storing of cookies on your device to enhance site navigation, analyze site usage, and assist in our marketing efforts. You may click **Customize** to reject non-essential cookies or personalize the types of cookies you would like to allow.

[Read our Cookies Policy.](#)



Agent Teams multi-agent collaboration demo

Professional Work

Beyond software engineering, agents are becoming increasingly useful in office scenarios. We believe this comes down to two core capabilities:

Domain expertise and task delivery capability. The model needs to possess professional knowledge across various fields and understand user requirements. In the GDPval-AA evaluation, which measures this capability, M2.7 achieved an ELO score of 1495 among 45 models, second only to Opus 4.6, Sonnet 4.6, and GPT5.4, and surpassing GPT5.3. For the most common office document processing tasks, we systematically optimized the model's ability to handle Word, Excel, and PPT. Across various agent harnesses, M2.7 can both generate files directly based on templates and

Cookie Consent

We use cookies to analyze website usage to improve your experience.

By clicking "Accept All Cookies", you agree to the storing of cookies on your device to enhance site navigation, analyze site usage, and assist in our marketing efforts. You may click **Customize** to reject non-essential cookies or personalize the types of cookies you would like to allow.

[Read our Cookies Policy.](#)


We tested the model's professional proficiency in finance, and compared to the previous generation, the improvement in capability is significant. For example, in a scenario involving reading research reports and modeling a company's future revenue, M2.7 can autonomously read a company's annual reports and earnings call minutes, cross-reference multiple research reports, independently design assumptions and build a revenue forecast model, and then produce a PPT and research report based on templates — understanding, making judgments, and producing output like a junior analyst, while self-correcting through multiple rounds of interaction. The feedback from practitioners is that the output can already serve as a first draft and go directly into subsequent workflows. Below is an example for TSMC.

Task: Based on TSMC's annual report and earnings call information, build a revenue model for TSMC. Read multiple research reports, design corresponding assumptions, model TSMC's revenue based on the latest information, then produce a PPT based on a PPT template, and write a Word document research report.

[\[TSMC_Revenue_Model.xlsx\]](#)

[\[TSMC_Financial_Analysis.pptx\]](#)

[\[TSMC_Equity_Research_Report.docx\]](#)



Cookie Consent

We use cookies to analyze website usage to improve your experience.

By clicking "Accept All Cookies", you agree to the storing of cookies on your device to enhance site navigation, analyze site usage, and assist in our marketing efforts. You may click **Customize** to reject non-essential cookies or personalize the types of cookies you would like to allow.

[Read our Cookies Policy.](#)

community's flourishing. Based on commonly used tasks in OpenClaw, we built an evaluation set called MM Claw, covering a wide range of real-world needs in both work and life — from personal learning planning, to office document processing and delivery, scheduled professional research and investment advice, and code development and maintenance. M2.7 achieved a level close to Sonnet 4.6 on this test, with an accuracy of 62.7%.

Entertainment

With OpenClaw and similar personal agents, we noticed that beyond getting work done, many users also want the model to have high emotional intelligence and character consistency. With a persona in place, users start interacting with OpenClaw like a friend. We believe this presents an opportunity to extend the use of agentic models beyond pure productivity into interactive entertainment. To this end, we strengthened character consistency and conversational capabilities in M2.7.

Based on this, we built a preliminary demo: OpenRoom, an interaction system based on an agent harness that liberates AI interaction from plain text streams and places it within a Web GUI space where everything is interactive. Here, character settings are no longer cold chunks of prompts; conversation drives the experience, generating real-time visual feedback and scene interactions, with characters proactively engaging with their environment. We believe this framework is highly extensible and can continue to evolve alongside improvements in agentic capabilities and community development, exploring entirely new ways for humans and agents to interact.


To encourage exploration in this area, we have open-sourced the initial demo (of which most of the code was written by AI).

Cookie Consent

We use cookies to analyze website usage to improve your experience.

By clicking "Accept All Cookies", you agree to the storing of cookies on your device to enhance site navigation, analyze site usage, and assist in our marketing efforts. You may click **Customize** to reject non-essential cookies or personalize the types of cookies you would like to allow.

[Read our Cookies Policy.](#)



MiniMax M2.7 is now fully available on MiniMax Agent and the MiniMax API Platform. We look forward to users and developers exploring even more interesting use cases with M2.7.

MiniMax Agent: agent.minimax.io

API: platform.minimax.io

Coding Plan: platform.minimax.io/subscribe/coding-plan

Intelligence with Everyone.

Cookie Consent

We use cookies to analyze website usage to improve your experience.

By clicking "Accept All Cookies", you agree to the storing of cookies on your device to enhance site navigation, analyze site usage, and assist in our marketing efforts. You may click **Customize** to reject non-essential cookies or personalize the types of cookies you would like to allow.

[Read our Cookies Policy.](#)

MiniMax M2.7	Agent	Developer Docs	About Us
MiniMax M2.5	Video Hailuo	Token Plan	
MiniMax M2-her	Audio	Pricing	
MiniMax M2.1	Talkie	Console Login	
MiniMax M2			
MiniMax Speech 2.6			
MiniMax Hailuo 2.3			
MiniMax Music 2.5+			
MiniMax Music 2.0			

News

What's New

© 2026 MiniMax

Cookie Consent

We use cookies to analyze website usage to improve your experience.

By clicking "Accept All Cookies", you agree to the storing of cookies on your device to enhance site navigation, analyze site usage, and assist in our marketing efforts. You may click **Customize** to reject non-essential cookies or personalize the types of cookies you would like to allow.

[Read our Cookies Policy.](#)