

Practice Midterm Exam – Math 6320  
October, 2024

First name: \_\_\_\_\_ Last name: \_\_\_\_\_ Last 4 digits student ID: \_\_\_\_\_

## 1 Problem

Consider an uncountable set  $X$  and the collection of singleton sets  $F = \{ \{x\} : x \in X \}$ . Show that the  $\sigma$ -algebra  $\mathcal{M}_F$  generated by  $F$  is identical to

$$\mathcal{M} = \{ E \subseteq X : E \text{ is (at most) countable or } E^c \text{ is (at most) countable} \}.$$

Hint: For part of the proof, it may be useful to recall that  $\mathcal{M}_F$  is the smallest  $\sigma$ -algebra containing  $F$ , so if  $N$  is a  $\sigma$ -algebra and  $F \subseteq N$ , then  $\mathcal{M}_F \subseteq N$ .



## 2 Problem

Let  $(X; \mathcal{M}; \mu)$  be a measure space and let  $0 < c < 1$ .

- (a) Let  $f \geq 0$  be a measurable non-negative real-valued function on  $X$  such that  $\int_E f d\mu \leq c \mu(E)$  for each  $E \in \mathcal{M}$ . If  $\mu(X) < \infty$ , prove that  $\mu(\{x \in X : f(x) > c\}) = 0$ .

- (b) Let  $g \geq 0$  be a measurable non-negative real-valued function on  $X$  such that  $\int_X g \, d\mu = 0$ . Prove that then  $\int_E g \, d\mu = 0$  for each  $E \in \mathcal{M}$ .

### 3 Problem

Let  $(X; \mathcal{M}; \mu)$  be a measure space, let  $(f_n)_{n=1}^\infty; (g_n)_{n=1}^\infty$  be two sequences of non-negative real-valued measurable functions and assume  $f_n(x) \leq g_n(x)$  for each  $n \geq 1; x \in X$ . Assume as well the point-wise convergence  $f_n(x) \rightarrow f(x)$  and  $g_n(x) \rightarrow g(x)$ , for each  $x \in X$  with non-negative real-valued functions  $f$  and  $g$ . Assume that all  $\int_{\mathbb{R}} g_n d\mu$  and  $\int_{\mathbb{R}} g d\mu$  are finite, and that  $\int_{\mathbb{R}} g_n d\mu \rightarrow \int_{\mathbb{R}} g d\mu$ .

(a) Quote a famous result from class to establish that  $\liminf_n \int_{\mathbb{R}} f_n d\mu \geq \int_{\mathbb{R}} f d\mu$ .

(b) Prove  $\limsup_n \int_{\mathbb{R}} f_n d\mu \leq \int_{\mathbb{R}} f d\mu$ . Hint: consider  $h_n = g_n - f_n$ .

(c) What can you say about  $\lim_n^R f_n d$  ?



[empty page]