

# Electronics


**Student Workbook** 

**OXFORD** 

# Contents

Unit 1	Page 1
Unit 2	2
Unit 3	3
Unit 4	4
Unit 5	5
Unit 6	6
Unit 7	7
Unit 8	8
Unit 9	9
Unit 10	10
Unit 11	11
Unit 12	12
Unit 13	13
Unit 14	14
Unit 15	15
Unit 16	16
Unit 17	17
Unit 18	18
Answer Key	19

- 1 Label the diagram of a zinc-carbon cell (1–4) with these terms (a–d).
  - a current collector
  - **b** jacket
  - **c** positive electrode
  - **d** electrolyte



**2** Each verb has a related noun ending in –*r* which refers to an instrument or component. Complete the column of nouns.

Ve	rb	Noun
1	record	
2	transmit	
3	transform	
4	charge	
5	rectify	
6	process	
7	amplify	
8	collect	
9	detect	
10	tune	

**3** Complete the text with the words listed below.


electrode rod occasional collector negative

#### Zinc-carbon cell


It has a zinc \_\_\_\_\_\_\_\_¹ electrode, a manganese dioxide positive \_\_\_\_\_\_\_², and the electrolyte is a solution of ammonium chloride. The carbon \_\_\_\_\_\_\_³ is in contact with the positive electrode (but is not involved in the chemical reaction) and is called the current \_\_\_\_\_\_\_4. The EMF is 1.5. This is the most popular cell for low-current or \_\_\_\_\_\_\_5 use, e.g. in torches.

#### 4 Match the circuit symbols with the functions (a-j).

- a varies capacitance in a circuit
- **b** measures very small currents
- c adds resistance to a circuit
- **d** measures very small circuits
- e breaks a circuit
- f protects a circuit
- g varies the current in a circuit
- h steps AC voltages up or down
- i receives RF signals
- j measures voltages























#### 1 Match each component or unit (1–8) with its function in a battery charger (a–h).

#### Component/Unit

- 1 transformer
- 2 double-pole switch
- 3 neon lamp
- 4 fuse
- **5** rectifier
- 6 aluminium heatsink
- 7 smoothing circuit
- 8 stabilizing circuit

#### Function in a battery charger

- a steps down the AC mains voltage
- **b** prevents the output from changing when the load varies
- c keeps the diodes from overheating
- d shows when the charger is on
- e removes the fluctuations in the DC output of the rectifier
- f protects the transformer
- g converts an AC voltage to a DC voltage
- h switches the charger on and off

#### 2 Find the eight words relating to electronics. The words read from left to right (→) and top to bottom (↓).


cell electrode negative positive voltage zinc-carbon charger current

e	S	t	u	i	р	0	n	a
l	е	С	t	r	0	d	е	s
0	u	u	е	a	S	S	g	h
t	х	r	i	h	i	0	a	t
a	S	r	k	С	t	a	t	u
0	r	е	е	t	i	w	i	х
S	a	n	i	Z	v	u	v	0
0	l	t	a	g	е	q	е	i
a	С	h	a	r	g	е	r	е
i	n	С	С	a	r	b	0	n
	l o t a o s o a	l e o u t x a s o r s a o l a c	1 e c o u u t x r a s r o r e s a n o 1 t a c h	l e c t o u u e t x r i a s r k o r e e s a n i o l t a a c h a	1 e c t r o u u e a t x r i h a s r k c o r e e t s a n i z o l t a g a c h a r	1 e c t r o o u u e a s t x r i h i a s r k c t o r e e t i s a n i z v o l t a g e a c h a r g	1 e c t r o d o u u e a s s t x r i h i o a s r k c t a o r e e t i w s a n i z v u o 1 t a g e q a c h a r g e	1     e     c     t     r     o     d     e       o     u     u     e     a     s     s     g       t     x     r     i     h     i     o     a     t       a     s     r     k     c     t     a     t       o     r     e     e     t     i     w     i       s     a     n     i     z     v     u     v       o     l     t     a     g     e     q     e       a     c     h     a     r     g     e     r

#### 3 Match the test and repair instruments (1-4) with their use (a-d).

- 1 Multimeter
- 2 Logic probe
- 3 Oscilloscope
- **4** Function generator
- **a** This is used to measure a number of different electrical quantities such as voltage, current and resistance.
- **b** This is used to measure fast moving signals.
- **c** This instrument is used for measuring voltage levels and pulses in digital logic circuits.
- **d** This instrument contains a triangular wave oscillator which can be switched to produce triangular, square or sine waves over a range of frequencies.

#### **4** Label the diagram of a logic probe with the words and phrases listed below.



1 Label the diagram of a function generator with the words and phrases listed below.

function selector
BNC connector
frequency adjust
frequency range selector switches

1
2
3
4

2 Complete the text with the words listed below.

levels	circuits	coloured	low	pulse	instrument		
Logic pr	obe						
This		_¹ is used fo	or mea	suring	voltage	² and pulses in digital logic	_3
When tl	ne probe i	s placed on	the p	in of a lo	ogic IC, small .	4 LEDs light up to indicate if a	

\_\_\_\_\_5 is detected or whether the pin is at a high or \_\_\_\_\_6 logic level.

3 Complete the text with the words listed below.


signal frequencies equipment contains test switched

#### **Function generator**

This instrument \_\_\_\_\_\_\_¹ a triangular wave oscillator which can be \_\_\_\_\_\_² to produce triangular, square or sine waves over a range of \_\_\_\_\_\_\_³. It is used to \_\_\_\_\_\_⁴ and adjust a variety of electronic \_\_\_\_\_\_⁵ such as audio amplifiers. The function generator provides a known \_\_\_\_\_\_\_6 which can be injected into a circuit.

4 Label the diagram with the components listed below.

compressor conde	nser
capillary tube evap	oorator
1	
2	
3	
1	



1 Link each pair of events to make one complex sentence. Use the clue in the brackets to help y
---

Example: A relay is an electro-mechanical switch. It uses an electromagnet. (relative cause)

A relay is an electro-mechanical switch which uses an electromagnet.

An electrolytic capacitor is connected arrangly. The capacitor will be damaged. (condition)

- 1 An electrolytic capacitor is connected wrongly. The capacitor will be damaged. (condition)
- 2 You touch memory chips. Make sure you are earthed. (time)
- 3 D-type connectors come in a variety of sizes. D-type connectors are widely used for linking devices to computers. (relative cause)

#### 2 Match each engineering sector (1–9) with its related counterpart (a–i).

- 1 marine
  2 aeronautical
  3 heating and ventilating
  a air-conditioning
  b roads and bridges
  c body scanners
- 4 electricity generating d cables and switchgear
- 5 automobile e communications and equipment
- 6 civil7 electronicg planes
- 8 electrical installation h cars and trucks
  9 medical i power stations

#### 3 Match the verbs (1–4) with the definitions (a–d).

a bsorb
 a to change from a liquid to a gas or vapour
 compress
 to take in from the surrounding surface or space
 condense
 to press or squeeze into a smaller space
 evaporate
 to change from gas or vapour to liquid


#### 4 Complete the sentences with the words listed below.

c	apacitor	relay	transformers	oscillator	induces	diodes	amplify
1	While th	ne	charg	ges up, the c	urrent flow	NS.	
2			only allow curr	ent to flow	one way.		
3	A transi	stor ca	n be used to		a signal.		
4		(	change the volt	age in a pov	ver line.		
5	If the		is activate	d, its contac	cts close.		
6	A movir	ng mag	netic field	a	current.		
7	The		generates a	series of pu	ılses.		

#### 1 Link each pair of events to make one complex sentence. Use the clue in the brackets to help you.


**Example:** A relay is an electro-mechanical switch. It uses an electromagnet. (relative clause) A relay is an electro-mechanical switch which uses an electromagnet.

- 1 A milliammeter is a device. It measures very small currents. (relative clause)
- 2 A residual current device trips. An excess current passes through a circuit. (time)
- 3 Light strikes the solar cell. This generates a voltage. (relative clause)
- 2 Match the items (1–10) with the circuit symbol diagrams (a–j).
  - 1 amplifier \_\_\_\_
  - 2 capacitor\_\_\_\_
  - **3** diode\_\_\_\_
  - 4 resistor\_\_\_\_
  - 5 light-emitting diode \_\_\_\_
  - 6 NAND logic gate \_\_\_\_
  - **7** relay \_\_\_\_\_
  - 8 NPN transistor \_\_\_\_\_
  - **9** switch (single-pole, single-throw) \_\_\_\_\_
  - 10 potentiometer (pot) \_\_\_\_\_



**3** Study this circuit. Make a component list with the numbers, names, and values of each component. Say what the circuit is used for.

Component	Туре	Value/reference number
R1		
R2		
R3		
R4		
R5		
R6		
R7		
D1		
Q1		
SW1		
	operational amplifier	UA741



1 Match the phrasal verbs listed below with the definitions (1–6).

L	nase up carry out catch up get on with fall behind hold up
1	lose time on a schedule
2	perform a task
3	cause a delay
4	contact somebody in order to remind them to do something
5	spend extra time doing something because you haven't done it earlier
6	make progress
<b>2</b> Lir	nk each pair of events to make one complex sentence. Use the clue in the brackets to help you.
	<b>Example:</b> A relay is an electro-mechanical switch. It uses an electromagnet. (relative clause)  A relay is an electro-mechanical switch which uses an electromagnet.
1	The input signal to an inverter is 1. The output signal will be 0. (condition)
2	A signal is detected. It is amplified. (time)
3	A logic probe is a test instrument. It provides an easy way of checking simple logic circuits. (relative clause
<b>3</b> Co	mplete the sentences about jobs in technology with the correct form of the verbs listed below.

1	Maintenance Technicians are responsible for	and	equipment in a factory

2 Estimators calculate the costs of \_\_\_\_\_\_ and \_\_\_\_\_ a product. 3 Research Engineers find new and better ways of \_\_\_\_\_things.

4 Fitters are responsible for \_\_\_\_\_\_new equipment to the network.

5 Design Engineers aim \_\_\_\_\_ideas into plans.

6 Control Engineers attempt \_\_\_\_\_ and regulate all the variables in a system.

7 Production Engineers plan \_\_\_\_\_\_ things in the most efficient way.

8 They look at ways of \_\_\_\_\_\_ production costs.

**4** Find eight words relating to electronics. The words read from left to right  $(\rightarrow)$ and top to bottom  $(\downarrow)$ .

capacitor current diode frequency oscillator pulse relay switch

e	n	i	S	р	u	0	t	d	0
f	r	е	q	u	е	n	С	у	S
S	0	е	q	l	n	i	S	k	С
W	i	u	t	S	Z	С	е	0	i
i	у	S	0	е	W	u	h	u	l
t	n	е	d	1	b	r	i	t	1
С	r	е	l	a	у	r	S	0	a
h	i	d	i	0	d	е	g	е	t
u	0	е	S	t	х	n	n	i	0
С	a	р	a	С	i	t	0	r	r

1 Complete the text with the words listed b
---

magnet	switches	coil	flows	circuits	core					
Relays										
Relays are	electroma	gnetic	!	¹. T	hey co	nsist of a	n iron		² with a cop	per
	³ wour	ıd rou	nd it.W	hen curre	nt		_4 throug	h the coi	l, the coil beco	mes a
	s and p	ulls a	moveab	le contac	t arm to	wards it	t. This can	make or	break	6
iust like a	switch									

# 2 Make sentences by matching the information in columns A–C and then linking it together using a relative clause with which or who.

**Example:** Silicon, which comes from sand, is an important component of some semiconductors.

	Α	В	С
	Subject	Additional information	Important information
Si	licon	It is short for binary digit.	He was one of three inventors of the transistor.
1	Digital electronics	He worked at Bell laboratories.	They are remembered in the basic units of electricity.
2	Walter Brattain	This means light-emitting diodes.	They are used in watches and many electronic displays.
3	A bit	It is used in everything from watches to computers.	They can provide a higher current than other batteries.
4	Lithium batteries	They were pioneers in the study of electricity.	It is an important component of some semiconductors.
5	LEDs	It comes from sand.	It is concerned with electrical systems made up of a series of switches.
6	Ohm, Volta, and Ampere	They are often used in cameras.	It is a single unit of information.

1	
2	
3	
4	
5	
6	


**3** Complete the text with the words listed below.

electricity discharged	power	connected	energy	high
------------------------	-------	-----------	--------	------

	itors	

1		electronics the verbs on the l atch a verb (1–7) to a noun (a-		commonly occur with one of the nouns on the right.									
		actuate	٠.	a capacitor									
		adjust		a circuit									
		boost		a control									
				frequency									
		-		a relay									
		· ·		a signal									
		change		a voltage									
_		_	•	· ·									
2				e correct form of a verb from question 1.									
		the control so the meter reads zero.											
	_	When the circuit is switched off, the capacitor keeps it operating until it											
		3 The changing magnetic flux a voltage in the secondary of the transformer.											
				the frequency of the oscillator.									
	5	Pressing the switch		the circuit, allowing the current to flow.									
3	Со	mplete the text with the wo	rds	listed below.									
	co	omputers off NAND digita	ıl	circuits									
	Lo	gic gates											
	Log	gic gates are integrated		¹ which provide the basic logic functions used in²									
	an	d other devices which use		³ electronics. Signals in digital circuits are either on (1)									
				s include AND, OR,5, and NOR.									
4	Co	mnlete the evaluation of a	cir	cuit with the words listed below.									
•		<u> </u>											
	0	ff thermistor collector act n switch current contacts											
	L												
			_	eration of a central-heating system. The changes in									
				the room. This alters the voltage in the base-emitter									
	tuı	rning the transistor		if the temperature falls below a pre-set5. This allows									
	a_	$_{\rm a}$ to flow in the $_{\rm a}$		<sup>7</sup> -emitter circuit which <sup>8</sup> the relay, closing its									
		<sup>9</sup> and switching on	the	system. If the temperature of the room 10 above the pre-									
	set	value, the thermistor will		12 in the transistor and the heating system12 in the									
	saı	me way.											

#### 1 Label the diagram with the parts listed below.




#### 2 Complete the explanation of a circuit using the words listed below.

light	transistor	battery	buzzer	diode	flow	resistor	conduct	probes	if	I			
This is a	a device to d	etect moi	sture. The	compo	nents a	re:junctio	on	¹, li	ght-	emitting			
	², 2.2k³, a buzzer, two probes, and a 9 volt⁴. No current flows in												
the bas	e-emitter ci	rcuit whe	n there is	air betv	veen th	ie two		.5, so the t	rans	istor is turned off.			
	6 the	probes ar	e placed o	on a dan	np surfa	ace, the m	oisture wil	1		<sup>7</sup> a current.			
A curre	nt will		8 to the ba	ase, turn	ing the	transisto	r on. Curre	nt then fl	ows	from the battery to			
the	9.	-emitting	diode an	d the		¹º, giv	ring both v	isible and	l aud	lible warning.			

#### 3 Label the diagram with the parts listed below.

cord selector switch input terminal probe auto/manual range data hold housing digital display

1 \_\_\_\_\_\_
2 \_\_\_\_
3 \_\_\_\_
4 \_\_\_\_
5 \_\_\_\_
6 \_\_\_\_
7 \_\_\_\_
8 \_\_\_\_



**1** Find eight words relating to electronics. The words read from left to right (→) and top to bottom (↓).

actuate adjust boost charge induce complete amplify detect

-						_	_		_
a	r	a	S	n	i	0	a	q	Z
С	0	n	С	b	р	r	m	a	S
t	S	i	z	0	е	w	р	i	0
u	a	r	q	0	х	р	1	z	i
a	d	j	u	S	t	h	i	S	n
t	0	S	е	t	i	a	f	r	d
е	р	n	a	С	u	0	у	n	u
r	d	е	t	е	С	t	i	a	С
0	a	q	С	С	h	a	r	g	е
С	0	m	р	l	е	t	е	S	r

2	Со	mplete the text with who, which, when, or if.
	to i	k Kilby,¹ was born in 1923, worked for Texas Instruments in America. He discovered how make more than one transistor in a material,² was called germanium. He found he could neect transistors without wires³ he 'grew' them together at the same time. Robert Noyce,⁴ was working for Fairchild Semiconductors at the same time, made a similar microchip om silicon,⁵ became the standard material for making microchips.  The first microprocessor chip,6 had 2300 transistors, was small, but chips7 are noted today can have more than 30 million.
	Peo	ople8 make and test microchips have to work in dust-free rooms. Air contains impurities,9 could damage the microchip, so microchips are made in a vacuum10 the
3		crochip works when it is tested, it can be soldered onto a circuit board.  ad the text in question 2 and answer the questions (1–5).
	1	What is the name of the material that Jack Kilby used for his invention?
		Robert Noyce developed a similar microchip from which material?
	3	Which material became the standard for making microchips?
	4	The rooms in which microchips are made are free from which impurity?
		How is the microchip attached to a circuit board?
4	Joi	n each of the two sentences into one complex sentence. Use the clue in the brackets to help you.
		<b>Example:</b> Resistors are sometimes made from a length of nichrome wire. Resistors can be used to reduce the current in a circuit. (relative clause)
		Resistors, which are sometimes made from a length of nichrome wire, can be used to
		reduce the current in a circuit.  Potentiometers are used in radios as volume controls and tone controls. Potentiometers are often
	1	circular. (relative clause)
	2	More current flows. The thermistor gets hotter. (time)
	3	You touch memory chips. Make sure you are earthed. (time)

_	
2	one only direction diodes current flow allow through to in
3	contain semiconductor of chips tiny transistors materials
	in each of the two sentences into one complex sentence. Use the clue in the brackets to hel Special diodes called LEDs give out light. Current passes through LEDs. (condition)
2	LEDs are often used as indicator lamps. LEDs are small, reliable, and need only a small current. (relative clause)
3	Light shines on a semiconductor. A semiconductor conducts electricity more easily. (time)
Jo	n each of the two sentences into one complex sentence. Use the clue in the brackets to hel
	<b>Example:</b> A relay is an electro-mechanical switch. It uses an electromagnet. (relative clause)
	Example: A relay is an electro-mechanical switch. It uses an electromagnet. (relative clause)  A relay is an electro-mechanical switch which uses an electromagnet.
1	<b>Example:</b> A relay is an electro-mechanical switch. It uses an electromagnet. (relative clause)
	Example: A relay is an electro-mechanical switch. It uses an electromagnet. (relative clause)  A relay is an electro-mechanical switch which uses an electromagnet.  A lamp is marked 60 W. This means it is converting electricity to heat and light at the rate of
2	Example: A relay is an electro-mechanical switch. It uses an electromagnet. (relative clause)  A relay is an electro-mechanical switch which uses an electromagnet.  A lamp is marked 60 W. This means it is converting electricity to heat and light at the rate of 60 joules per second. (condition)  X-rays were discovered by Rontgen in 1895. X-rays can be used in industry to inspect metal
2	Example: A relay is an electro-mechanical switch. It uses an electromagnet. (relative clause)  A relay is an electro-mechanical switch which uses an electromagnet.  A lamp is marked 60 W. This means it is converting electricity to heat and light at the rate of 60 joules per second. (condition)  X-rays were discovered by Rontgen in 1895. X-rays can be used in industry to inspect metal castings. (relative clause)  Radios and computers could be damaged. The power supply is connected the wrong way
2 3 Re	Example: A relay is an electro-mechanical switch. It uses an electromagnet. (relative clause)  A relay is an electro-mechanical switch which uses an electromagnet.  A lamp is marked 60 W. This means it is converting electricity to heat and light at the rate of 60 joules per second. (condition)  X-rays were discovered by Rontgen in 1895. X-rays can be used in industry to inspect metal castings. (relative clause)  Radios and computers could be damaged. The power supply is connected the wrong way round. (condition)
1	Example: A relay is an electro-mechanical switch. It uses an electromagnet. (relative clause)  A relay is an electro-mechanical switch which uses an electromagnet.  A lamp is marked 60 W. This means it is converting electricity to heat and light at the rate of 60 joules per second. (condition)  X-rays were discovered by Rontgen in 1895. X-rays can be used in industry to inspect metal castings. (relative clause)  Radios and computers could be damaged. The power supply is connected the wrong way round. (condition)  arrange the words to make sentences.

#### 1 Read the text and answer the questions.

#### Risk of injury

Injury can occur when live electrical parts are exposed and can be touched, or when metalwork, which is meant to be earthed, becomes live at a dangerous voltage. The likelihood of touching live parts is increased during electrical testing and fault-finding, when conductors at dangerous voltages are often exposed. This risk can be minimized if testing is done while the equipment is isolated from any dangerous source of supply, although this cannot always be done, and care must also be taken to prevent contact with any hazardous internally produced voltages.

	1	When can injury occur?
	2	When is the likelihood of touching live parts increased?
	3	How can the risk of injury be minimized?
2	Со	mplete the text with the words listed below.
	cc	onductor hazardous shocks reduced injury voltages
	thr fre val en	ctric cocur when contact with a live causes sufficient current to pass rough the body to cause an injury. As a rough guide, sexceeding 50 V AC or 120 V ripple e DC should be considered in a dry, unconfined, non-conductive location. These voltage tues must be 5 if the location is wet, confined, or conductive. Where there is an adverse vironment, those in charge of the work and those doing the work should be aware of the probable crease in 6 risk.
3	Re	ad the text and answer the questions.
	an	lustrial electricians install, inspect, and test wiring systems and components in all types of buildings d machinery. They typically work in the construction, engineering, and manufacturing industries. industrial electrician would usually work in one of four areas:
	• ]	panel building – putting together control panels that operate a building's lighting, heating, and ventilation systems
	• j	repair and rewind – fixing faults in machinery, for example replacing the motors in a lift system instrumentation – installing and maintaining manufacturing systems that measure the efficiency of a production line
		maintenance – testing and servicing electromechanical equipment found in manufacturing and construction.
	1	Name three typical things an industrial electrician is required to do.
	2	Which industries do industrial electricians typically work in?
	3	What are the four areas in which an industrial electrician would typically work?

## 1 Complete the text with the words listed below.

	ch	nip CPU	discre	ete	bits	5 (	engin	eers	po	werful								
	A microprocessor, also known as a or central processing unit, is a complete computati											on						
	engine that is manufactured on a single². The first microprocessor was introduced in											_						
		e Intel 400																
					•						-							
		wever, it w						-	_		_	_						
		nputers ei	tner fro	om c	colle	Ctic	ons of	cnips	sori	rom			° comp	onents	s (trans	istors v	virea on	е
	at a	atime).																
2	Ma	tch the w	vords (	1—11	I) wi	th	the w	ords	: (a–	k) to n	nake v	vord n	airs.					
		integrate	-		.,	•••		sen	-	,	ione i	<sub>P</sub>						
		circuit					b	cell										
	3	alternatir	ng				С	swi	tch									
	4	primary					d	sup	ply									
	5	zener					е	dio	de									
	6	remote					f	circ	uit									
	7	reed					g	curi	current									
	8	surface					h	bias	S									
	9	vibration					i	con	trol									
1	0	reverse					j	diag	gran	ı								
1	1	mains					k	wav	<i>r</i> e									
3	Ma	itch the m	neasur	em	ents	of	elect	ricit	v (1–	-7) to t	he de	scripti	ions (a	−g).				
		volt		•										_	nducto	r carry	ing a cui	rent
		ohm			_								-			them is	_	
		coulomb			b			-		of 1 jou			-				7 1 0 1 0	
		joule			c					-		_			riod is '	l secon	d	
		watt					_	-	_		-			a condu			-	
		hertz			e					-	-					f1amp	ere	
		ampere			f					-				-		_	rough a	
	•	umpere			_		listan				abear	y cric.	10100	1111011	torrac		ougru	
					g						hetwe	en tw	o noin	ts of a c	onduct	tor carr	ving a	
					ь				_				-				oints is:	1 watt
							Olista	III Cu	iiicii	COTTA	mpere	VVIICII	tric po	WCI DC	CVVCCII	triese p	Office 15	I Watt
4	Co	mplete th	ne sent	tenc	es v	vitl	h the	corre	ect f	orm of	f the v	erbs g	jenera	te, ind	<i>uce</i> , or	detect		
		The magr										_						
	2	A micropl	hone n	nay	be u	sec	l to			sou	ınd.			-				
		The oscill										y of 32	768 H	z.				
		The magr					_				_	-						
		Noise is a							_									
		Motion se					-				•			ment v	vithin	their ra	nge.	

1	Ch	noose the correct w	ord to complete the se	ntences.	
1 Electronics is the study and utilization of systems that function by guiding			tion by guiding		
electron flow in such as semiconductors.					
		<b>a</b> devices	<b>b</b> pieces	<b>c</b> servers	<b>d</b> contraptions
	2	Designing and buil mandate of electro	ding electronic circuits t	co solve	problems is the
		<b>a</b> parallel	<b>b</b> practical	<b>c</b> political	<b>d</b> product
	3	Electronic circuits a	are mainly used to contr	ol, process, and d	istribute information,
		and for the	and distribution	of electric power	
		<b>a</b> conversation	<b>b</b> communication	<b>c</b> conversion	<b>d</b> collection
2	Co	omplete the senten	ces with the <i>to infiniti</i> v	<i>e</i> or - <i>ing</i> form o	f the verbs in brackets.
	1	Last year he decide	d (leave) s	chool and	(do) an apprenticeship
		in Electrical Engine	eering.		
	2	We must avoid	(waste) valua	ıble raw material	ls.
	3	He's responsible for	r(check) a	all the safety syst	ems before the aircraft is allowed
		to take off.			
	4	During the course,	students will study way	s of	$_{\perp}$ (find) faults in equipment.
3	Ch	noose the correct w	ord to complete the se	ntences.	
3 Choose the correct word to complete the sentences.  1 This is broken so please call a to repair it.		o repair it.			
		mechanic / mechan	=		r
	2	A iss	someone who has been t	trained in	
	_	technical / technolo			
	3	After the	installation, the bu	ilding will have _	
		electricity / electrica		Ü	
	4	Study	_at university if you wa	int to become an	
		engine / engineer /			
	5	He has a diploma in	nand now	he repairs	equipment.
		electron / electronic		1	1 1
4	Co	omplete the intervi	ew using the Present S	imple or Presen	t Continuous form of the
		rbs in brackets.	· ·	•	
	Ι_	¹ (be) a s	student and I	² (study) Elect:	ronic Engineering. Normally we
		³ (attend	) lectures and	4 (carry out) e	experiments in the laboratory.
	Bu	ıt this week we	5 (do) real work	with electronic e	ngineers in various different companies
	Ι_	6 (work	) in a company called Tel	eNorth, which	<sup>7</sup> (install) radio-based local
	are	ea networks.I	8 (help) an engin	eer, Fred Johnson	, to assess where to put the transmitters.
	То	day we	_9 (visit) a company that	10	(build) a new factory and wants to use
	Te	leNorth technology f	for its networks.		

ı		sing the Present Perfect or Past Simple form of the verbs in brackets.		
		Roberto (be) a computer technician for the last three years.		
		During this time, he (set up) five networks for large companies.		
		Before becoming a computer technician, he(be) a computer repair man in a shop		
		for four years.		
	4	During those four years, he (repair) hundreds of computers.		
	5	Since 2006, he (work) for Dynatron, the biggest company in the region.		
	6	Roberto and Renata both(become) interested in computers while they were at school.		
	7	In September 2006, Renata (begin) a university course in computer science.		
	8	Over the last three months, Renata (take) three exams.		
2	Co	omplete the sentences with if, unless, as soon as, before, or when. Use each word only once.		
	1	There's a green light and a red light. You can operate the machine the green light is		
		illuminated.		
	2	This is the emergency warning bell it sounds, everyone must leave the building.		
	3	We won't be able to complete the project we get more funding.		
	4 The alarms must be activated. The last person to leave should check they're all switched on			
	they lock the doors and leave the building.			
	5	the inventor can get permission to fly, he will put his M200G flying car on sale.		
3		omplete the sentences with the correct form of the words in brackets. Add prepositions articles where necessary.		
	1	The driver-condition-detection sensor shakes the driver's seat, which		
		(prevent / driver / fall / asleep).		
	2	The road-surface sensor detects when the road is icy, which		
		(cause / ice warning / appear) on the instrument panel.		
	3 If the fuel sensor detects the fuel is contaminated, the supply to the engine is cut, which(stop / engine / work).			
	4 The seatbelt sensor detects the driver has not fastened his / her seatbelt,			
		(prevent / car / start).		
4	Ur	nderline and correct the mistake in each of the sentences.		
	1	Could you sending me the latest catalogue, please?		
	2	I wonder if you could tell me can cardboard be used to make furniture.		
	3	I like to know if the glass has been toughened.		
	4	Would you mind to confirm the measurements by return?		
	5	I'd like you work in the machining department next week		
	6	I wondering if you could find a replacement screen?		

	emitted light beams terminal pins liode transparent plastic case
_	omplete the text with the words listed below.
C	liodes protects blocks direction electronics
Α	device that current in one direction while letting current flow in another 2
is	called a diode3 can be used in a number of ways. A device that uses batteries often contain
	diode that $\_\_\_$ the device if you insert the batteries back to front . The diode simply blocks any
	rrent from leaving the battery if it is reversed – this protects the sensitive5 in the device.
	in the device.
Cl	noose the correct word to answer the questions.
1	What do capacitors store?
	a protons b neutrons c electrons
2	What separates the two terminals inside a capacitor?
	a metal b water c nonconductive material
3	What types of devices do Mylar capacitors usually power?
	a radio tuning circuits b timing circuits c antennas
4	If you charge a capacitor using a 1.5-Volt battery, how much voltage will the capacitor gain?
	a 0 Volts b 1.5 Volts c 3 Volts
Re	ead the text and answer the questions.
In	tegrated circuits
	nere are two basic types of integrated circuit (IC) – monolithic and hybrid. Monolithic ICs include the
	ntire circuit on a single silicon chip. They can range in complexity from a few transistors to millions of
	ansistors on a computer microprocessor chip. A hybrid IC has a circuit with several chips enclosed in
	single package. The chips in a hybrid IC may be a combination of transistors, resistors, capacitors, and
	onolithic IC chips. A printed circuit board, or PCB, holds an electronic circuit together.
1	What are the two basic types of integrated circuits?
2	Which type of IC includes the entire circuit on a single silicon chip?
3	The chips in a hybrid IC may be a combination of which components?
1	What is PCB an abbreviation of?
4	Without Sign Dian anniewiation of C

#### 1 Below is the Health and Safety policy of a small electronics firm. Put the words in order to form a sentence.

- 1 operates a health and safety policy / employees, trainees, contractors, and visitors / Electronics Specialists / aimed at protecting all
- 2 is safe / and without risk / the workplace / to health
- 3 under control / dust, fumes, and noise / all / are kept
- 4 meet the safety standards / required / all / plant and machinery must
- 5 all/are handled / articles and substances / and used safely / stored
- 6 are given / health and safety / all staff / sufficient information, training, and supervision / to perform their job / to enable them / and ensure their

#### 2 Match the expressions (1–5) with the definitions (a–e).

- 1 circuit breaker
- a unit which increases or decreases voltage levels
- **2** force majeure
- 3 power outage
- 4 power surge
- 5 substation
- b a sharp, temporary rise in current or voltage levels which can cause
- damage to electrical equipment
- c equipment which protects electrical apparatus from a sharp rise in current levels by switching off electrical current automatically
- d loss of electrical power to an area
- e an unexpected loss or uncontrollable event; nobody is at fault or responsible for subsequent damage

#### 3 Complete the table with the correct word or expression.

Noun		Verb	Company/Person
1	generation		generator
2	transmission		
3	sales		
4		to distribute	
5		to regulate	
6	supply		

#### 4 Complete the table.

Verb	Noun
to	adaptation
to	approval
to assemble	
to conceive	
to	design
to develop	
to produce	
to	specification

1	Complete the dialogue with will or would or the reduced forms
	of 'll and 'd where appropriate.

Α	What you do when you finish your diploma?
В	I² like to take a course in multimedia.
Α	How long3 that take?
В	If I choose the certificate, it4 take 6 months but if I chose the master's
	it5 take a full year.
Α	What6 be the advantage of the master's?
В	I guess I 7 have better job prospects.

# 2 Look at the table to find a metal for each of the properties listed below.

More than one answer is possible.
-----------------------------------

1	ductile	
2	malleable	
3	corrosion-resistant	
4	good conductor	


Metals	Properties	Uses
Aluminium	minium Light, soft, ductile, highly conductive, corrosion-resistant.	
Copper	Very malleable, tough and ductile, highly conductive, corrosion-resistant.	Electric wiring, PCBs, tubing
Brass (65% Copper, 35% Zinc)	Very corrosion-resistant. Casts well, easily machined. Can be work hardened. Good conductor.	Valves, taps, castings, ship fitting, electrical contacts
Mild Steel (Iron with 0.15% to 0.3% Carbon)	High strength, ductile, tough, fairly malleable. Cannot be hardened and tempered. Low cost. Poor corrosion resistance.	General purpose

## 3 Match the beginnings of the words (1–8) with the endings (a–h) to form nouns.

1	compress-	a	-ee
2	corro-	b	-ian
3	equip-	c	-ics
4	fric-	d	-sion
5	logist-	e	-ment
6	supervis-	f	-or
7	technic-	g	-or
8	train-	h	-tion

## **4** What are the adjectives from these nouns? Complete the table.

N	oun	Adjective
1	width	
2	height	
3	length	
4	depth	
5	weight	



#### ACKNOWLEDGEMENTS

The publisher would like to thank the following for their kind permission to reproduce photographs and other copyright material.

Illustrations by: Oxford Designers and Illustrators pp1, 2, 3, 5, 9, 16.

Photographs: Pierre d'Alancaisez p5.

Cover image by: OUP (Circuit board/Photodisc)

OXFORD UNIVERSITY PRESS

A001853

www.oup.com