

# Electronics

**Student Workbook**


OXFORD

# Contents

Unit 1	Page 1
Unit 2	2
Unit 3	3
Unit 4	4
Unit 5	5
Unit 6	6
Unit 7	7
Unit 8	8
Unit 9	9
Unit 10	10
Unit 11	11
Unit 12	12
Unit 13	13
Unit 14	14
Unit 15	15
Unit 16	16
Unit 17	17
Unit 18	18
Answer Key	19

**1** Label the diagram of a zinc-carbon cell (1–4) with these terms (a–d).

- a current collector
- b jacket
- c positive electrode
- d electrolyte



**2** Each verb has a related noun ending in *-r* which refers to an instrument or component. Complete the column of nouns.

Verb	Noun
1 record	
2 transmit	
3 transform	
4 charge	
5 rectify	
6 process	
7 amplify	
8 collect	
9 detect	
10 tune	

**3** Complete the text with the words listed below.


electrode rod occasional collector negative

### Zinc-carbon cell

It has a zinc \_\_\_\_\_<sup>1</sup> electrode, a manganese dioxide positive \_\_\_\_\_<sup>2</sup>, and the electrolyte is a solution of ammonium chloride. The carbon \_\_\_\_\_<sup>3</sup> is in contact with the positive electrode (but is not involved in the chemical reaction) and is called the current \_\_\_\_\_<sup>4</sup>. The EMF is 1.5. This is the most popular cell for low-current or \_\_\_\_\_<sup>5</sup> use, e.g. in torches.

**4** Match the circuit symbols with the functions (a–j).

- a varies capacitance in a circuit
- b measures very small currents
- c adds resistance to a circuit
- d measures very small circuits
- e breaks a circuit
- f protects a circuit
- g varies the current in a circuit
- h steps AC voltages up or down
- i receives RF signals
- j measures voltages



## 1 Match each component or unit (1–8) with its function in a battery charger (a–h).

### Component/ Unit

- 1 transformer
- 2 double-pole switch
- 3 neon lamp
- 4 fuse
- 5 rectifier
- 6 aluminium heatsink
- 7 smoothing circuit
- 8 stabilizing circuit

### Function in a battery charger

- a steps down the AC mains voltage
- b prevents the output from changing when the load varies
- c keeps the diodes from overheating
- d shows when the charger is on
- e removes the fluctuations in the DC output of the rectifier
- f protects the transformer
- g converts an AC voltage to a DC voltage
- h switches the charger on and off

## 2 Find the eight words relating to electronics.

The words read from left to right (→)  
and top to bottom (↓).

cell electrode negative positive  
voltage zinc-carbon charger current

c	e	s	t	u	i	p	o	n	a
e	l	e	c	t	r	o	d	e	s
l	o	u	u	e	a	s	s	g	h
l	t	x	r	i	h	i	o	a	t
i	a	s	r	k	c	t	a	t	u
u	o	r	e	e	t	i	w	i	x
e	s	a	n	i	z	v	u	v	o
v	o	l	t	a	g	e	q	e	i
o	a	c	h	a	r	g	e	r	e
z	i	n	c	c	a	r	b	o	n

## 3 Match the test and repair instruments (1–4) with their use (a–d).

- |                      |  |
|----------------------|--|
| 1 Multimeter         | a This is used to measure a number of different electrical quantities such as voltage, current and resistance.   |
| 2 Logic probe        | b This is used to measure fast moving signals.   |
| 3 Oscilloscope       | c This instrument is used for measuring voltage levels and pulses in digital logic circuits.   |
| 4 Function generator | d This instrument contains a triangular wave oscillator which can be switched to produce triangular, square or sine waves over a range of frequencies. |

## 4 Label the diagram of a logic probe with the words and phrases listed below.

powered by circuit under test probe red LED green LED


- 1 \_\_\_\_\_
- 2 \_\_\_\_\_
- 3 \_\_\_\_\_
- 4 \_\_\_\_\_



### 1 Label the diagram of a function generator with the words and phrases listed below.

function selector  
BNC connector  
frequency adjust  
frequency range selector switches

- 1 \_\_\_\_\_  
2 \_\_\_\_\_  
3 \_\_\_\_\_  
4 \_\_\_\_\_



### 2 Complete the text with the words listed below.

levels circuits coloured low pulse instrument

#### Logic probe

This \_\_\_\_\_<sup>1</sup> is used for measuring voltage \_\_\_\_\_<sup>2</sup> and pulses in digital logic \_\_\_\_\_<sup>3</sup>.  
When the probe is placed on the pin of a logic IC, small \_\_\_\_\_<sup>4</sup> LEDs light up to indicate if a  
\_\_\_\_\_<sup>5</sup> is detected or whether the pin is at a high or \_\_\_\_\_<sup>6</sup> logic level.

### 3 Complete the text with the words listed below.

signal frequencies equipment contains test switched


#### Function generator

This instrument \_\_\_\_\_<sup>1</sup> a triangular wave oscillator which can be \_\_\_\_\_<sup>2</sup> to produce  
triangular, square or sine waves over a range of \_\_\_\_\_<sup>3</sup>. It is used to \_\_\_\_\_<sup>4</sup> and adjust a  
variety of electronic \_\_\_\_\_<sup>5</sup> such as audio amplifiers. The function generator provides a known  
\_\_\_\_\_<sup>6</sup> which can be injected into a circuit.

### 4 Label the diagram with the components listed below.

compressor condenser  
capillary tube evaporator

- 1 \_\_\_\_\_  
2 \_\_\_\_\_  
3 \_\_\_\_\_  
4 \_\_\_\_\_



# 1 Link each pair of events to make one complex sentence. Use the clue in the brackets to help you.

**Example:** A relay is an electro-mechanical switch. It uses an electromagnet. (relative cause)

A relay is an electro-mechanical switch which uses an electromagnet.

- 1 An electrolytic capacitor is connected wrongly. The capacitor will be damaged. (condition)  
\_\_\_\_\_
- 2 You touch memory chips. Make sure you are earthed. (time)  
\_\_\_\_\_
- 3 D-type connectors come in a variety of sizes. D-type connectors are widely used for linking devices to computers. (relative cause)  
\_\_\_\_\_

# 2 Match each engineering sector (1–9) with its related counterpart (a–i).

- |                           |                                |
|---------------------------|--------------------------------|
| 1 marine                  | a air-conditioning             |
| 2 aeronautical            | b roads and bridges            |
| 3 heating and ventilating | c body scanners                |
| 4 electricity generating  | d cables and switchgear        |
| 5 automobile              | e communications and equipment |
| 6 civil                   | f ships                        |
| 7 electronic              | g planes                       |
| 8 electrical installation | h cars and trucks              |
| 9 medical                 | i power stations               |

# 3 Match the verbs (1–4) with the definitions (a–d).

- |             |  |
|-------------|--|
| 1 absorb    | a to change from a liquid to a gas or vapour       |
| 2 compress  | b to take in from the surrounding surface or space |
| 3 condense  | c to press or squeeze into a smaller space         |
| 4 evaporate | d to change from gas or vapour to liquid           |

# 4 Complete the sentences with the words listed below.

capacitor relay transformers oscillator induces diodes amplify

- 1 While the \_\_\_\_\_ charges up, the current flows.
- 2 \_\_\_\_\_ only allow current to flow one way.
- 3 A transistor can be used to \_\_\_\_\_ a signal.
- 4 \_\_\_\_\_ change the voltage in a power line.
- 5 If the \_\_\_\_\_ is activated, its contacts close.
- 6 A moving magnetic field \_\_\_\_\_ a current.
- 7 The \_\_\_\_\_ generates a series of pulses.

### 1 Link each pair of events to make one complex sentence. Use the clue in the brackets to help you.

**Example:** A relay is an electro-mechanical switch. It uses an electromagnet. (relative clause)

A relay is an electro-mechanical switch which uses an electromagnet.

1 A milliammeter is a device. It measures very small currents. (relative clause)

\_\_\_\_\_

2 A residual current device trips. An excess current passes through a circuit. (time)

\_\_\_\_\_

3 Light strikes the solar cell. This generates a voltage. (relative clause)

\_\_\_\_\_

### 2 Match the items (1–10) with the circuit symbol diagrams (a–j).

1 amplifier \_\_\_\_\_

2 capacitor \_\_\_\_\_

3 diode \_\_\_\_\_

4 resistor \_\_\_\_\_

5 light-emitting diode \_\_\_\_\_


6 NAND logic gate \_\_\_\_\_

7 relay \_\_\_\_\_

8 NPN transistor \_\_\_\_\_


9 switch (single-pole, single-throw) \_\_\_\_\_

10 potentiometer (pot) \_\_\_\_\_



### 3 Study this circuit. Make a component list with the numbers, names, and values of each component. Say what the circuit is used for.

Component	Type	Value/reference number
R1		
R2		
R3		
R4		
R5		
R6		
R7		
D1		
Q1		
SW1		
	operational amplifier	UA741



### 1 Match the phrasal verbs listed below with the definitions (1–6).

chase up   carry out   catch up   get on with   fall behind   hold up

- 1 lose time on a schedule \_\_\_\_\_
- 2 perform a task \_\_\_\_\_
- 3 cause a delay \_\_\_\_\_
- 4 contact somebody in order to remind them to do something \_\_\_\_\_
- 5 spend extra time doing something because you haven't done it earlier \_\_\_\_\_
- 6 make progress \_\_\_\_\_

### 2 Link each pair of events to make one complex sentence. Use the clue in the brackets to help you.

**Example:** A relay is an electro-mechanical switch. It uses an electromagnet. (relative clause)

A relay is an electro-mechanical switch which uses an electromagnet.

- 1 The input signal to an inverter is 1. The output signal will be 0. (condition)  
\_\_\_\_\_
- 2 A signal is detected. It is amplified. (time)  
\_\_\_\_\_
- 3 A logic probe is a test instrument. It provides an easy way of checking simple logic circuits. (relative clause)  
\_\_\_\_\_

### 3 Complete the sentences about jobs in technology with the correct form of the verbs listed below.

do   measure   connect   maintain   repair   cut   make   design   manufacture   turn

- 1 Maintenance Technicians are responsible for \_\_\_\_\_ and \_\_\_\_\_ equipment in a factory.
- 2 Estimators calculate the costs of \_\_\_\_\_ and \_\_\_\_\_ a product.
- 3 Research Engineers find new and better ways of \_\_\_\_\_ things.
- 4 Fitters are responsible for \_\_\_\_\_ new equipment to the network.
- 5 Design Engineers aim \_\_\_\_\_ ideas into plans.
- 6 Control Engineers attempt \_\_\_\_\_ and regulate all the variables in a system.
- 7 Production Engineers plan \_\_\_\_\_ things in the most efficient way.
- 8 They look at ways of \_\_\_\_\_ production costs.

### 4 Find eight words relating to electronics.

The words read from left to right (→)  
and top to bottom (↓).

capacitor   current   diode  
frequency   oscillator   pulse  
relay   switch

e	n	i	s	p	u	o	t	d	o
f	r	e	q	u	e	n	c	y	s
s	o	e	q	l	n	i	s	k	c
w	i	u	t	s	z	c	e	o	i
i	y	s	o	e	w	u	h	u	l
t	n	e	d	l	b	r	i	t	l
c	r	e	l	a	y	r	s	o	a
h	i	d	i	o	d	e	g	e	t
u	o	e	s	t	x	n	n	i	o
c	a	p	a	c	i	t	o	r	r



### 1 Complete the text with the words listed below.

magnet switches coil flows circuits core

#### Relays

Relays are electromagnetic \_\_\_\_\_.<sup>1</sup> They consist of an iron \_\_\_\_\_<sup>2</sup> with a copper \_\_\_\_\_<sup>3</sup> wound round it. When current \_\_\_\_\_<sup>4</sup> through the coil, the coil becomes a \_\_\_\_\_<sup>5</sup> and pulls a moveable contact arm towards it. This can make or break \_\_\_\_\_<sup>6</sup> just like a switch.

### 2 Make sentences by matching the information in columns A–C and then linking it together using a relative clause with *which* or *who*.

*Example: Silicon, which comes from sand, is an important component of some semiconductors.*

A	B	C
Subject	Additional information	Important information
Silicon	It is short for binary digit.	He was one of three inventors of the transistor.
1 Digital electronics	He worked at Bell laboratories.	They are remembered in the basic units of electricity.
2 Walter Brattain	This means light-emitting diodes.	They are used in watches and many electronic displays.
3 A bit	It is used in everything from watches to computers.	They can provide a higher current than other batteries.
4 Lithium batteries	They were pioneers in the study of electricity.	It is an important component of some semiconductors.
5 LEDs	It comes from sand.	It is concerned with electrical systems made up of a series of switches.
6 Ohm, Volta, and Ampere	They are often used in cameras.	It is a single unit of information.

- 1 \_\_\_\_\_
- 2 \_\_\_\_\_
- 3 \_\_\_\_\_
- 4 \_\_\_\_\_
- 5 \_\_\_\_\_
- 6 \_\_\_\_\_

### 3 Complete the text with the words listed below.

electricity discharged power connected energy high

#### Capacitors

Capacitors store electrical \_\_\_\_\_.<sup>1</sup> They can be charged and \_\_\_\_\_<sup>2</sup> very quickly. They are particularly important in \_\_\_\_\_<sup>3</sup> frequency devices such as radios. Electrolytic capacitors are usually larger. They can be \_\_\_\_\_<sup>4</sup> in one way only and are used to store \_\_\_\_\_<sup>5</sup> and to smooth out pulsating signals, for example in \_\_\_\_\_<sup>6</sup> supplies.

**1** In electronics the verbs on the left commonly occur with one of the nouns on the right. Match a verb (1–7) to a noun (a–g).

- |             |               |
|-------------|---------------|
| 1 actuate   | a a capacitor |
| 2 adjust    | b a circuit   |
| 3 boost     | c a control   |
| 4 complete  | d frequency   |
| 5 discharge | e a relay     |
| 6 induce    | f a signal    |
| 7 change    | g a voltage   |

**2** Complete each sentence using the correct form of a verb from question 1.

- \_\_\_\_\_ the control so the meter reads zero.
- When the circuit is switched off, the capacitor keeps it operating until it \_\_\_\_\_.
- The changing magnetic flux \_\_\_\_\_ a voltage in the secondary of the transformer.
- Changing the capacitor will \_\_\_\_\_ the frequency of the oscillator.
- Pressing the switch \_\_\_\_\_ the circuit, allowing the current to flow.

**3** Complete the text with the words listed below.

computers off NAND digital circuits

#### Logic gates

Logic gates are integrated \_\_\_\_\_<sup>1</sup> which provide the basic logic functions used in \_\_\_\_\_<sup>2</sup> and other devices which use \_\_\_\_\_<sup>3</sup> electronics. Signals in digital circuits are either on (1) or \_\_\_\_\_<sup>4</sup> (0). Basic logic gates include AND, OR, \_\_\_\_\_<sup>5</sup>, and NOR.

**4** Complete the explanation of a circuit with the words listed below.


off thermistor collector activates temperature circuit  
on switch current contacts value rises

This is a thermostat to control the operation of a central-heating system. The \_\_\_\_\_<sup>1</sup> changes in resistance with the \_\_\_\_\_<sup>2</sup> in the room. This alters the voltage in the base-emitter \_\_\_\_\_<sup>3</sup>, turning the transistor \_\_\_\_\_<sup>4</sup> if the temperature falls below a pre-set \_\_\_\_\_<sup>5</sup>. This allows a \_\_\_\_\_<sup>6</sup> to flow in the \_\_\_\_\_<sup>7</sup>-emitter circuit which \_\_\_\_\_<sup>8</sup> the relay, closing its \_\_\_\_\_<sup>9</sup> and switching on the system. If the temperature of the room \_\_\_\_\_<sup>10</sup> above the pre-set value, the thermistor will \_\_\_\_\_<sup>11</sup> the transistor and the heating system \_\_\_\_\_<sup>12</sup> in the same way.

### 1 Label the diagram with the parts listed below.

connection pin, lid, integrated circuit  
fixed resistors have standard values  
wire, dual-in-line package

- 1 dual in-line package
- 2 wire
- 3 integrated circuit
- 4 lid
- 5 connection pin



### 2 Complete the explanation of a circuit using the words listed below.


light transistor battery buzzer diode flow resistor conduct probes if

This is a device to detect moisture. The components are: junction transistor<sup>1</sup>, light-emitting diode<sup>2</sup>, 2.2k resistor<sup>3</sup>, a buzzer, two probes, and a 9 volt battery<sup>4</sup>. No current flows in the base-emitter circuit when there is air between the two probes<sup>5</sup>, so the transistor is turned off. if<sup>6</sup> the probes are placed on a damp surface, the moisture will conduct<sup>7</sup> a current. A current will flow<sup>8</sup> to the base, turning the transistor on. Current then flows from the battery to the light<sup>9</sup>-emitting diode and the buzzer<sup>10</sup>, giving both visible and audible warning.

### 3 Label the diagram with the parts listed below.

cord selector switch input terminal  
probe auto/manual range data hold  
housing digital display

- 1 probe
- 2 cord
- 3 input terminal
- 4 selector switch
- 5 data hold
- 6 auto/manual range
- 7 digital display
- 8 housing



- 1 Find eight words relating to electronics.**  
The words read from left to right (→)  
and top to bottom (↓).

actuate	adjust	boost
charge	induce	complete
amplify	detect	

a	r	a	s	n	i	o	a	q	z
c	o	n	c	b	p	r	m	a	s
t	s	i	z	o	e	w	p	i	o
u	a	r	q	o	x	p	l	z	i
a	d	j	u	s	t	h	i	s	n
t	o	s	e	t	i	a	f	r	d
e	p	n	a	c	u	o	y	n	u
r	d	e	t	e	c	t	i	a	c
o	a	q	c	c	h	a	r	g	e
c	o	m	p	l	e	t	e	s	r

- 2 Complete the text with *who*, *which*, *when*, or *if*.**

Jack Kilby, who<sup>1</sup> was born in 1923, worked for Texas Instruments in America. He discovered how to make more than one transistor in a material, which<sup>2</sup> was called germanium. He found he could connect transistors without wires when<sup>3</sup> he 'grew' them together at the same time. Robert Noyce, who<sup>4</sup> was working for Fairchild Semiconductors at the same time, made a similar microchip from silicon, which<sup>5</sup> became the standard material for making microchips.

The first microprocessor chip, which<sup>6</sup> had 2300 transistors, was small, but chips which<sup>7</sup> are made today can have more than 30 million.

People who<sup>8</sup> make and test microchips have to work in dust-free rooms. Air contains impurities, which<sup>9</sup> could damage the microchip, so microchips are made in a vacuum. if<sup>10</sup> the microchip works when it is tested, it can be soldered onto a circuit board.

- 3 Read the text in question 2 and answer the questions (1–5).**

- What is the name of the material that Jack Kilby used for his invention? The material he used is germanium
- Robert Noyce developed a similar microchip from which material? He developed it from silicon
- Which material became the standard for making microchips? The standard material is the silicon
- The rooms in which microchips are made are free from which impurity? Yes, they are
- How is the microchip attached to a circuit board? It's attached by soldering it

- 4 Join each of the two sentences into one complex sentence. Use the clue in the brackets to help you.**

**Example:** Resistors are sometimes made from a length of nichrome wire. Resistors can be used to reduce the current in a circuit. (relative clause)

Resistors, which are sometimes made from a length of nichrome wire, can be used to reduce the current in a circuit.

- Potentiometers are used in radios as volume controls and tone controls. Potentiometers are often circular. (relative clause)  
Potentiometers, which are often circular, are used in radios as volume controls and tone controls.
- More current flows. The thermistor gets hotter. (time)  
The thermistor gets hotter when more current flows.
- You touch memory chips. Make sure you are earthed. (time)  
Make sure you are earthed when you touch memory chips.

## 1 Rearrange the words to make a sentences.

- 1 standard resistors fixed values have  
fixed resistors have standard values

---

- 2 one only direction diodes current flow allow through to in  
diodes only allow current to flow through one direction

---

- 3 contain semiconductor of chips tiny transistors materials  
chips contain transistors of semiconductor materials

---

## 2 Join each of the two sentences into one complex sentence. Use the clue in the brackets to help you.

- 1 Special diodes called LEDs give out light. Current passes through LEDs. (condition)  
If current passes through LEDs, they give out light.

---

- 2 LEDs are often used as indicator lamps. LEDs are small, reliable, and need only a small current. (relative clause)  
LEDs, which are small, reliable, and need only a small current, are used as indicator lamps.

---

- 3 Light shines on a semiconductor. A semiconductor conducts electricity more easily. (time)  
When light shines on a semiconductor, it conducts electricity more easily.

---

## 3 Join each of the two sentences into one complex sentence. Use the clue in the brackets to help you.

**Example:** A relay is an electro-mechanical switch. It uses an electromagnet. (relative clause)

A relay is an electro-mechanical switch which uses an electromagnet.

- 1 A lamp is marked 60 W. This means it is converting electricity to heat and light at the rate of 60 joules per second. (condition)  
If a lamp is marked 60W, it is converting electricity to heat and light at the rate of 60 joules per second.

---

- 2 X-rays were discovered by Rontgen in 1895. X-rays can be used in industry to inspect metal castings. (relative clause)  
X-rays, which were discovered by Rontgen in 1895, can be used in industry to inspect metal castings.

---

- 3 Radios and computers could be damaged. The power supply is connected the wrong way round. (condition)  
If the power supply is connected the wrong way round, radios and computers could be damaged.

---

## 4 Rearrange the words to make sentences.

- 1 is measures small a very millammeter device a which currents  
A millammeter is a device which measures very small currents.

---

- 2 generating light cell voltage strikes solar the a  
The light strikes a solar cell, generating current.

---

- 3 amplified after is signal a detected is it  
A signal is amplified after it is detected.

---

## 1 Read the text and answer the questions.

### Risk of injury

Injury can occur when live electrical parts are exposed and can be touched, or when metalwork, which is meant to be earthed, becomes live at a dangerous voltage. The likelihood of touching live parts is increased during electrical testing and fault-finding, when conductors at dangerous voltages are often exposed. This risk can be minimized if testing is done while the equipment is isolated from any dangerous source of supply, although this cannot always be done, and care must also be taken to prevent contact with any hazardous internally produced voltages.

1 When can injury occur?

Injuries can occur when live electrical parts are exposed and can be touched.

2 When is the likelihood of touching live parts increased?

It's increased during electrical testing and fault-finding.

3 How can the risk of injury be minimized?

It can be minimized by isolating equipment from any dangerous source of supply.

## 2 Complete the text with the words listed below.

conductor hazardous shocks reduced injury voltages

Electric shocks<sup>1</sup> occur when contact with a live conductor<sup>2</sup> causes sufficient current to pass through the body to cause an injury. As a rough guide, voltages<sup>3</sup> exceeding 50 V AC or 120 V ripple free DC should be considered hazardous<sup>4</sup> in a dry, unconfined, non-conductive location. These voltage values must be reduced<sup>5</sup> if the location is wet, confined, or conductive. Where there is an adverse environment, those in charge of the work and those doing the work should be aware of the probable increase in injury<sup>6</sup> risk.

## 3 Read the text and answer the questions.

Industrial electricians install, inspect, and test wiring systems and components in all types of buildings and machinery. They typically work in the construction, engineering, and manufacturing industries. An industrial electrician would usually work in one of four areas:

- panel building – putting together control panels that operate a building's lighting, heating, and ventilation systems
- repair and rewind – fixing faults in machinery, for example replacing the motors in a lift system
- instrumentation – installing and maintaining manufacturing systems that measure the efficiency of a production line
- maintenance – testing and servicing electromechanical equipment found in manufacturing and construction.

1 Name three typical things an industrial electrician is required to do.

Install, inspect and test wiring systems.

2 Which industries do industrial electricians typically work in?

Construction, engineering and manufacturing industries.

3 What are the four areas in which an industrial electrician would typically work?

Panel building, repair and rewind, instrumentation and maintenance.

### 1 Complete the text with the words listed below.

chip CPU discrete bits engineers powerful

A microprocessor, also known as a CPU<sup>1</sup> or central processing unit, is a complete computation engine that is manufactured on a single chip<sup>2</sup>. The first microprocessor was introduced in 1971. The Intel 4004 was not very powerful<sup>3</sup>; it could only add and subtract 4 bits<sup>4</sup> at a time. However, it was remarkable that everything was on a single chip. Prior to the 4004, engineers<sup>5</sup> built computers either from collections of chips or from discrete<sup>6</sup> components (transistors wired one at a time).

### 2 Match the words (1–11) with the words (a–k) to make word pairs.

- |               |           |
|---------------|-----------|
| 1 integrated  | a sensor  |
| 2 circuit     | b cell    |
| 3 alternating | c switch  |
| 4 primary     | d supply  |
| 5 zener       | e diode   |
| 6 remote      | f circuit |
| 7 reed        | g current |
| 8 surface     | h bias    |
| 9 vibration   | i control |
| 10 reverse    | j diagram |
| 11 mains      | k wave    |

### 3 Match the measurements of electricity (1–7) to the descriptions (a–g).

- |           |   |
|-----------|---|
| 1 volt    | a electrical resistance between two points of a conductor carrying a current of 1 ampere when the difference in potential between them is 1 volt  |
| 2 ohm     | b energy transfer of 1 joule during 1 second  |
| 3 coulomb | c frequency of a periodic phenomenon whose period is 1 second   |
| 4 joule   | d constant current of 1 joule per second in a conductor   |
| 5 watt    | e amount of electricity carried in 1 second by a current of 1 ampere  |
| 6 hertz   | f amount of energy released by the force of 1 newton acting through a distance of 1 meter   |
| 7 ampere  | g difference in potential between two points of a conductor carrying a constant current of 1 ampere when the power between these points is 1 watt |

### 4 Complete the sentences with the correct form of the verbs *generate*, *induce*, or *detect*.

- The magnetic field \_\_\_\_\_ an electric current in the metal object.
- A microphone may be used to \_\_\_\_\_ sound.
- The oscillator \_\_\_\_\_ pulses at a fixed frequency of 32 768 Hz.
- The magnetic field \_\_\_\_\_ a voltage in the search coil.
- Noise is also \_\_\_\_\_ by the low-frequency mains supply.
- Motion sensors may use microwave energy to \_\_\_\_\_ movement within their range.

### 1 Choose the correct word to complete the sentences.

- Electronics is the study and utilization of systems that function by guiding electron flow in \_\_\_\_\_ such as semiconductors.  
a devices                      b pieces                      c servers                      d contraptions
- Designing and building electronic circuits to solve \_\_\_\_\_ problems is the mandate of electronic engineering.  
a parallel                      b practical                      c political                      d product
- Electronic circuits are mainly used to control, process, and distribute information, and for the \_\_\_\_\_ and distribution of electric power.  
a conversation                      b communication                      c conversion                      d collection

### 2 Complete the sentences with the *to infinitive* or *-ing* form of the verbs in brackets.

- Last year he decided \_\_\_\_\_ (leave) school and \_\_\_\_\_ (do) an apprenticeship in Electrical Engineering.
- We must avoid \_\_\_\_\_ (waste) valuable raw materials.
- He's responsible for \_\_\_\_\_ (check) all the safety systems before the aircraft is allowed to take off.
- During the course, students will study ways of \_\_\_\_\_ (find) faults in equipment.

### 3 Choose the correct word to complete the sentences.

- This \_\_\_\_\_ is broken so please call a \_\_\_\_\_ to repair it.  
*mechanic / mechanical / mechanism*
- A \_\_\_\_\_ is someone who has been trained in \_\_\_\_\_.  
*technical / technology / technician*
- After the \_\_\_\_\_ installation, the building will have \_\_\_\_\_.  
*electricity / electrical / electrician*
- Study \_\_\_\_\_ at university if you want to become an \_\_\_\_\_.  
*engine / engineer / engineering*
- He has a diploma in \_\_\_\_\_ and now he repairs \_\_\_\_\_ equipment.  
*electron / electronics / electronic*

### 4 Complete the interview using the Present Simple or Present Continuous form of the verbs in brackets.

I \_\_\_\_\_<sup>1</sup> (be) a student and I \_\_\_\_\_<sup>2</sup> (study) Electronic Engineering. Normally we \_\_\_\_\_<sup>3</sup> (attend) lectures and \_\_\_\_\_<sup>4</sup> (carry out) experiments in the laboratory. But this week we \_\_\_\_\_<sup>5</sup> (do) real work with electronic engineers in various different companies. I \_\_\_\_\_<sup>6</sup> (work) in a company called TeleNorth, which \_\_\_\_\_<sup>7</sup> (install) radio-based local area networks. I \_\_\_\_\_<sup>8</sup> (help) an engineer, Fred Johnson, to assess where to put the transmitters. Today we \_\_\_\_\_<sup>9</sup> (visit) a company that \_\_\_\_\_<sup>10</sup> (build) a new factory and wants to use TeleNorth technology for its networks.



**1 Complete the sentences about a brother and a sister, Roberto and Renata, using the Present Perfect or Past Simple form of the verbs in brackets.**

- 1 Roberto \_\_\_\_\_ (be) a computer technician for the last three years.
- 2 During this time, he \_\_\_\_\_ (set up) five networks for large companies.
- 3 Before becoming a computer technician, he \_\_\_\_\_ (be) a computer repair man in a shop for four years.
- 4 During those four years, he \_\_\_\_\_ (repair) hundreds of computers.
- 5 Since 2006, he \_\_\_\_\_ (work) for Dynatron, the biggest company in the region.
- 6 Roberto and Renata both \_\_\_\_\_ (become) interested in computers while they were at school.
- 7 In September 2006, Renata \_\_\_\_\_ (begin) a university course in computer science.
- 8 Over the last three months, Renata \_\_\_\_\_ (take) three exams.

**2 Complete the sentences with *if*, *unless*, *as soon as*, *before*, or *when*. Use each word only once.**

- 1 There's a green light and a red light. You can operate the machine \_\_\_\_\_ the green light is illuminated.
- 2 This is the emergency warning bell. \_\_\_\_\_ it sounds, everyone must leave the building.
- 3 We won't be able to complete the project \_\_\_\_\_ we get more funding.
- 4 The alarms must be activated. The last person to leave should check they're all switched on \_\_\_\_\_ they lock the doors and leave the building.
- 5 \_\_\_\_\_ the inventor can get permission to fly, he will put his M200G flying car on sale.

**3 Complete the sentences with the correct form of the words in brackets. Add prepositions or articles where necessary.**

- 1 The driver-condition-detection sensor shakes the driver's seat, which \_\_\_\_\_ (prevent / driver / fall / asleep).
- 2 The road-surface sensor detects when the road is icy, which \_\_\_\_\_ (cause / ice warning / appear) on the instrument panel.
- 3 If the fuel sensor detects the fuel is contaminated, the supply to the engine is cut, which \_\_\_\_\_ (stop / engine / work).
- 4 The seatbelt sensor detects the driver has not fastened his / her seatbelt, \_\_\_\_\_ (prevent / car / start).


**4 Underline and correct the mistake in each of the sentences.**

- 1 Could you sending me the latest catalogue, please? \_\_\_\_\_
- 2 I wonder if you could tell me can cardboard be used to make furniture. \_\_\_\_\_
- 3 I like to know if the glass has been toughened. \_\_\_\_\_
- 4 Would you mind to confirm the measurements by return? \_\_\_\_\_
- 5 I'd like you work in the machining department next week. \_\_\_\_\_
- 6 I wondering if you could find a replacement screen? \_\_\_\_\_

## 1 Label the diagram with the parts listed below.

emitted light beams   terminal pins  
diode   transparent plastic case

- 1 \_\_\_\_\_
- 2 \_\_\_\_\_
- 3 \_\_\_\_\_
- 4 \_\_\_\_\_



## 2 Complete the text with the words listed below.

diodes   protects   blocks   direction   electronics

A device that \_\_\_\_\_<sup>1</sup> current in one direction while letting current flow in another \_\_\_\_\_<sup>2</sup> is called a diode. \_\_\_\_\_<sup>3</sup> can be used in a number of ways. A device that uses batteries often contains a diode that \_\_\_\_\_<sup>4</sup> the device if you insert the batteries back to front. The diode simply blocks any current from leaving the battery if it is reversed – this protects the sensitive \_\_\_\_\_<sup>5</sup> in the device.

## 3 Choose the correct word to answer the questions.

- 1 What do capacitors store?  
a protons                      b neutrons                      c electrons
- 2 What separates the two terminals inside a capacitor?  
a metal                          b water                          c nonconductive material
- 3 What types of devices do Mylar capacitors usually power?  
a radio tuning circuits      b timing circuits              c antennas
- 4 If you charge a capacitor using a 1.5-Volt battery, how much voltage will the capacitor gain?  
a 0 Volts                          b 1.5 Volts                          c 3 Volts

## 4 Read the text and answer the questions.

### Integrated circuits

There are two basic types of integrated circuit (IC) – monolithic and hybrid. Monolithic ICs include the entire circuit on a single silicon chip. They can range in complexity from a few transistors to millions of transistors on a computer microprocessor chip. A hybrid IC has a circuit with several chips enclosed in a single package. The chips in a hybrid IC may be a combination of transistors, resistors, capacitors, and monolithic IC chips. A printed circuit board, or PCB, holds an electronic circuit together.

- 1 What are the two basic types of integrated circuits?  
\_\_\_\_\_
- 2 Which type of IC includes the entire circuit on a single silicon chip?  
\_\_\_\_\_
- 3 The chips in a hybrid IC may be a combination of which components?  
\_\_\_\_\_
- 4 What is PCB an abbreviation of?  
\_\_\_\_\_

**1 Below is the Health and Safety policy of a small electronics firm. Put the words in order to form a sentence.**

- 1 ~~fixed resistors have standard values~~ / employees, trainees, contractors, and visitors /  
Electronics Specialists / aimed at protecting all  
electronic specialists operates a health and safety policy aimed at protecting emp
- 2 is safe / and without risk / the workplace / to health  
the wp is safe to health and without risk
- 3 under control / dust, fumes, and noise / all / are kept  
dust are kept all under control
- 4 meet the safety standards / required / all / plant and machinery must  
all plant meet required
- 5 all/ are handled / articles and substances / and used safely / stored  
all articles are handled stored and used
- 6 are given / health and safety / all staff / sufficient information, training, and supervision /  
to perform their job / to enable them / and ensure their  
all staff are given sufficient to perform and ensure health

**2 Match the expressions (1–5) with the definitions (a–e).**

- |                   |   |
|-------------------|---|
| 1 circuit breaker | a a unit which increases or decreases voltage levels  |
| 2 force majeure   | b a sharp, temporary rise in current or voltage levels which can cause damage to electrical equipment                                 |
| 3 power outage    | c equipment which protects electrical apparatus from a sharp rise in current levels by switching off electrical current automatically |
| 4 power surge     | d loss of electrical power to an area   |
| 5 substation      | e an unexpected loss or uncontrollable event; nobody is at fault or responsible for subsequent damage                                 |

**3 Complete the table with the correct word or expression.**

Noun	Verb	Company/Person
1 generation	generate	generator
2 transmission	transmit	transmissor
3 sales	sale	salesman
4 distribution	to distribute	distributter
5 regulation	to regulate	regulator
6 supply	supply	supply

**4 Complete the table.**

Verb	Noun
to	adaptation
to	approval
to assemble	
to conceive	
to	design
to develop	
to produce	
to	specification

**1 Complete the dialogue with *will* or *would* or the reduced forms of 'll and 'd where appropriate.**

- A What will <sup>1</sup> you do when you finish your diploma?  
 B I would <sup>2</sup> like to take a course in multimedia.  
 A How long will <sup>3</sup> that take?  
 B If I choose the certificate, it will <sup>4</sup> take 6 months but if I chose the master's, it would <sup>5</sup> take a full year.  
 A What would <sup>6</sup> be the advantage of the master's?  
 B I guess I will <sup>7</sup> have better job prospects.

**2 Look at the table to find a metal for each of the properties listed below. More than one answer is possible.**

- 1 ductile \_\_\_\_\_  
 2 malleable \_\_\_\_\_  
 3 corrosion-resistant \_\_\_\_\_  
 4 good conductor \_\_\_\_\_


Metals	Properties	Uses
Aluminium	Light, soft, ductile, highly conductive, corrosion-resistant.	Aircraft, engine components, foil, cooking utensils
Copper	Very malleable, tough and ductile, highly conductive, corrosion-resistant.	Electric wiring, PCBs, tubing
Brass (65% Copper, 35% Zinc)	Very corrosion-resistant. Casts well, easily machined. Can be work hardened. Good conductor.	Valves, taps, castings, ship fitting, electrical contacts
Mild Steel (Iron with 0.15% to 0.3% Carbon)	High strength, ductile, tough, fairly malleable. Cannot be hardened and tempered. Low cost. Poor corrosion resistance.	General purpose

**3 Match the beginnings of the words (1–8) with the endings (a–h) to form nouns.**

- |             |         |
|-------------|---------|
| 1 compress- | a -ee   |
| 2 corro-    | b -ian  |
| 3 equip-    | c -ics  |
| 4 fric-     | d -sion |
| 5 logist-   | e -ment |
| 6 supervis- | f -or   |
| 7 technic-  | g -or   |
| 8 train-    | h -tion |

**4 What are the adjectives from these nouns? Complete the table.**

Noun	Adjective
1 width	
2 height	
3 length	
4 depth	
5 weight	



#### ACKNOWLEDGEMENTS

*The publisher would like to thank the following for their kind permission to reproduce photographs and other copyright material.*

*Illustrations by:* Oxford Designers and Illustrators pp1, 2, 3, 5, 9, 16.

*Photographs:* Pierre d'Alancaisez p5.

*Cover image by:* OUP (Circuit board/Photodisc)

**OXFORD**  
UNIVERSITY PRESS

[www.oup.com](http://www.oup.com)

A001853