2140232 lab revision

July 23, 2022

2140232

joel varghese

lab revision 2

1. write a calculator program

```
[]: i = eval(input("Enter 2 numbers with an operator(+,-,/,*,**) in between : "))

print(i)
```

Enter 2 numbers with an operator(+,-,/,*,**) in between : 5 - (9*4) -31

2. find roots of a quadratic equation

```
[]: import cmath
     print("ax^2 + bx + c ")
     a = int(input("Enter a: "))
     b = int(input("Enter b: "))
     c = int(input("Enter c: "))
     print("the equation is :",str(a)+"x^2 + ",str(b)+"x + ",str(c))
     d = b**2-4*a*c
     d1 = d**0.5
     if(d < 0):
         print("The roots are imaginary. ")
         root1 = (-b + cmath.sqrt(b**2 - 4 * a * c))/(2 * a)
         root2 = (-b - cmath.sqrt(b**2 - 4 * a * c))/(2 * a)
         print('Has two complex roots:')
         print(root1)
        print(root2)
     else:
        r0 = (-b+d1)/2*a
         r1 = (-b-d1)/2*a
         print("The first root: ", round(r0, 2))
         print("The second root: ", round(r1, 2))
```

```
ax^2 + bx + c
    Enter a: 23
    Enter b: 2
    Enter c: 5
    the equation is : 23x^2 + 2x + 5
    The roots are imaginary.
    Has two complex roots:
    (-0.043478260869565216+0.46422079356657875j)
    (-0.043478260869565216-0.46422079356657875j)
      3. check if a given number is perfect or not
[]: d = int(input("Enter a number : "))
     1 = []
     for i in range(1,d):
         if d\%i == 0:
             l.append(i)
     if sum(1) == d:
         print("it is a perfect number")
     else:
         print("not a perfect number")
    Enter a number: 4
    not a perfect number
      4. check if a number is perfect square
[]: import math as m
     f = float(input("enter a number : "))
     k = m.sqrt(f)
     if k\%1 == 0:
         print("it is a perfect square")
     else:
         print("it is not a perfect square")
    enter a number : 4
    it is a perfect square
      5. find pefect squares between 2 given numbers
[]: import math as m
     a = int(input("enter the lower bound : "))
     b = int(input("enter the upper bounf : "))
     p = []
     for i in range(a,b+1):
```

q = m.sqrt(i)

```
if q%1 == 0:
    p.append(i)

print("The perfect squares are : ", p)
```

enter the lower bound : 1
enter the upper bounf : 100

The perfect squares are : [1, 4, 9, 16, 25, 36, 49, 64, 81, 100]