## PICKGUI hotkeys

| Key   | Action   |
|---|--|
| Commonly used                               |  |
| 1   | Move display horizontally to first chunk length  |
| 3   | Toggle display of picked layers  |
| 4   | Toggle display of surface and bed  |
| а   | Adjust current layer; L: cut left of mouse; R: cut right; C: cut right of mouse and          |
|   | left of second click   |
| С   | Narrow radargram focus to current layer (± range of x/y axes)                                |
| d   | Delete current layer; Y: confirm; A: delete all layers with another Y to confirm             |
| е   | Reset x-/y- axes to full range   |
| f   | Flatten radargram using picked layers  |
| i   | Load picks files for this radargram  |
| 1   | Load radar data (single frame or previously concatenated by radframeproc)                    |
| m   | Merge current layer with another   |
| 0   | Narrow radargram focus to all picked layers (doesn't work well in ~depth view)               |
| р   | Semi-automatically pick layers; Left-click: pick layer starting at current location;         |
|   | D: delete closest draft layer; U: undo last action; L: cut left of nearest draft layer;      |
|   | R: cut right; C: cut chunk; M: merge; Q: done; W; widen # vertical samples to                |
|   | search by 1; T: tighten # vertical samples to search by 1                                    |
| q   | Generate separate static figure replicating current display                                  |
| S   | Save picked layers   |
| V   | Toggle on/off checking for crossing layers (recommend off if many picked layers)             |
| Х   | Split current layer; Left click: Candidate x split location; Y: confirm: Q: cancel           |
| У   | Toggle fixing the traveltime range   |
| Z   | Turn figure zoom on (must turn off with GUI button)  |
| =   | Narrow vertical range to ±90% of current vertical extent between traced surface              |
| •   | and bed (no change to vertical window)   |
| $\leftarrow,\uparrow\rightarrow,\downarrow$ | Pan display window 25% of current range in arrow direction                                   |
| spacebar                                    | Toggle display mode (twtt, depth, norm, or flat; twtt goes to flat if available,             |
| 1 6 11 1                                    | backs up to norm; others revert to twtt)   |
| left-click                                  | Select nearest layer   |
| Less comn                                   |  |
| 4   | Toggle display of surface and bed  |
| 7   | Trim ALL layers between a given distance range   |
| b   | Assign current layer to surface or bed   |
| g   | Toggle grid lines  |
| h   | Vertically shift picked layers; U: shift up; D: shift down; then 1:9: # samples shift;       |
| ;   | then A: Shift all layers and Y: confirm; otherwise just current layer  Select previous layer |
| n   |  |
| n<br>+                                      | Select next layer  |
| t   | Perform debug test  Taggle display's color man (hone or int)                                 |
| V<br>r                                      | Toggle display's color map (bone or jet)  Toggle fixing of color scale                       |
| 1   |  |
| J   | Toggle fixing of color to ± 1 standard deviation   |
|   | Toggle fixing of distance scale  |