





Sample Name: CL_whiskey_08

```
=====
Acq. Operator   : SYSTEM                      Seq. Line :   44
Sample Operator : SYSTEM
Acq. Instrument : Charlie Brown              Location :   86 (F)
Injection Date  : 10/15/2025 6:08:58 PM      Inj       :    8
                                           Inj Volume: 0.5 µl
Method          : D:\105 F25\Data\chem\2025-10-14 15-51-51 FA25 chem\Whiskey Analysis FRONT
                  only.M (Sequence Method)
Last changed    : 9/4/2025 3:10:57 PM by SYSTEM
Method Info     : Whiskey Analysis on DUAL SBP-20 columns. Based on "The Reporter Europe",
                  vol 14, November 2004 International Issue, p Supelco doc."The Analysis of
                  Alcoholic Beverages on the 30m x 0.25mm ID, 1.0um SPB-20 Capillary Column".
=====
```

```
=====
                        Area Percent Report
=====
```

```
Sorted By          :      Signal
Multiplier         :      1.0000
Dilution           :      1.0000
Do not use Multiplier & Dilution Factor with ISTDs
```

Signal 1: FID1 A,

Peak #	RetTime [min]	Type	Width [min]	Area [pA*s]	Height [pA]	Area %
1	7.682	BB	0.2133	1.32797e4	984.99414	99.06394
2	11.122	BB	0.1454	21.56954	2.21980	0.16090
3	14.124	BB	0.1075	12.29766	1.71850	0.09174
4	16.023	BB	0.0920	83.62460	13.54863	0.62382
5	19.786	BB	0.0866	7.98805	1.40026	0.05959

```
Totals :                      1.34052e4  1003.88134
=====
```

```
=====
                        Summed Peaks Report
=====
```

Signal 1: FID1 A,
Empty table.

```
=====
                        Final Summed Peaks Report
=====
```

Signal 1: FID1 A,

*** End of Report ***