

# Business Forecasting

## Dummy Variable Regression



# Regression in Time Series methods

---

Regression is a useful tool to estimate models where the target variable (Y) can be explained by “causal” independent variables (X)

eg Sales (Y) explained by **Price**, **Promotional Spend**, **Income**, **Interest rates**, **Competitors** (X's)

Regression can also be used to estimate models more indicative of **time series models**

Quasi- explanatory variables (**time, seasonal dummies, lagged dependent variables**) can be used instead of regular explanatory variables.

# Trend Extrapolations

---

Trend extrapolation based on trend equation

$$Y_t = f(\text{time})$$

For a linear trend  $\longrightarrow Y_t = \beta_0 + \beta_1 * t$

The time index “t” acts as a quasi explanatory variable to help explain/forecast  $Y_t$  with regression used to estimate  $\beta_0, \beta_1$

Estimated equation  $(Y_t = b_0 + b_1 * t)$  used to forecast  $Y_t$  based on future value of time index

Often used as quick way of generating forecasts of independent variables needed in regression forecasts of the target variable.

# Explanatory and Dummy Variables

It is possible to **utilise seasonal variables** in typical “causal” regression models.

The seasonal dummies can account for **seasonal impacts** not explained by the independent variables.

Interpretation and forecasting as in previous examples

**Example:**

**Y = Pie Sales**

**X<sub>1</sub> = Price**

**X<sub>2</sub> = Holiday** (X<sub>2</sub> = 1 if a holiday occurred during the week and X<sub>2</sub> = 0 if there was no holiday that week)

$$\hat{Y} = b_0 + b_1 X_1 + b_2 X_2$$




# Combining Explanatory & Dummies

$\hat{Y} = b_0 + b_1 X_1 + b_2(1) = (b_0 + b_2) + b_1 X_1$	<b>Holiday</b>
$\hat{Y} = b_0 + b_1 X_1 + b_2(0) = b_0 + b_1 X_1$	<b>No Holiday</b>

**Different  
intercept**

**Same  
slope**



If  $H_0: \beta_2 = 0$  is rejected, then “Holiday” has a significant effect on pie sales

# Interpreting the Dummy Coefficient

$$\widehat{\text{Sales}} = 300 - 30(\text{Price}) + 15(\text{Holiday})$$

**Sales:** Number of pies sold per week

**Price:** Pie price in \$

**Holiday:**  $\begin{cases} 1 & \text{If a holiday occurred during the week} \\ 0 & \text{If no holiday occurred} \end{cases}$

$b_2 = 15 \gg$  On average, sales were 15 pies greater in weeks with a holiday than in weeks without a holiday, given the same price

