




Eliminando Gargalos de Processamento Utilizando Rust

Johnathan Fercher

1. Introdução
2. Quem usa? E para que?
3. Hands-On Rust
4. Material de estudo

Introdução




Uma linguagem de programação de sistemas que roda incrivelmente rápido, previne falhas de segmentação, e garante segurança entre threads.


"O poder de processamento dobra a cada 18 meses."

Lei de Moore, 1965.

Motivação




Motivação



"The way the processor industry is going, is to add more and more cores, but nobody knows how to program those things. I mean, two, yeah; four, not really; eight, forget it."

Steve Jobs, Apple.

História



- Licença MIT no Github;
- Duas versões: Stable e Nightly;
- Processo de RFC;
- Quando uma RFC é aprovada ela é adicionada na versão Nightly;
- Após algum tempo em Nightly, ela pode ser adicionada na versão Stable, deixada de lado ou alterada;

Quem usa? E para que?

Quem usa? E para que?



"Optimizing cloud file-storage."

CANONICAL

"Everything from server monitoring to middleware!"



"Developing memory-safe embedded applications on our SmartThings Hub and supporting services in the cloud."

moz://a

"Building the Servo browser engine, integrating into Firefox, other projects."



"Programming Assignments in secured Docker containers."

Quem usa? E para que?



"Letting you develop, deploy and manage infrastructure, run-time environments and applications."



"We use Rust in a service for analyzing petabytes of source code."



"Replacing C and rewriting performance-critical bottlenecks in the registry service architecture."



"Habitat is automation that travels with the app. Rust aid us to remove bottlenecks."

Quem usa? E para que?

- No site oficial da linguagem há mais 123 empresas que deixaram claro que utilizam Rust;

Hands-On Rust

Voto:

- Number: Option<u8>;
- Age: u8;
- State: state_type;
- Gender: gender_type;

Sistema de contagem de votos

1. Criar um projeto utilizando cargo;
2. Instalar o crate (`votes_generator`) do github;
3. Criar uma classe que remove dados duplicados;
4. Criar uma classe que computa o vencedor;
 - 4.1 For loop;
 - 4.2 Filter;
5. Instalar o crate (`group_by`) do cargo;
6. Criar um método que computa o vencedor com agrupamento;

Material de estudo

Introduction

1. Hello World

1.1. Comments

1.2. Formatted print

1.2.1. Debug

1.2.2. Display

1.2.2.1. Testcase: List

1.2.3. Formatting

2. Primitives

2.1. Literals and operators

2.2. Tuples

2.3. Arrays and Slices

3. Custom Types

3.1. Structures

3.2. Enums

3.2.1. use

3.2.2. C-like

3.2.3. Testcase: linked-list

3.3. constants

4. Variable Bindings



Rust By Example

Rust by Example

[Rust](#) is a modern systems programming language focusing on safety, speed, and concurrency. It accomplishes these goals by being memory safe without using garbage collection.

Rust by Example (RBE) is a collection of runnable examples that illustrate various Rust concepts and standard libraries. To get even more out of these examples, don't forget to [install Rust locally](#) and check out the [official docs](#). Additionally for the curious, you can also [check out the source code for this site](#).

Now let's begin!

- [Hello World](#) - Start with a traditional Hello World program.
- [Primitives](#) - Learn about signed integers, unsigned integers and other primitives.
- [Custom Types](#) - `struct` and `enum`.
- [Variable Bindings](#) - mutable bindings, scope, shadowing.
- [Types](#) - Learn about changing and defining types.




O'REILLY

Programming Rust

FAST, SAFE SYSTEMS DEVELOPMENT



Jim Blandy & Jason Orendorff



Obrigado