

SARAPP sa UP

Search and Rate Application sa UP

Use Case Specification

Submitted to:

Asst. Prof. Ma. Rowena C. Solamo
Faculty Member
Department of Computer Science
College of Engineering
University of the Philippines, Diliman

Submitted by:

Jennie Ron S. Ablog
John Arjude C. Gerona
John Christian E. Sun

In partial fulfillment of academic requirements
for the course
CS 191 Software Engineering I
of the
1st Semester, AY 2016-2017

Unique Reference:

The documents are stored in the GitHub Repository Link: github.com/johnjudeandjennie/SARAPP-sa-UP.

Document Purpose:

To provide the use case specification for when the user searches for a store via inputting the store's name.

Target Audience:

This document serves as a partial fulfillment of academic requirements for the CS 191 Software Engineering course, handled by Ma'am Rowena Solamo, to whom this document is made for.

Revision Control**History Revision:**

| Revision Date | Person Responsible | Version Number | Modification |
|----------------------|---------------------------|-----------------------|--|
| 09/29/16 | John Christian E. Sun | 1.0 | Initial Document; Added diagram. |
| 09/29/16 | John Arjude C. Gerona | 2.0 | Added scenarios and the description for each scenario. |
| 09/30/16 | Jennie Ron S. Ablog | 3.0 | Added the use case name and description; uploaded the pdf to the repository. |
| 10/08/16 | John Arjude C. Gerona | 4.0 | Changed the use case description, scenarios, and diagram. |

Use-Case Name: 1.2 The user rates a store.


Description: The SARAPP sa UP system allow the user to search for a store via inputting store's name. Several scenarios may arise while performing this action. All of which are described in the table below.

Preconditions: NONE

Flow of Events:

| Scenario Name | Description |
|--|---|
| Scenario 1 User rates a store. | 1. User inputs rating. 2. Rating is stored in the database. |
| Scenario 2 User inputs incomplete rating information. | 1. User inputs incomplete rating. 2. Application displays an error message telling the user to complete the information. |

Activity Diagram of the Flow of Events:



Postcondition: NONE

Relationships: NONE

Special Requirements:
NONE