CS 111: Homework 1: Due by 11:59 pm Sunday, January 22, 2023

Submit your paper as one PDF file, and tell GradeScope which page(s) each problem is on.

You will get full credit for this homework just by handing it in. The purpose of this homework is to review some of the math background for the class, and to help you decide if there is anything you want to brush up on. The t.a.s will answer questions about the quiz in discussion section on January 25.

1. Let

$$A = \left(\begin{array}{ccc} 3 & -1 & 2 \\ 0 & 1 & 2 \\ 1 & 0 & -1 \end{array}\right).$$

What is A^T ? What is A^2 ? What is A^TA ? (Do these computations both by hand and with numpy.)

- 2. The notation $||x||_2$ means the Euclidean norm (also called the 2-norm, or just the length) of the vector x. What is $||(3,1,4,1,5)^T||_2$?
- 3. Consider the following system of three equations in three unknowns.

$$2x_0 - 3x_1 + x_2 = 1 (1)$$

$$2x_1 + 3x_2 = 7 (2)$$

$$x_0 + x_2 = 4 (3)$$

First write this system in the form Ax = b, where A is a matrix and x and b are vectors. Second, write two lines of numpy code that use np.array() to create A and b as numpy arrays.

- 4. What vector x solves the system above?
- 5. Write down a 2-by-2 matrix A and a 2-vector b such that Ax = b has no solution. Explain in a sentence why there are no solutions.
- 6. Write down a 2-by-2 matrix A and a 2-vector b such that Ax = b has more than one solution. Give two different solutions.
- 7. Is there a 2-by-2 matrix A and a 2-vector b such that Ax = b has exactly two solutions? Why or why not?
- 8. Recall that a number λ is an eigenvalue of a matrix A if there is some vector x (an eigenvector) for which $Ax = \lambda x$. Give an eigenvalue of the following matrix, and a corresponding eigenvector.

$$A = \left(\begin{array}{cc} 4 & -1 \\ -1 & 4 \end{array}\right).$$

- 9. If $f(x) = 7x^3 2x^2 + 4x 5$, what is f'(x), the derivative of f(x)?
- 10. If $z = xe^{y/2}$, what is $\partial z/\partial x$? What is $\partial z/\partial y$?
- 11. If $f'(x) = x^2 + \sin x$, what is f(x)?
- 12. The height in feet of a bullet fired straight up is given by $h = 1280t 16t^2$, where t is in seconds. What is the maximum height the bullet will reach? When will it hit the ground?
- 13. Let $f(x,y) = x^2 + xy + 3y^2$. We see that f(2,3) = 37. In which direction from the point (2,3) does f(x,y) decrease the fastest? (The direction is a vector in the (x,y) plane.)