

Quality Engineering Class Notes (experimental)

Jonathan Rosenblatt

October 29, 2015

Contents

1	Introduction	3
1.1	Terminology and Concepts	5
1.1.1	Basic Terminology	5
1.1.2	Statistical Terminology	6
1.2	Some History	7
1.3	Management Aspects of Improving Quality	8
1.4	Programs and Initiatives	9
1.4.1	Zero Defects Program (ZD)	9
1.4.2	Quality is Free Initiative	9
1.4.3	Value Engineering Program (VE)	9
1.4.4	Total Quality Management (TQM)	10
1.4.5	Six-Sigma	10
1.4.6	Lean Systems	11
1.4.7	Design for Six-Sigma (DFSS)	12
1.4.8	Quality Systems and Standards	12
1.4.9	Just-in-Time	13
1.4.10	Poka-Yoke	13
1.5	DMAIC	13
2	Descriptive Statistics	14
2.1	Summary Statistics	14
2.1.1	Categorical Data	14
2.1.2	Continuous Data	14
2.2	Visualization	15
2.2.1	Categorical Data	15
2.2.2	Continuous Data	15
3	Statistical Inference	16
4	System Capability Analysis	17

5	Statistical Process Control	18
5.1	Univariate Control Charts	18
5.1.1	Control Charts for Variables	18
5.1.2	Control Charts for Attributes	18
5.2	Multivariate Control Charts	18
5.3	Non-Statistical Target Functions	18
6	Design of Experiments	19
7	Acceptance Sampling	20
8	Reliability	21
	Bibliography	22

Chapter 1

Introduction

Quality Engineering is the study and design of practices aimed improving the “quality” of production. Production is understood in a wide sense, and includes services as well. Quality is understood in many senses. Here are several definitions compiled verbatim from Montgomery [2007] and Wikipedia [2015d]:

1. Montgomery: “Fitness to use”.
2. Montgomery: “The reciprocal of variability” (stability?) .
3. American Society for Quality: A combination of quantitative and qualitative perspectives for which each person has his or her own definition; examples of which include, “Meeting the requirements and expectations in service or product that were committed to” and “Pursuit of optimal solutions contributing to confirmed successes, fulfilling accountabilities. In technical usage, quality can have two meanings: (a) The characteristics of a product or service that bear on its ability to satisfy stated or implied needs. (b) A product or service free of deficiencies.”
4. Subir Chowdhury: “Quality combines people power and process power”.
5. Philip B. Crosby: “Conformance to requirements.”
6. W. Edwards Deming: “The efficient production of the quality that the market expects”.
7. W. Edwards Deming: “Costs go down and productivity goes up as improvement of quality is accomplished by better management of design, engineering, testing and by improvement of processes.”

8. Peter Drucker: “Quality in a product or service is not what the supplier puts in. It is what the customer gets out and is willing to pay for.”
9. Victor A. Elias: “Quality is the ability of performance, in each Theme of Performance, to enact a strategy.”
10. ISO 9000: “Degree to which a set of inherent characteristics fulfills requirements.”
11. Joseph M. Juran: “Fitness for use.”
12. Noriaki Kano and others, present a two-dimensional model of quality: “must-be quality” and “attractive quality.” The former is near to “fitness for use” and the latter is what the customer would love, but has not yet thought about. Supporters characterize this model more succinctly as: “Products and services that meet or exceed customers’ expectations.”
13. Robert Pirsig: “The result of care.”
14. Six Sigma: “Number of defects per million opportunities.”
15. Genichi Taguchi: “Uniformity around a target value.”
16. Genichi Taguchi: “The loss a product imposes on society after it is shipped.”
17. Gerald M. Weinberg: “Value to some person”.
18. Jonathan D. Rosenblatt: “The efficient fulfilment of a promise”.

Collecting ideas

1. Quality is not only about production.
2. Quality is the means, not the end.
3. Quality may deal with the **design** or with **conformance** to a given design.

Almost all of the above definitions, may apply to different characteristics, we call *dimensions of quality*. Following Wikipedia [2015b] :

Performance Performance refers to a product’s primary operating characteristics. This dimension of quality involves measurable attributes; brands can usually be ranked objectively on individual aspects of performance.

Dimen-
sions of
Quality

Features	Features are additional characteristics that enhance the appeal of the product or service to the user.
Reliability	Reliability is the likelihood that a product will not fail within a specific time period. This is a key element for users who need the product to work without fail.
Conformance	Conformance is the precision with which the product or service meets the specified standards.
Durability	Durability measures the length of a product's life. When the product can be repaired, estimating durability is more complicated. The item will be used until it is no longer economical to operate it. This happens when the repair rate and the associated costs increase significantly.
Serviceability	Serviceability is the speed with which the product can be put into service when it breaks down, as well as the competence and the behavior of the service person.
Aesthetics	Aesthetics is the subjective dimension indicating the kind of response a user has to a product. It represents the individual's personal preference.
Perceived Quality	Perceived Quality is the quality attributed to a good or service based on indirect measures.

1.1 Terminology and Concepts

1.1.1 Basic Terminology

Quality Characteristics	A.k.a. <i>Critical to Quality Characteristics</i> (CTQs). May be physical, sensory, or temporal properties of a process/product. Obviously related to the dimensions of quality.
Quality Engineering	"The set of operational, managerial, and engineering activities that a company uses to ensure that the quality characteristics of a product are at the nominal or required levels and that the variability around these desired levels is minimum." [Montgomery, 2007]
Variables	Continuous measurements of some CTQ.
Attributes	Discrete measurements of some CTQ.
Target Value	The desired level of a particular CTQ. A.k.a. <i>nominal</i> value.

Specifications The set of target values of a process.

USL & LSL Largest and smallest allowable values of a CTQ.

Non-conformity A non conforming product is one that fails to meet the specification.

Defect A non-conformity that is serious enough to affect the use of the product.

1.1.2 Statistical Terminology

Exploratory Statistics

Causal Inference

Predictive Analytics

SPC Statistical Process Control

DOE Design of experiments

Acceptance Sampling

Computer Simulation

Control Chart

Controllable Inputs

Uncontrollable Inputs

Factorial Design

Off-line quality control

On-line quality control A.k.a. *in-process* procedure.

Engineering control A.k.a. *automatic control*, or *feedback control*.

Ingoing Inspection

Outgoing Inspection

1.2 Some History




Table 1.1: Adapted from [Montgomery, 2007, Table 1.1].




Table 1.2: Adapted from [Montgomery, 2007, Table 1.1].

1.3 Management Aspects of Improving Quality

The founding fathers of QC have many do's-and-don'ts for managers. See Montgomery [2007, Sec 1.4] for details. As usual, we collect recurring ideas:

1. The responsibility for quality rests with management.
2. QC is not a one-time project, but an on-going process. It may advance continuously, or incrementally.
3. QC is (or should be) manifested in organizational structure, training, recruitment, incentives, knowledge management, to name a few.

1.4 Programs and Initiatives

1.4.1 Zero Defects Program (ZD)

Quoting Wikipedia [2015f]:

... a management-led program to eliminate defects in industrial production that enjoyed brief popularity in American industry from 1964 to the early 1970's. Quality expert Philip Crosby later incorporated it into his "Absolutes of Quality Management" and it enjoyed a renaissance in the American automobile industry, as a performance goal more than as a program, in the 1990s. Although applicable to any type of enterprise, it has been primarily adopted within supply chains wherever large volumes of components are being purchased (common items such as nuts and bolts are good examples).

1.4.2 Quality is Free Initiative

Quoting Montgomery [2007]:

... in which management worked on identifying the cost of quality (or the cost of *nonquality*, as the Quality is Free devotees so cleverly put it). Indeed, identification of quality costs can be very useful, but the Quality is Free practitioners often had no idea about what to do to actually improve many types of complex industrial processes.

1.4.3 Value Engineering Program (VE)

Quoting Wikipedia [2015e]:

Value engineering (VE) is systematic method to improve the “value” of goods or products and services by using an examination of function. Value, as defined, is the ratio of function to cost. Value can therefore be increased by either improving the function or reducing the cost. It is a primary tenet of value engineering that basic functions be preserved and not be reduced as a consequence of pursuing value improvements.

1.4.4 Total Quality Management (TQM)

TQM originates in the 1980’s with the ideas of Deming and Juran. It is a very wide framework that attempts at capturing the company-wide efforts required for QC. According to Montgomery [2007, p.23]:

TQM has only had moderate success for a variety of reasons, but frequently because there is insufficient effort devoted to widespread utilization of the technical tools of variability reduction. Many organizations saw the mission of TQM as one of training. Consequently, many TQM efforts engaged in widespread training of the workforce in the philosophy of quality improvement and a few basic methods. This training was usually placed in the hands of human resources departments, and much of it was ineffective. The trainers often had no real idea about what methods should be taught, and success was usually measured by the percentage of the workforce that had been “trained,” not by whether any measurable impact on business results had been achieved.

... Another reason for the erratic success of TQM is that many managers and executives have regarded it as just another “program” to improve quality. During the 1950’s and 1960’s, programs such as Zero Defects and Value Engineering abounded, but they had little real impact on quality and productivity improvement.

1.4.5 Six-Sigma

Quoting Montgomery [2007]:

Products with many components typically have many opportunities for failure or defects to occur. Motorola developed the Six-Sigma program in the late 1980s as a response to the demand for their products. The focus of six-sigma is reducing variability

in key product quality characteristics to the level at which failure or defects are extremely unlikely.

Assume a device has m components. The failure probability of component $j \in 1, \dots, m$ is α_j . What is the probability of the device failing, when assuming independent failures?

$$\begin{aligned} P(\text{failure}) &= P(\text{at least one failure}) \\ &= 1 - P(\text{no failure}) \\ &= 1 - \prod_{j=1}^m (1 - \alpha_j) \end{aligned} \tag{1.1}$$

The failure rates $\{\alpha_j\}_{j=1}^m$ are implied by the quality performance. Assuming the classical *3-sigma* quality performance, and for $Z \sim \mathcal{N}(0, \sigma)$:

$$\alpha_j < P(|Z| > 3\sigma) = 0.0027, \quad \forall j = 1, \dots, m$$

This is known as the *2700 parts per million (ppm) defective* performance. Plugging the 3-sigma performance in Eq.(1.1) thus returns

PPM

$$P(\text{3-sigma failure}) < 1 - (1 - 0.0027)^m$$

Figure 1.2 illustrates the probability of failure against the number of components. Clearly, for simple devices, the 3-sigma criterion may suffice. But now imagine the number of components in a car, a cellular phone, Clearly, the 3-sigma rule is too lenient. The defective ppm under the 6-sigma rule is 0.002. Clearly, this criterion is much much harder to attain.

Quoting Montgomery [2007]:

The reason for the success of six-sigma in organizations outside the traditional manufacturing sphere is that variability is everywhere, and where there is variability, there is an opportunity to improve business results.

1.4.6 Lean Systems

Quoting Wikipedia [2015c]:

Essentially, lean is centered on making obvious what adds value by reducing everything else. Lean manufacturing is a management philosophy derived mostly from the Toyota Production System (TPS) (hence the term Toyotism is also prevalent) and identified as “lean” only in the 1990s.




Figure 1.1: The probability of failure as a function of components under the 3-sigma standard.




Figure 1.2: The probability of failure as a function of components under the 6-sigma standard.

1.4.7 Design for Six-Sigma (DFSS)

Quoting Wikipedia [2015a]:

It is based on the use of statistical tools like linear regression and enables empirical research similar to that performed in other fields, such as social science. While the tools and order used in Six Sigma require a process to be in place and functioning, DFSS has the objective of determining the needs of customers and the business, and driving those needs into the product solution so created. DFSS is relevant for relatively simple items / systems. It is used for product or process design in contrast with process improvement.

1.4.8 Quality Systems and Standards

The first quality standard issued by the International Standards Organization (ISO) in 1987. Current quality standards are known as *ISO9000 series*. These include:

ISO9000

ISO9000:2000 Quality Management System—Fundamentals and Vocabulary

ISO9001:2000 Quality Management System—Requirements

ISO9004:2000 Quality Management System—Guidelines for Performance Improvement



Figure 1.3: The DMAIC cycle. Source: <http://www.sapartners.com/sigma-academy/>

In Israel, it is the Standards Institute of Israel¹ that may give ISO9000 (like any ISO) certifications upon inspecting the candidate organization. As emphasized by Montgomery [2007, p.24], ISO9000 is mostly a knowledge management oriented set of rules and best practices. It may help to preserve quality, but it does not, nor does it aim to, *improve* quality. As such, it will not be the focus of our course, which will focus on the statistical tools to query the state of a process.

1.4.9 Just-in-Time

[TODO]

1.4.10 Poka-Yoke

[TODO]

1.5 DMAIC

There are many names to the idea of the process of quantitative re-evaluations of performance against a given target: *data driven decision making*, *Shewart cycle*, etc. We will focus on one such framework, illustrated in Figure 1.3 known as DMAIC: Define, Measure, Analyze, Improve, Control.

¹<https://portal.sii.org.il/heb/qualityauth/certificationtypes/qualitylinks/iso9001/>

Chapter 2

Descriptive Statistics

2.1 Summary Statistics

2.1.1 Categorical Data

Univariate

Bivariate

2.1.2 Continuous Data

Univariate

Location measures

Scale measures

Asymmetry measures

Bivariate

Correlation

2.2 Visualization

2.2.1 Categorical Data

Univariate

Bivariate

2.2.2 Continuous Data

Univariate

Bivariate

Multivariate Data

Chapter 3

Statistical Inference

Chapter 4

System Capability Analysis

Chapter 5

Statistical Process Control

5.1 Univariate Control Charts

5.1.1 Control Charts for Variables

5.1.2 Control Charts for Attributes

5.2 Multivariate Control Charts

5.3 Non-Statistical Target Functions

Chapter 6

Design of Experiments

Chapter 7

Acceptance Sampling

Chapter 8

Reliability

Bibliography

- D. C. Montgomery. *Introduction to statistical quality control*. John Wiley & Sons, 2007.
- Wikipedia. *Design for Six Sigma* — *Wikipedia, The Free Encyclopedia*. 2015a. URL https://en.wikipedia.org/w/index.php?title=Design_for_Six_Sigma&oldid=683747970. [Online; accessed 29-October-2015].
- Wikipedia. *Eight dimensions of quality* — *Wikipedia, The Free Encyclopedia*. 2015b. URL https://en.wikipedia.org/w/index.php?title=Eight_dimensions_of_quality&oldid=685390671. [Online; accessed 28-October-2015].
- Wikipedia. *Lean manufacturing* — *Wikipedia, The Free Encyclopedia*. 2015c. URL https://en.wikipedia.org/w/index.php?title=Lean_manufacturing&oldid=687646421. [Online; accessed 29-October-2015].
- Wikipedia. *Quality (business)* — *Wikipedia, The Free Encyclopedia*. 2015d. URL [https://en.wikipedia.org/w/index.php?title=Quality_\(business\)&oldid=682960115](https://en.wikipedia.org/w/index.php?title=Quality_(business)&oldid=682960115). [Online; accessed 28-October-2015].
- Wikipedia. *Value engineering* — *Wikipedia, The Free Encyclopedia*. 2015e. URL https://en.wikipedia.org/w/index.php?title=Value_engineering&oldid=676994647. [Online; accessed 29-October-2015].
- Wikipedia. *Zero Defects* — *Wikipedia, The Free Encyclopedia*. 2015f. URL https://en.wikipedia.org/w/index.php?title=Zero_Defects&oldid=668207586. [Online; accessed 29-October-2015].