Workshop: Introduction to Git and GitHub Part 1: Getting started

Philippe Joly

Freie Universität Berlin

March 9, 2021

Reference

- This workshop draws extensively on Scott Chacon and Ben Straub (2021), *ProGit*, Version 2.1.295, 2021-02-26.
- Like the book, this workshop carries the CC BY-NC-SA 3.0 license.



Figure 1

Introduction

Objectives

- Introduction to Git and GitHub
 - Git: a free and open source distributed version control system used to track changes in files
 - GitHub: the largest host for Git repositories



Figure 2



Figure 3

What you should be able to do after this workshop

- Record the version history of a project locally
- Synchronize your version history with an online repository
- Work on parallel lines of development using branches
- Collaborate in a project using branches
- Coordinate and discuss the integration of multiple lines of development on GitHub

Why learn Git and GitHub?

Git...

- is safe.
- is fast.
- works offline.

With Git you can...

- revert to a previous state.
- compare changes over time.
- see who introduced what, when, and why.




Figure 4: Source: "Piled Higher and Deeper" by Jorge Chamwww.phdcomics.com

Why using Git as a social scientist?

- Three pillars of open reproducible research
 - 1. Version control (Git)
 - 2. Open source data analysis software (R/Python)
 - 3. Markup languages (LaTeX, Markdown, HTML)
- Safely save manuscripts (e.g. your thesis)
- Safely save scripts
- Collaborate with others in a more stuctured way
- Contribute to open source projects
- Make your work more visible

A brief history of Git

- Linux Kernel: the most important open-source project in history
- 1991-2002: Maintenance passed around as patches and archived files
- 2002-2005: BitKeeper
- 2005: the Linux development community creates Git



Figure 5: Linus Torvalds *Source*: Krd/Von Sprat. License: CC BY-SA 4.0. https://commons.wikimedia.org

What is version control?

Local version control




Figure 6: Local version control Source: Chacon & Straub (2021), Figure 1.

Centralized version control




Figure 7: Centralized version control system (CVCS) Source: Chacon & Straub (2021), Figure 2.

Distributed version control




Figure 8: Distributed version control system (DVCS) Source: Chacon & Straub (2021), Figure 3.

What is Git?

Snapshots




Figure 9: Git stores the version history of a project as a stream of snapshots over time. Source: Chacon & Straub (2021), Figure 5.

The three states




Figure 10: In a git repository, a file can reside in three states: modified, staged, and committed

The Git workflow

The basic Git workflow goes something like this:

- 1. You modify files in your working directory.
- 2. You selectively **stage** just those changes you want to be part of your next commit.
- 3. You do a **commit**, which takes the files as they are in the staging area and stores that snapshot permanently to your Git directory.

Adapted from Chacon & Straub (2021), Section 1.3.

Git Setup

Why using Git from the command line?

- The only way to really learn the mechanics of Git.
- Access to all Git functions.
- Easier to get help

Your identity

Set your global user name and email address

- \$ git config --global user.name "John Doe"
- \$ git config --global user.email johndoe@example.com

Note: Your email address is an integral part of your version history in Git. If you make your repository available, everyone will see your email address. Choose wisely!

Other settings

By default, Git uses **Vim** as editor for certain operations. If you have installed **atom**, I would recommend using it as your default editor instead.

Change your default editor

```
$ git config --global core.editor "atom --wait"
```

The default branch name on Git is master. I would recommend changing the default name to main (only possible from git --version 2.28 onwards).

Change your default branch name

\$ git config --global init.defaultBranch main

Viewing all your settings

```
$ git config --list
```

```
user.email=philippe.joly@posteo.net
user.name=Philippe Joly
init.defaultbranch=main
core.editor=atom --wait
```

Getting help

Three equivalent ways to get the comprehensive manual page

```
$ git help <verb>
```

\$ man git-<verb>

More concise "help" output

\$ git <verb> -h

What we have learned in this part of the workshop

- The concepts behind a distributed version control system
- The three states a file can reside in inside Git
- The basic Git workflow
- Setting up your identity
- Other settings
- Getting help

Exercises

- 1. Find the version of Git you are using with git --version.
- 2. Set your global user.name.
- 3. Set your global user.email.
- 4. If you want, change your default core.editor.
- 5. Set your default branch name to main (Git version ≥ 2.28).
- 6. Examine all your settings.
- 7. Examine the concise help output for the git config command.