

Report abuse

Learn more

PSO

Updated automatically every 5 minutes

CS4495 - Spring 2015 OMS Introduction to Computer Vision

Problem Set 0: Images as Functions

(really arrays or matrices of numbers)

Due Sunday, January 18th, 2015 at 11:55pm

Description

This problem set is really just to make sure you can load an image, manipulate the values, produce some output, and submit the code along with the report.

What to submit

Create a folder named ps0_xxxx

- ps0_matlab if you are programming in MATLAB
- 2) ps0_octave if you are programming in Octave OR
- 3) ps0_python if you are programming in Python

with the following structure and contents:

ps0_xxxx/



Report abuse

Learn more

PS₀

Updated automatically every 5 minutes

Note: Output images must be stored with following mandatory naming convention:

pspscquestion #>-<part>-counter>.png

Example: ps0-1-a-1.png (see question 1-a)

PNG format is easier to manipulate as it is lossless, hence we recommend using it over JPEG.

- ps0.m or ps0.py your Matlab/Octave or Python code for this problem set
- ps0_report.pdf A PDF file that shows all your output for the problem set, including images labeled appropriately (by filename, e.g. ps0-1-a-1.png) so it is clear which section they are for and the small number of written responses necessary to answer some of the questions (as indicated). Also, for each main section, if it is not obvious how to run your code please provide brief but clear instructions (no need to include your entire code in the report).
- *.m or *.py Any other supporting files, including Matlab/Octave function files, Python modules, etc.

Zip it as ps0_xxxx.zip, and submit on T-Square.

Questions

1. Input images



Report abuse

Learn more

PS₀

Updated automatically every 5 minutes

height do not exceed 512 pixels. Output: Store the two images as ps0-1-a-1.png and ps0-1-a-2.png inside the output folder

- 2. Color planes
 - a. Swap the red and blue pixels of image 1
 Output: Store as ps0-2-a-1.png in the <u>output</u> folder
 - b. Create a monochrome image (img1_green) by selecting the green channel of image 1 Output: ps0-2-b-1.png
 - c. Create a monochrome image (img1_red) by selecting the red channel of image 1 Output: ps0-2-c-1.png
 - d. Which looks more like what you'd expect a monochrome image to look like? Would you expect a computer vision algorithm to work on one better than the other? Output: Text response in report ps0_report.pdf
- 3. Replacement of pixels (Note: For this, use the *better* channel from 2-b/2-c as monochrome versions.)
 - a. Take the inner center square region of 100x100 pixels of monochrome version of image 1 and insert them into the center of monochrome version of image 2
 Output: Store the new image created as ps0-3-a-1.png
- 4. Arithmetic and Geometric operations
 - a. What is the min and max of the pixel values of img1_green? What is the mean? What is the standard deviation? And how did you compute these? Output: Text response, with code snippets
 - b. Subtract the mean from all pixels, then divide by standard deviation, then multiply by 10 (if your image is 0 to 255) or by 0.05 (if your image ranges from 0.0 to 1.0). Now add



Report abuse

Learn more

PS₀

Updated automatically every 5 minutes

save the difference image.
Output: ps0-4-d-1.png (make sure that the values are legal when you write the image so that you can see all relative differences), text response: What do negative pixel values mean anyways?

5. Noise

- a. Take the original colored image (image 1) and start adding Gaussian noise to the pixels in the green channel. Increase sigma until the noise is somewhat visible.

 Output: ps0-5-a-1.png, text response: What is the value of sigma you had to use?
- b. Now, instead add that amount of noise to the blue channel.Output: ps0-5-b-1.png
- c. Which looks better? Why? Output: Text response