Verification and Validation Report: SE 4G06, TRON 4TB6

Team 26, STRONE
Jordan Bierbrier
Azriel Gingoyon
Taranjit Lotey
Udeep Shah
Abraham Taha

 $March\ 8,\ 2023$

1 Revision History

Date	Version	Notes
Date 1	1.0	Notes
Date 2	1.1	Notes

2 Purpose

This VnV report's establishment is to support development of the product Synthesis Wear. The actions taken in the document are linked with testing to ensure reliability and robustness of the product for adequate detection of particular sounds.

3 Scope

The focus of this document is on the output results of Synthesis Wear when given arbitrary input. We will using black box testing on important aspects of the output and input rather then how the results are generated. These tests will be based on certain implementations we have put into place to handle unexpected inputs.

4 Background

Synthesis wear is designed with a mobile application which allows users to toggle certain sounds on and off to improve usability of the watch. This allows customization to occur right from the mobile. Synthesis wear will be able to detect key words and sound which are custom to the user, to help aid their hearing. This will help them focus on someone calling on their name, emergency situations and much more.

5 Functional Requirements Evaluation

Id		Ref	Description	Input	Expected	Actual	Result
					Result	Result	
FR	Γ1	FR1,	Testing ability	Five	Device pro-		Pass
		FR2	to differentiate	different	duces five		
			sounds	sounds	different		
					feedbacks		

FRT2	FR1	Testing in different environments	Same sound in different environments	Same feed-back in all enviroments	Fail
FRT3	FR1	Testing at different ranges	Same sound at specified distances	Same feed- back at specified distances	TBD
FRT4	FR1	Testing its ability to ignore ambient noise	No input	No output	
FRT5	FR2	Testing its ability to classify correctly	Different spec-ified words	Feedback based on correct classi- fication	
FRT6	FR2	Testing variability in speech	Same word said by four different people	Same feed- back for all	
FRT7	FR2	Testing its ability to ignore high amplitude random sounds	Random not spec- ified sounds	No haptic feedback	
FRT8	FR3	Testing newly set classifications	A newly set classification sound	The specified haptic feedback	

FRT9 FRT10	FR3	Testing removed classifications Testing reboot and memory retention	A removed classification sound Power switched on and off and test FRT5	No feedback Feedback based on correct classi- fication	
			run again		
FRT11	FR4	Testing haptic feedback with the device worn	Specified sound	Haptic feed- back based on the sound's classification	
FRT12	FR4	Testing variability in haptic feedbacks	Three different specified sounds	Different hap- tic feedbacks that convey the specified sounds	
FRT13	FR4	Testing different wearable orien- tations	FRT12 run on different orien- ations	All orientations give consistent output	
FRT14	FR4	Testing intensity of feedback wearing different clothes of varying thickness	FRT12 run on three different clothes	All clothes give consis- tent results	
FRT15	FR5	Testing real- time application of device	Specified sound	Correct classification within one second	

6 Nonfunctional Requirements Evaluation

6.1 Manual

Id	Ref	Description	Input	Expected	Actual	Result
				Result	Result	
NFRT3	NFR1	Testing button functionality based on button colour	Open Appli- cation	Different coloured but- tons perform different func- tionalities	Buttons with simi- lar colour performed similar functions	Pass
NFRT6	NFR1	Testing usability, accessability, findability of application and device	N/A	Achieve average score of 8 from 10 participants (rated out of 10)		TBD
NFRT7	NFR2	Testing user interface's consistency in appearance	N/A	Achieve average score of 4 out of all questions from participants		TBD
NFRT12	NFR4	Testing ability to configure dif- ferent keywords on application	Click keyword selec- tion button	Keyword configuration screen	Reached keyword config- uration screen on application	Pass
NFRT13	NFR4	Testing ability to select lan- guage of use on application	Preferred Lan- guage	Application translated to preferred language		TBD

NFRT14	NFR4	Testing ability	Change	Application	TBD
		to select lan-	Lan-	translated	
		guage of use on	guage	to chosen	
		already set-up		language	
		device			
NFRT15	NFR4	Testing accuracy	Team	Translated	TBD
		of translated	trans-	manuals	
		languages on	lates		
		application	manuals		

6.2 Stress

Id	Ref	Description	Input	Expected	Actual	Result
				Result	Result	
NFRT11	NFR3	Check if you can configure an	unrecogni keyword	z Mely word not supported	Keyword not sup-	Pass
		unrecognizable keyword			ported	
NFRT24	NFR11	Feed 6 samples 20 times each with randon noise added. Check if cor- rectly classified 90 percent of the time	Sound clips	90 percent correct classi- fication	82 percent classifica- tion	Fail
NFRT25	NFR12					Pass
NFRT29	NFR16					Pass

6.3 Performance

Id	Ref	Description	Input	Expected	Actual	Result
				Result	Result	

NFRT1	NFR1	Checking what the initial state of application is.	Open Appli- cation	Home Page of Application	Home Page of Application	Pass
NFRT2	NFR1	Can users find the pairing but- ton of the appli- cation.	Open the Application, Click pair button	User clicks pair button under 10 seconds	Users found pairing buttons under 10 seconds	Pass
NFRT4	NFR1	Checking if application correctly goes to pairing page.	Open the Application, Click pair button	Pairing page of Applica- tion	Pairing page of Applica- tion	Pass
NFRT5	NFR1	Checking if application correctly goes to keyword selection page.	Open the Application, Click keyword selection button.	Keyword Selection page of Application	Keyword Selection page of Applica- tion	Pass

NFRT8	NFR3	Check to see if the application connects to the device through bluetooth	Open application, click pair button on both device and applica-	Device pairs to Phone	Device Pairs to Phone	Pass
NFRT16	NFR5	Checking if users can pair a device to phone in under 5 minutes	tion Open application, click pair button on both device and application	3/4 Users fully pair de- vice in under 5 minutes	4/4 Users pair device under 5 minutes	Pass
NFRT19 NFRT20		A sound will be fed to the device that includes a keyword device should be able to provide feedback in under 1 second 8/10 times Checking how	Sound that in- cludes a keyword	8/10 keywords detected in under 1 second Average of	9/10 Keywords detected	Pass
111120	111110	fast the UI of application re- sponds to user input	put	100 inputs is under 1ms		

NFRT21	NFR9	Checking that	Pairing	5/5 devices	All 5	Pass
		application	button	pair in under	paired in	
		can separately	on both	1 minute	under 1	
		connect to 5	applica-		minute	
		independent	tion and		each	
		devices	device			
NFRT30	NFR17	Let 10 people	unpaired	8/10 partici-		TBD
		use device for 3	device	pants do not		
		days record how	and un-	the device to		
		many say it in-	opened	inhibit their		
		hibits their lives	applica-	lives		
			tion			
NFRT32	NFR17	Check to see if	Click	installed	Installed	Fail
		users can install	Install	application	on An-	
		the application		on IOS and	droid	
		on IOS and An-		Android		
		droid				

6.4 Security

Id	Ref	Description	Input	Expected	Actual	Result
				Result	Result	
NFRT9	NFR3	Checking if ap-	Click	Device not	Device not	Pass
		plication pairs to	pair	found	found	
		device that is	Button			
		not in pairing				
		mode				
NFRT10	NFR3	Check if user can	Invalid	Account not	Account	Pass
		Login to appli-	Login	found	not found	
		cation without	Credin-			
		a registered	tials			
		account				

7 Comparison to Existing Implementation

This section will not be appropriate for every project.

8 Unit Testing

Id	Ref	Description	Input	Expected	Actual	Result
				Result	Result	
UT1		Testing accuracy	3 Dif-	3 Distinct	The de-	Pass
		of the micro-	ferent	Sample	tected	
		phone to detect	Sample	Recordings	sounds	
		sounds	Record-	in mem-	matched	
			ings	ory buffer	the input	
				that match	sounds	
				the inputs		
				respectively		
UT2?		Testing blue-	Digital	Same digital		Fail
		tooth's ability to	Sound	sound record-		
		transfer digital	Record-	ing at the re-		
		sound recordings	ing	ceiver		
		accurately				
UT3		Testing blue-	Sample	Feedback sig-		TBD
		tooth's ability	classifi-	nal asserted		
		to send signals	cation	on hardware		
		accurately	signal			
			asserted			
			on			
			software			
UT4		Testing classifi-	Stored	Accurately		
		cation module's	samples	classified		
		ability to accu-	of sound	Sound Data		
		rately categorize	data in			
		sound data	the			
			memory			
			buffer			

UT5	Testing classifi-	New	Classification	The set-	Pass
	cation module's	Classi-	settings have	tings	
	ability to change	fication	been changed	displayed	
	its sound classifi-	settings	on the app	on the set-	
	cation settings			tings page	
				match	
				the newly	
				inputted	
				classifi-	
				cation	
				settings	
UT6	Testing feedback	Feedback	Vibration	Vibration	Pass
	module's ability	signal is	detected in	motor	
	to transmit	asserted	the bracelet	went off	
	accurate feed-		that coin-	appropri-	
	back signals		cides with	ately with	
	according to the		the feedback	respect	
	settings		signal	to the	
				settings	
				configured	
				on the app	
UT9	Testing blue-	Enable	Bluetooth	Bluetooth	Pass
	tooth connection	blue-	connection	connec-	
	ability	tooth	connected	tion was	
		connec-	in under a	established	
		tion	minute	within 10	
				seconds	

UT10	Testing blue-	Separate	Bluetooth	
	tooth connec-	the con-	will discon-	
	tion's ability	nected	nect and	
	when devices go	devices	reconnect	
	in and out of	10 or	when devices	
	range	more	are back in	
		metres	range to each	
		away,	other	
		wait at		
		least 5		
		seconds,		
		then		
		bring		
		the		
		devices		
		closer		
		together		
UT11	Testing noise	Digital	Same digital	The out- Pass
	filtering mod-	data	sound record-	put still
	ule's ability to	with	ing but with	had noise
	remove noise	one or	less noise	but no-
	from a sample	more		tably less
	sound	sounds		compared
				to the
				original
				sound file

UT15	Testing ap	р	User in-	User Inter-	The app	Pass
	interface's ab	il-	put	face response	was ap-	
	ity to respon	ad		within 1ms	propriately	
	quickly to a us	er			able to	
	input				respond	
					as soon as	
					a button	
					was clicked	
					or an in-	
					put was	
					submitted	
UT16	Testing ap	р	User In-	Same User	N/A (The	N/A
	interface's ab	il-	put	Interface re-	app has	
	ity to respon	ad		sponse on all	not yet	
	the same acro	ss		the different	been im-	
	different sy	S-		devices	plemented	
	tems (Androi	d,			on differ-	
	Windows, IOS)			ent IOS	
					systems)	

9 Changes Due to Testing

- 10 Automated Testing
- 11 Trace to Requirements
- 12 Trace to Modules
- 13 Code Coverage

Code was reviewed by various group members before pushing to the repository. The functionality of the code was summarized to the other individual so that functionality was understood properly.

14 Traceability Metrics

- needs understanding stills

References

Appendix — Reflection

The information in this section will be used to evaluate the team members on the graduate attribute of Lifelong Learning. Please answer the following questions:

- 1.
- 2.