

## Fundamental Theorem of Calculus

Evaluate each definite integral.

1) 
$$\int_{-1}^{3} (-x^3 + 3x^2 + 1) dx$$



2) 
$$\int_{-2}^{1} (x^4 + x^3 - 4x^2 + 6) dx$$



3) 
$$\int_{1}^{3} (2x^2 - 12x + 13) dx$$

4) 
$$\int_0^3 (-x^3 + 3x^2 - 2) dx$$

5) 
$$\int_{-1}^{0} (x^5 - 4x^3 + 4x + 4) \, dx$$

$$6) \int_{-3}^{0} 4x^{\frac{1}{3}} dx$$

$$7) \int_{-4}^{-1} -\frac{4}{x^3} \, dx$$

8) 
$$\int_{-2}^{-1} \frac{4}{x} dx$$

$$9) \int_{-\frac{\pi}{4}}^{-\frac{\pi}{6}} 2\cos x \, dx$$

$$10) \int_{\sqrt{2}}^{2} \frac{1}{x\sqrt{x^2 - 1}} \, dx$$

11) 
$$\int_{-3}^{-2} 5(2x+4)^{\frac{1}{3}} dx$$

12) 
$$\int_{-1}^{2} \frac{2}{(2x+4)^3} \, dx$$

13) 
$$\int_{-1}^{1} e^{2x-2} \ dx$$

14) 
$$\int_{-4}^{-2} \left( -x + \left| -3x - 9 \right| \right) dx$$


15) 
$$\int_0^3 f(x) \, dx, \ f(x) = \begin{cases} \frac{x}{2} - 1, & x \le 2\\ x^2 - 6x + 8, & x > 2 \end{cases}$$

16) 
$$\int_{-5}^{1} -\left|x^2 + 4x\right| dx$$


## Fundamental Theorem of Calculus

Evaluate each definite integral.

1) 
$$\int_{-1}^{3} (-x^3 + 3x^2 + 1) dx$$



2) 
$$\int_{-2}^{1} (x^4 + x^3 - 4x^2 + 6) dx$$



$$\frac{177}{20} = 8.85$$

3) 
$$\int_{1}^{3} (2x^{2} - 12x + 13) dx$$
$$-\frac{14}{3} \approx -4.667$$

4) 
$$\int_0^3 (-x^3 + 3x^2 - 2) dx$$
$$\frac{3}{4} = 0.75$$

5) 
$$\int_{-1}^{0} (x^5 - 4x^3 + 4x + 4) dx$$
$$\frac{17}{6} \approx 2.833$$

6) 
$$\int_{-3}^{0} 4x^{\frac{1}{3}} dx$$
$$-9\sqrt[3]{3} \approx -12.98$$

7) 
$$\int_{-4}^{-1} -\frac{4}{x^3} dx$$
$$\frac{15}{8} = 1.875$$

8) 
$$\int_{-3}^{-1} \frac{4}{x} dx$$
$$-4 \ln 3 \approx -4.394$$

9) 
$$\int_{-\frac{\pi}{4}}^{-\frac{\pi}{6}} 2\cos x \, dx$$
$$-1 + \sqrt{2} \approx 0.414$$

10) 
$$\int_{\sqrt{2}}^{2} \frac{1}{x\sqrt{x^2 - 1}} dx$$
$$\frac{\pi}{12} \approx 0.262$$

11) 
$$\int_{-3}^{-2} 5(2x+4)^{\frac{1}{3}} dx$$
$$-\frac{15\sqrt[3]{2}}{4} \approx -4.725$$

12) 
$$\int_{-1}^{2} \frac{2}{(2x+4)^3} dx$$
$$\frac{15}{128} \approx 0.117$$

13) 
$$\int_{-1}^{1} e^{2x-2} dx$$
$$\frac{e^4 - 1}{2e^4} \approx 0.491$$

14) 
$$\int_{-4}^{-2} \left( -x + \left| -3x - 9 \right| \right) dx$$

15) 
$$\int_0^3 f(x) dx, f(x) = \begin{cases} \frac{x}{2} - 1, & x \le 2\\ x^2 - 6x + 8, & x > 2 \end{cases}$$
$$-\frac{5}{3} \approx -1.667$$

16) 
$$\int_{-5}^{1} -\left|x^{2} + 4x\right| dx$$
$$-\frac{46}{3} \approx -15.333$$

Create your own worksheets like this one with Infinite Calculus. Free trial available at KutaSoftware.com