SE 3XA3: Design Document Mari0

Team 9, Ninetendo David Hobson hobsondd Jose Miguel Ballesteros ballesjm Jeff Pineda pinedaj

November 21, 2016

Contents

1	ıntı	roduction						
2	Anticipated and Unlikely Changes 2.1 Anticipated Changes							
3	Mo	dule Hierarchy						
4	Cor	nnection Between Requirements and Design						
5	Module Decomposition							
	5.1	Hardware Hiding Modules (M1)						
		5.1.1 Mouse Inputs (M2)						
		5.1.2 Keyboard Inputs (M3)						
	5.2	Behaviour-Hiding Module						
		5.2.1 Input Format Module (M4)						
		5.2.2 Portal Physics Module (M5)						
		5.2.3 Portal Gun Module (M6)						
		5.2.4 Game Object Module (M7)						
	F 0	5.2.5 Player Object Module (M8)						
	5.3	Software Decision Module						
		5.3.1 Sprite/Model Module (M9)						
		5.3.2 Interface Module (M10)						
		5.5.5 Comston Detection Module (MT1) Typo - CM						
6	Tra	ceability Matrix						
7	Use	e Hierarchy Between Modules						
Τ.	ict	of Tables						
	150							
	1	Revision History						
	2	Module Hierarchy						
	3	Trace Between Requirements and Modules						
	4	Trace Between Anticipated Changes and Modules						
\mathbf{L}	\mathbf{ist}	of Figures						
	1	Use hierarchy among modules						
	_							

1 Introduction

Decomposing a system into modules is a commonly accepted approach to developing software. A module is a work assignment for a programmer or programming team (?). We advocate a decomposition based on the principle of information hiding (?). This principle supports design for change, because the "secrets" that each module hides represent likely future changes. Design for change is valuable in SC, where modifications are frequent, especially during initial development as the solution space is explored.

Our design follows the rules layed should this be laid? - CM out by ?, as follows:

- System details that are likely to change independently should be the secrets of separate modules.
- Each data structure is used in only one module.
- Any other program that requires information stored in a module's data structures must obtain it by calling access programs belonging to that module.

After completing the first stage of the design, the Software Requirements Specification (SRS), the Module Guide (MG) is developed (?). The MG specifies the modular structure of the system and is intended to allow both designers and maintainers to easily identify the parts of the software. The potential readers of this document are as follows:

- New project members: This document can be a guide for a new project member to easily understand the overall structure and quickly find the relevant modules they are searching for.
- Maintainers: The hierarchical structure of the module guide improves the maintainers' understanding when they need to make changes to the system. It is important for a maintainer to update the relevant sections of the document after changes have been made.
- Designers: Once the module guide has been written, it can be used to check for consistency, feasibility and flexibility. Designers can verify the system in various ways, such as consistency among modules, feasibility of the decomposition, and flexibility of the design.

Table 1: Revision History

Date	Version	Notes
2016-11-13	1.0	Creation of rev0

The rest of the document is organized as follows. Section 2 lists the anticipated and unlikely changes of the software requirements. Section 3 summarizes the module decomposition that was constructed according to the likely changes. Section 4 specifies the connections between the software requirements and the modules. Section 5 gives a detailed description of the modules. Section 6 includes two traceability matrices. One checks the completeness of the design against the requirements provided in the SRS. The other shows the relation between anticipated changes and the modules. Section 7 describes the use relation between modules.

2 Anticipated and Unlikely Changes

This section shows some of the upcoming changes to Mari0 listed into two categories. Anticipated changes are listed in Section 2.1, and unlikely changes are listed in Section 2.2.

2.1 Anticipated Changes

Some of the changes below are what we believe will be implemented as development continues. Due to the modularization of our software, many of the changes that will happen will be simple and allow the system to function properly.

- **AC1:** Level Environments. All of the levels that will be created will be unique and making sure that game objects interact properly is crucial.
- **AC2:** Types of Enemies. Adding new enemies in the game is expected and is considered in the design.
- **AC3:** Operating System. All operating systems will be supported and allowing the software to be dynamic and run on these systems is important.
- **AC4:** Music and Sound Effects. These will be changed based off of different environmental factors of the game.

2.2 Unlikely Changes

The changes listed below are changes that will not be considered as important for the final product and demonstration.

- **UC1:** Platform. For this game, the only platform that it will run on will be a personal computer, although operating systems may change, this game will not run on mobile or game console devices.
- **UC2:** Sprites/Models. Although in the original game there?s customization available for sprites, this will not be considered in our design.
- **UC3:** Game Mechanics. The basic idea of the game will stay as a platformer with the player walking to the right and interacting with different obstacles.

3 Module Hierarchy

This section provides an overview of the module design. Modules are summarized in a hierarchy decomposed by secrets in Table 2. The modules listed below, which are leaves in the hierarchy tree, are the modules that will actually be implemented.

M1: Hardware-Hiding Module

M2: Mouse Input Module

M3: Keyboard Input Module

M4: Input Format Module

M5: Portal Physics Typo - CM

Module

M6: Portal Gun Module

M7: Game Object Module

M8: Player Object Module

M9: Sprite/Model Module

M10: Interface Module

M11: Collision Detection Module

Level 1	Level 2			
Hardware-Hiding Module				
	Collision Detection Module Event Input Module			
	Interface Module			
Behaviour-Hiding Module	Sprite/Model Module			
Software Decision Module	Portal Physics Module If this pertains to your SRS, it does not belong here. Move up one cell CM			
	Game Object Module Player Object Module			

Table 2: Module Hierarchy

4 Connection Between Requirements and Design

The design of the system is intended to satisfy the requirements developed in the SRS. In this stage, the system is decomposed into modules. The connection between requirements and modules is listed in Table 3.

5 Module Decomposition

Modules are decomposed according to the principle of "information hiding" proposed by ?. The Secrets field in a module decomposition is a brief statement of the design decision hidden by the module. The Services field specifies what the module will do without documenting how to do it. For each module, a suggestion for the implementing software is given under the Implemented By title. If the entry is OS, this means that the module is provided by the operating system or by standard programming language libraries. Also indicate if the module will be implemented specifically for the software.

Only the leaf modules in the hierarchy have to be implemented. If a dash (-) is shown, this means that the module is not a leaf and will not have to be implemented. Whether or not this module is implemented depends on the programming language selected.

5.1 Hardware Hiding Modules (M1)

Secrets: The data structure and algorithm used to implement the virtual hardware.

Services: Serves as a virtual hardware used by the rest of the system. This module provides the interface between the hardware and the software. So, the system can use it to display outputs or to accept inputs.

Implemented By: OS

5.1.1 Mouse Inputs (M2)

Secrets: How mouse input is used in relation to the computer These should be nouns! - CM

Services: Player mouse inputs are displayed on-screen

Implemented By: OS

5.1.2 Keyboard Inputs (M3)

Secrets: How keyboard input is used in relation to the computer

Services: Player keyboard inputs are displayed on-screen

Implemented By: OS

5.2 Behaviour-Hiding Module

Secrets: The contents of the required behaviours.

Services: Includes programs that provide externally visible behaviour of the system as specified in the software requirements specification (SRS) documents. This module serves as a communication layer between the hardware-hiding module and the software decision module. The programs in this module will need to change if there are changes in the SRS.

Implemented By: –

5.2.1 Input Format Module (M4)

Secrets: The format and structure of the input data.

Services: Converts the input data into the data structure used by the input parameters module.

Implemented By: Mari0

5.2.2 Portal Physics Module (M5)

Secrets: How teleportation between two portals works and the game entities that can enter a portal

Services: Teleports game entities that can be teleported between two portals

Implemented By: Mari0

5.2.3 Portal Gun Module (M6)

Secrets: The coordinates of both the blue and the orange portal, and the coordinates of the surface the player is aiming at If this requires to things, the module should be split. Or reword to just have one thing - CM

Services: Allows the player to aim and place either a blue portal or an orange portal on a surface

Implemented By: Mari0

5.2.4 Game Object Module (M7)

Secrets: The size and coordinates of the game object

Services: Allows size and coordinates to be changed and be interacted with by the player

Implemented By: Mari0

5.2.5 Player Object Module (M8)

Secrets: Size, coordinates of player object, player status (alive or dead), and player attributes such as speed, jump force, and gravity.

Services: Allows size and coordinates to be changed and be interacted with by the player and keeps track of player status

Implemented By: Mari0

5.3 Software Decision Module

Secrets: The design decision based on mathematical theorems, physical facts, or programming considerations. The secrets of this module are *not* described in the SRS.

Services: Includes data structure and algorithms used in the system that do not provide direct interaction with the user.

Implemented By: -

5.3.1 Sprite/Model Module (M9)

Secrets: How sprites and models are displayed in game

Services: Displays sprites and models in game

Implemented By: Mari0

5.3.2 Interface Module (M10)

Secrets: Information about the game, such as time left, points scored, and current level

Services: Keeps track of and displays game time, score, and current level

Implemented By: Mari0

5.3.3 Collision Detection Module (M11) Typo - CM

Secrets: How collision is calculated Noun! Just say, Collision Mechanics - CM

Services: Determines whether two entities in the game are touching or will eventually touch one another

Implemented By: Mari0

6 Traceability Matrix

This section shows two traceability matrices: between the modules and the requirements and between the modules and the anticipated changes.

Req.	Modules
R1	M1, M4, M??, M??
R2	M4, M??
R3	M?? These aren't labelled anywhere Did you not remove these? - CM
R4	M22 M22
-	M??, M??
R5	M??, M??, M??, M??, M??
R6	M??, M??, M??, M??, M??
R7	M??, M??, M??, M??
R8	M??, M??, M??, M??
R9	M??
R10	M??, M??, M??
R11	M??, M??, M??, M??

Table 3: Trace Between Requirements and Modules

\mathbf{AC}	Modules	
AC??	M <mark>1</mark>	
AC??	M4	
AC??	M??	

Table 4: Trace Between Anticipated Changes and Modules

7 Use Hierarchy Between Modules

In this section, the uses hierarchy between modules is provided. ? said of two programs A and B that A uses B if correct execution of B may be necessary for A to complete the task described in its specification. That is, A uses B if there exist situations in which the correct functioning of A depends upon the availability of a correct implementation of B. Figure 1 illustrates the use relation between the modules. It can be seen that the graph is a directed acyclic graph (DAG). Each level of the hierarchy offers a testable and usable subset of the system, and modules in the higher level of the hierarchy are essentially simpler because they use modules from the lower levels.




Figure 1: Use hierarchy among modules