Kellogg School of Management FINC 585-3: Asset Pricing Spring 2024

Prof: Torben G. Andersen & Zhengyang Jiang

Assignment 3

Problem 1.

The question is motivated by the original work of Hansen and Singleton, contrasting the assumptions and empirical evidence for consumption-based asset pricing obtained via GMM versus maximum likelihood.

I have posted quarterly data in a file labeled HansenSingletondata.xlsx, containing time series on U.S. aggregate real private consumption and real value of the S&P500 index covering 1958:Q1 to 2016:Q4.

Consider a representative agent who maximizes utility,

$$\sum_{t=0}^{\infty} \beta^t u(C_t)$$

subject to the budget constraint:

$$W_{t+1} = (W_t - C_t) \cdot R_{t+1}^m$$

where C_t is real consumption, W_t is real wealth, R_{t+1}^m is the gross real return on the market portfolio, which is a weighted sum of individual asset returns. That is, $R_{t+1}^m = \sum_i \alpha^i R_{t+1}^i$, α^i is the weight of asset i in the market portfolio, and R_{t+1}^i is gross real return on asset i.

Optimization on the part of the agent implies that,

$$u'(C_t) = \mathbb{E}_t (\beta R_{t+1}^m u'(C_{t+1}))$$

The left hand side of the above Euler equation is the increased utility from consuming one more unit of goods today. The right hand side is equal to the expectation of the present value of the increased utility, if the consumer invests one unit in the market portfolio today and consumes the gross return tomorrow. In equilibrium, the equality holds.

Let the utility function be given in terms of power utility (CRRA),

$$u(C_t) = \frac{C_t^{1-\gamma} - 1}{1-\gamma}$$

Then the above Euler equation becomes,

$$1 = \mathbb{E}_t \left[R_{t+1}^m \beta \left(\frac{C_{t+1}}{C_t} \right)^{-\gamma} \right]$$

Rewrite the above equation, letting F_t denote all information available at time t,

$$\mathbb{E}\left(R_{t+1}^{m}\beta\left(\frac{C_{t+1}}{C_{t}}\right)^{-\gamma} - 1\middle|F_{t}\right) = 0\tag{1}$$

- A) First, we do something unusual, partially to display the versatility of GMM, but also to guide us towards good starting values for a traditional GMM procedure. Equation 1 contains two parameters and translates into one (unconditional) moment condition. You will impose specific values on these parameters and check if the resulting moment condition is close to be satisfied without estimating any parameters. Simply fix $\beta=0.99$ and, for a grid of likely γ values, compute the GMM criterion function. That is, for each value of γ , compute the J-criterion using an efficient GMM procedure. Estimate the spectral density for the moment condition at frequency zero (the long-run variance) using a Bartlett (Newey-West) kernel with a cut-off' parameter that is appropriate given the persistence in the data. Plot the value of the criterion function for the different values of γ . Discuss the results.
- B) Repeat the procedure in question A), but letting F_t be represented by the instrument set: $Z_t = (1, C_{t-1}, R_{t-1}^m)$, i.e., a constant and one-quarter lags of consumption growth C_{t-1} and real returns. You are now exploiting over-identifying restrictions generated by the model.
- C) Let us now try to perform actual parameter estimation with GMM. You have two free parameters, so you have to include moment conditions generated from (non-constant) instruments. Initially, estimate the system using the instruments in question B). You should now have a sense of reasonable values for the parameter vector, so you should have a good candidate for the original weighting matrix and do not have to estimate it using, say, the identity matrix. Report the parameter estimates, standard errors, and the J-test for the fit of the over-identifying restriction(s).
- D) Expand the instrument set in question C) to include two, three, and four lags of the consumption growth and market return. For each set of (two) additional instruments, repeat the GMM estimation and report the results. In this case, you must obtain estimates for the weighting matrix in an initial step.

Problem 2.

(Stambaugh, 1999). You will examine the bias in the slope coefficient in the regression of returns on past dividend yields, when the dividend yield process is highly persistent. Let y_t denote the return and x_t the dividend-price ratio (dividend yield) at date t. Consider the following regression equations,

$$y_t = \alpha + \beta x_{t-1} + u_t$$
$$x_t = \theta + \rho x_{t-1} + v_t$$

for t = 1, ..., T and where,

$$\begin{bmatrix} u_t \\ v_t \end{bmatrix} \sim N(\mathbf{0}_2, \Sigma)$$

We can write the above equations in matrix form as follows,

$$\mathbf{y} = \alpha + \beta \mathbf{x} + \mathbf{u}$$
$$\mathbf{x}^+ = \theta + \rho \mathbf{x} + \mathbf{v}$$

where,

$$\mathbf{y} = \begin{bmatrix} y_1 & \cdots & y_T \end{bmatrix}'$$

$$\mathbf{x} = \begin{bmatrix} x_0 & \cdots & x_{T-1} \end{bmatrix}'$$

$$\mathbf{x}^+ = \begin{bmatrix} x_1 & \cdots & x_T \end{bmatrix}'$$

$$\mathbf{u} = \begin{bmatrix} u_1 & \cdots & u_T \end{bmatrix}'$$

$$\mathbf{v} = \begin{bmatrix} v_1 & \cdots & v_T \end{bmatrix}'$$

(a) Show that

$$\widehat{\beta} = \beta + \begin{bmatrix} \mathbf{0} & \mathbf{1} \end{bmatrix} (\mathbf{X}'\mathbf{X})^{-1}\mathbf{X}'\mathbf{u}$$

where $\mathbf{X} = \begin{bmatrix} \mathbf{1}_T & \mathbf{x} \end{bmatrix}$

(b) Show that **u** can be decomposed as $\mathbf{u} = \frac{\sigma_{uv}}{\sigma_v^2}\mathbf{v} + \mathbf{e}$ where e is uncorrelated with v, and,

$$\widehat{\beta} = \beta + rac{\sigma_{uv}}{\sigma_v^2} \begin{bmatrix} \mathbf{0} & \mathbf{1} \end{bmatrix} (\mathbf{X}'\mathbf{X})^{-1} \mathbf{X}'\mathbf{v} + \begin{bmatrix} \mathbf{0} & \mathbf{1} \end{bmatrix} (\mathbf{X}'\mathbf{X})^{-1} \mathbf{X}'\mathbf{e}$$

(c) Show that,

$$\widehat{\rho} = \rho + \begin{bmatrix} \mathbf{0} & \mathbf{1} \end{bmatrix} (\mathbf{X}\mathbf{X})^{-1} \mathbf{X}\mathbf{v}$$

(d) Show that

$$\mathbb{E}(\widehat{\beta} - \beta) = \frac{\sigma_{uv}}{\sigma_v^2} \, \mathbb{E}(\widehat{\rho} - \rho)$$

- and, using the expression $\mathbb{E}(\widehat{\rho}-\rho)\approx -\frac{1+3p}{T}$, for the finite sample bias of the estimated AR(1) coefficient from Kendall (1954), discuss the potential magnitude of the bias in $\widehat{\beta}$ above, when T is 50 years, $\rho=0.94$ and $\frac{\sigma_{uv}}{\sigma_v^2}=-1$.
- (e) Try to interpret the implications of your results for predictive regressions more generally. The issues highlighted here have generated a large literature!
- (f) Design a small Monte Carlo study to explore the size of bias in finite samples by experimenting with different values for sample size, T, the degree of persistence in the regressor, ρ , and the (normalized) covariance between the innovations, σ_{uv} (or σ_{uv}/σ_v^2). Please report some relevant findings.

Problem 3.

This problem asks you to provide proofs of some results that we cited in Lecture Notes 3.

- 1. Provide proofs for all the results not proven on pages 4-5 of Lecture Notes
- 2. Provide the derivation for the optimal portfolio in the case where a risk-free asset is present on page 7 of Lecture Notes 3.

References

- L. P. Hansen and K. J. Singleton. Generalized instrumental variables estimation of nonlinear rational expectations models. *Econometrica: Journal of the Econometric Society*, pages 1269–1286, 1982.
- M. G. Kendall. Note on bias in the estimation of autocorrelation. $Biometrika,\ 41(3-4)$: $403-404,\ 1954.$
- R. F. Stambaugh. Predictive regressions. *Journal of financial economics*, 54(3):375–421, 1999