					Corrected Sign	ificant P-Values	for Independent Two-Sample T-Tests and Mann-Whitney U-Tests for Occupations in Anal											
			Evaluation				Pote									tivity		
	Student's T				Mann-Whitney U			Student's T		Mann-Whitney U				Student's T			Mann-Whitney	
Occupation	No Correction	Bonferroni	Benjamini- Hochberg	No Correction	Bonferroni	Benjamini- Hochberg	No Correction	 Bonferroni	Benjamini- Hochberg	No Correction	 Bonferroni	Benjamini- Hochberg	No Correction	 Bonferroni	Benjamini- Hochberg	No Correction	 Bonferroni	Benjamini- Hochberg
Accountant Actor	**		*	*														
Aerobics Instructor									 	 						 		
Artist Barber	**		**	**		*	***	*	**	 **		*						
Bartender Blackjack Dealer	***	*	**	*** 	*	**	**		*	** 			**			** 		
Bridal Consultant Cafeteria Server								 	 			 						
Casino Cashier Casino Manager	*	*	**	**		*			 				**		*	 *		
Cinematographier	*						*											
Cook Cosmetologist	*		*	** 		*		 	 	 			**		*	** 		
Door-to-Door Salesman Designer	**		*	*					 	 			*					
Dietitian Event Planner	**		*	 	İ			 	 	 		 		İ	j I	 	İ	
Restaurant Operator	*			*			***	***	***	 *** 	**	***	**			 ** 		
Gift Wrapper in a Department Store Hairdresser									 	 								
Housekeeper in a Private Home Jewelry Maker	*		*	**		*	*	 	 	 			*					
E Lawyer Librarian	**		*	*		*		 	 	**		*	*			*		
Library Assistant Motion Picture Projectionist								 	 -	 		 						
Manager of a Movie Theater									 	 								
Museum Curator Musician	***	**	***	***	*	**	***	**	**	 ***	*	**	**			* 		
Piano Tuner Parking Lot Attendant							*	 	 	 								
Professional Athlete Real Estate Agent	**		*	**		*			 -							 		
Restaurant Hostess													**		*	 *		
Security Guard Sign Painter	*			* 					 	* 								
Singer Telemarketer								 	 	 								
Ticket Taker Tour Guide				" 					 									
Travel Agent	***	**	**	**		*	***		**	**		*						
Waitress Writer	**		*	 *					 	 		 				 		
Bank Manager Bulldozer Mechanic	**		*	**		*				*			*			*		
Bus Driver	*			 **		 *	**	 *	 * **	 * **			*			 * **		
Cashier Childcare Worker						*	444						7-7-					
Diesel Motor Mechanic Elder Care Aide									 	 						 		
Elementary School Teacher Farm Owner and Operator	***	*	**	***	*	**	***	***	***	*** *	***	***						
Fast Food Worker	***	*	**	***		*	**		 *	 **								
Firefighter Forklift Driver							*									 -		
Grocery Bagger Healthcare Manager									 	 								
Home Health Aide Janitor	*			*			*			 		 						
Legislator Licensed Practical Nurse				 	İ	İ		 	 	 		 	**	İ	*	** **		
Locomotive Engineer													*			 * 		
.it Mailman Mail Sorter										 								
யீ Manager Medical Assistant	**		*	** 		*	**	 	*	*** 		*	**			** 		
Medical Technician Paramedic	***	***	***	* ***	*	**	**	 	* *	** ***		*	**			*		
Pharmacist Pharmacy Aides								 	 	 		 		į				
Physician	***	**	***	***	*	**	**	 	 *	**		*	**			 **		
Post Office Clerk Registered Nurse	*			*			*	 	*	 *		 	**			**		*
Railroad Conductor School Counselor							**	 	*	* **		 *						
School Principal Shelf-Stocker in a Grocery Store	*	İ					*	 	 -	 * 		 					İ	
Social Worker										 **								
Subway Operator Surgeon	***	*	**	**		*	***	 *	**	* **		 *	*			*		
Supervisor of a Truck Delivery Service Truck Driver							**	 	 *	 *								
Truck Driver's Helper Welder	***	*	**	 ***		*	*	 	 *	 **		 *						
N Conventions = 95 (41 Example), 44 Non-E		•							"			<u> </u>				II		

N Occupations = 85 (41 Essential; 44 Non-Essential)

* p < 0.05; ** p < 0.01; *** p < 0.001 (two-tailed tests)

Notes: The N for pre-outbreak items ranged from 99 to 1,132 depending on the module of the survey; the N for post-outbreak means ranged from 191-192 for all occupations. No more than one observation in each test included missing data; in these cases, the observation was omitted from the test. Observations used to compute each test are weighted to match the marginal distributions of the 2010 U.S. Census on categories of gender, race/ethnicity, level of education, and age. Bonferroni-corrected significance indicators are equal to the uncorrected p-values are equal to the uncorrected p-values from each test. The critical value selected for the Benjamini-Hochberg correction assumes an acceptable false discovery rate of 5%.