2. Wave Phenomena in Water and Air

PURPOSE AND BACKGROUND

Wave motion is responsible for the propagation of sound. In this laboratory we study various wave characteristics and how they are related to the production and propagation of sound. We will take a look at *reflection*, *refraction*, *interference*, and *diffraction*. A "ripple tank" with water waves is used to simulate the properties of sound waves. A light source at the ripple tank illuminates the waves so that they are visible. For actual sound waves we use a two-speaker system to demonstrate interference and diffraction.

THEORY AND EXPERIMENT

A wave is a periodic disturbance or fluctuation in a medium about its equilibrium position. We use water waves as a good example. Waves transport energy and can do work. A simple *sine wave* can be used to demonstrate important properties of waves. Figure 1 shows the *displacement* of the vibrating medium (e.g., air, water, or a string) as a function of time. The horizontal axis is the time, and the vertical axis is the displacement. The equilibrium position is at x = 0. The period T is the time for one complete cycle, in other words the time for a system to return to its initial position.




Figure 1: Displacement of the medium (e.g., water) of a wave from equilibrium as a function of time, for a fixed point of observation.

The frequency of oscillation is defined as the inverse of the period, f = 1/T.

The physical unit of the frequency is Hertz, abbreviated Hz. The oscillation in Figure 1 has a period of $T=0.10~{\rm s}$ and a frequency of $f=10~{\rm Hz}$. For water, the molecules move up and down (transversely), while the wave itself travels in a direction perpendicular to the up and down motion. This kind of wave is called a *transverse traveling wave*. The *wavelength* λ is the distance the wave travels during one "up and down" cycle. It is the distance from any one crest to the next nearest crest, or from wave trough to next trough, or between any two corresponding points having the same *phase*—see Figure 2. If we call v the wave speed, then we have

$$v = \frac{\lambda}{T} = f\lambda. \tag{1}$$




Figure 2: A transverse wave traveling with velocity v and wavelength λ . We see a snapshot at a fixed time with vertical direction showing the displacement of the medium and horizontal direction the position of the wave.

I Wave Velocity

We can use the PASCO ripple tank to produce plane waves in the "strobe light" setting. The direction of the traveling waves is perpendicular to the straight crests and troughs of the waves. For a frequency setting of $f=20~{\rm Hz}$, we measure the length of 5 consecutive crests and determine the wavelength λ by dividing that distance by 5.

Questions

1. If the distance between 5 consecutive crests is 11 cm, what is the velocity v of the waves according to equation (1)? Write your answer in units of m/s.

II Reflection




Figure 3: Incoming wave reflected off a smooth surface.

When sound waves hit a barrier such as a wall, some of the sound is reflected (with the rest absorbed by the wall). Waves obey the *law of reflection*. A line drawn perpendicular to a point on the

wall is called the "surface normal"—see Figure 3. The angle that the incoming wave makes with the normal is called the *angle of incidence*. The law of reflection states that for a wave approaching a barrier, the wave will be reflected from the surface at an angle equal to the angle of incidence. For the law of reflection to hold, the surface roughness must be small compared to the size of the wavelength. In other words, we need a smooth, or optically speaking, a "mirror-like" surface. This is the case in our experiments with the ripple tank.

Questions

1. Suppose a traveling plane water wave is incident on a concave piece of plastic which acts as a "mirror" for the water waves. Draw a diagram showing the direction of the incident and reflected waves for different locations on the concave surface. You should see focusing of the waves in analogy to an optical mirror.

III Refraction

Refraction means a change in the direction in which a wave travels (see Figure 4). This happens for instance in water where the depth changes, and the wave speed changes as a consequence. Although refraction has only limited applications to sound propagation in enclosed rooms such as our laboratory, it accounts for some interesting atmospheric phenomena (see below). Refraction also occurs with light waves, where it accounts for the action of optical lenses. In all cases where refraction occurs, the wave speed and direction of propagation change.




Figure 4: Refraction of wave on a barrier such as in water.

A Refraction of Sound Waves in the Atmosphere

The speed of sound depends on the temperature of the air. Cooler, denser air will transmit sound more slowly than warmer air. Under normal conditions, the air near the ground is warmer than the air above it. This is the reason why you may not always hear the thunder from a lightning strike several miles away: The sound traveling through the cold air higher up travels more slowly than through the warm air closer to the ground. The sound therefore is refracted upwards and may not reach you. In contrast, a *temperature inversion*, where the air is cooler closer to the ground,

produces the opposite effect. A cool lake at night and in the morning hours can cause such a temperature inversion: Sound is refracted downwards towards the listener, effectively amplifying the direct sound across the lake. This makes the sound, for instance from people on the opposite shore, sound louder and closer than it actually is.

IV Interference of Waves

When two or more wave trains move through the same region of space, the waves interfere with each other at any given spot. *Constructive interference* occurs when two waves with the same phase, such as two wave crests, align at the same location. The two amplitudes add together to create a "hotspot" of twice the amplitude and thus a maximum in intensity—see Figure 5.




Figure 5: Interference and superposition of two waves. The diagram on the left shows *constructive* interference and on the right *destructive* interference.

On the other hand, if the wave crest of one wave meets with a wave trough of another wave, the two waves are completely out-of-phase and suffer *destructive interference*. The resultant amplitude is nearly zero, and so is the wave intensity—again see Figure 5.

Questions

1. Draw a diagram similar to Figure 5 showing the interference of two sine waves that are 90 degrees out of phase with one another (so that the crest of one wave occurs at the zero of the other wave, etc.)

A Interference of Water Waves

We can study the interference maxima and minima with water waves in the "ripple tank" using the wave generator with two small point-like dippers, each producing circular waves. If we space the plungers a few wavelengths apart, and choose a frequency between 15 and 20 Hz, we observe the interference pattern similar to that shown in Figure 6. The radial lines correspond to regions of destructive interference where the two circular waves cancel each other out (e.g., the top black top in Figure 6). Between those radial lines are regions of constructive interference (e.g., the bottom black dot in Figure 6).




Figure 6: Interference of circular water waves. Image from chegg.com.

Questions

1. Suppose we change the frequency of the dippers. Describe how the interference pattern changes. (For example, does increasing the frequency of the dippers increase or decrease the number of radial lines in the interference pattern.)

B Interference of Sound Waves

Sound waves from two speakers behave exactly like the interfering water waves in the ripple tank above shown in Figure 6. For interference from the speakers to be clearly audible, the wavelength should be somewhat smaller than the distance between the speakers. By walking in front of the speakers, you can hear the interference maxima (constructive interference) and minima (destructive interference) as you walk.

Questions

- 1. At the midpoint in front of the speakers. i.e., at the same distance from each speaker, do you expect to hear constructive or destructive interference? Why?
- 2. Do you expect that the number of audible maxima and minima increase or decrease if the frequency is increased?
- 3. Do you think the interference of sound waves is desirable or undesirable in rooms and concert halls? Why? How would you address such problems?

4. Give examples for diffraction of sound from openings, barriers and edges. Discuss this in the context of desirable or undesirable room acoustics.

V Diffraction of Waves

Diffraction is a wave phenomenon with direct applications to sound propagation when there is a barrier, opening, or corner. The effect is pronounced when the wavelength is comparable to the size of the obstacle. In such cases diffraction enables one to hear sound "around corners"—see Figure 7. We all have heard sound from a door opening when we were outside a room but not in the line-of-sight of the sound source inside.




Figure 7: Diffraction of sound waves after passing through an opening, around a barrier, and around an edge.

The amount of diffraction depends on the relative size of the wavelength of the waves and the size of the opening or barrier obstructing the passage of the waves. For example, suppose a wave approaches a barrier with a width large compared to the wavelength. Then you see a "shadow" region without waves behind the barrier, as expected. If, however, the wavelength is comparable to the barrier width, the "shadow" region behind the barrier becomes small and waves travel into the region.

P.S.: Water waves are an example of *transverse waves*, whereas sound waves are *longitudinal waves*. In the first case the medium oscillates *transversely* to the direction of wave propagation, in the second case (air) the oscillations are *longitudinal* along and against the propagation direction. These differences do not affect the basic study of wave behavior in this laboratory.

Questions

- 1. For the case of plane waves incident on an opening, sketch the diffracted waves for the two cases where the wavelength of the waves is small compared to the size of the opening
- 2. Repeat for the case where the wavelength of the waves is comparable to the size of the opening.