

ANDROID STATIC ANALYSIS REPORT



NFC Tag maker (2.03)

File Name:	installer181.apk
Package Name:	pl.net.szafraniec.NFCTagmaker
Scan Date:	May 31, 2022, 4:01 p.m.
App Security Score:	55/100 (MEDIUM RISK)
Grade:	

FINDINGS SEVERITY

派 HIGH	▲ MEDIUM	i INFO	✓ SECURE	♥ HOTSPOT
1	2	1	1	1

FILE INFORMATION

File Name: installer181.apk

Size: 0.12MB

MD5: dfaba0196aa6e6892f05f1facbe51801

SHA1: 3197b33961339fc0b0ecba1aa4352776d5247804

SHA256: 94cf3142ae1182ca16ee3db49193bd4a54010bfd2ae2267af5b0181032405cf8

i APP INFORMATION

App Name: NFC Tag maker

Package Name: pl.net.szafraniec.NFCTagmaker

Main Activity: MainActivity

Target SDK: 19 Min SDK: 16 Max SDK:

Android Version Name: 2.03 Android Version Code: 23

EE APP COMPONENTS

Activities: 6 Services: 0 Receivers: 0 Providers: 0

Exported Activities: O Exported Services: O Exported Receivers: O Exported Providers: O

***** CERTIFICATE INFORMATION

APK is signed v1 signature: True v2 signature: False v3 signature: False

Found 1 unique certificates

Subject: C=UK, ST=ORG, L=ORG, O=fdroid.org, OU=FDroid, CN=FDroid

Signature Algorithm: rsassa_pkcs1v15 Valid From: 2014-02-08 06:14:15+00:00 Valid To: 2041-06-26 06:14:15+00:00

Issuer: C=UK, ST=ORG, L=ORG, O=fdroid.org, OU=FDroid, CN=FDroid

Serial Number: 0x49247014 Hash Algorithm: sha256

md5: 059a962a696c753c0192a7c9cc8b50c4

sha1: e87c71410403154269c4bf943e306402f21d3410

sha256: 2686e04aaae2e0a08ecf7fcfa94a6495fd2f6d292f02d2960ae96400d9ed37e7

sha512: 10bd3eb278e8ce44ef986dfe8f6f0f25a72a292ddab38ed6d88f24a76e9df97af0e0b6210c0eb122cc7bf50cc0b3307c1518cc66be1f634140adc4a28c798d6210c0eb122cc7bf50cc0b3307c1518cc66be1f634140adc4a28c798d6210c0eb122cc7bf50cc0b3307c1518cc66be1f634140adc4a28c798d6210c0eb122cc7bf50cc0b3307c1518cc66be1f634140adc4a28c798d6210c0eb122cc7bf50cc0b3307c1518cc66be1f634140adc4a28c798d6210c0eb122cc7bf50cc0b3307c1518cc66be1f634140adc4a28c798d6210c0eb122cc7bf50cc0b3307c1518cc66be1f634140adc4a28c798d6210c0eb122cc7bf50cc0b3307c1518cc66be1f634140adc4a28c798d6210c0eb122cc7bf50cc0b3307c1518cc66be1f634140adc4a28c798d6210c0eb122cc7bf50cc0b3307c1518cc66be1f634140adc4a28c798d6210c0eb122cc7bf50cc0b3307c1518cc66be1f634140adc4a28c798d6210c0eb122cc7bf50cc0b3307c1518cc66be1f634140adc4a28c798d6210c0eb122cc7bf50cc0b3307c1518cc66be1f634140adc4a28c798d6210c0eb122cc7bf50cc0b3307c1518cc66be1f634140adc4a28c798d6210c0eb122cc7bf50cc0b3307c1518cc66be1f634140adc4a28c798d6210c0eb122cc7bf50cc0b3307c1518cc66be1f634140adc4a28c798d6210c0eb122cc7bf50cc0b3307c1518cc66be1f634140adc4a28c798d6210c0eb122cc7bf50cc0b3307c150b6120c0eb122cc7bf50cc0b3307c150b6120c0eb120c

TITLE	SEVERITY	DESCRIPTION
Signed Application	info	Application is signed with a code signing certificate

TITLE	SEVERITY	DESCRIPTION
Application vulnerable to Janus Vulnerability	high	Application is signed with v1 signature scheme, making it vulnerable to Janus vulnerability on Android 5.0-8.0, if signed only with v1 signature scheme. Applications running on Android 5.0-7.0 signed with v1, and v2/v3 scheme is also vulnerable.

⋮ APPLICATION PERMISSIONS

PERMISSION	STATUS	INFO	DESCRIPTION
android.permission.NFC	normal	control Near-Field Communication	Allows an application to communicate with Near-Field Communication (NFC) tags, cards and readers.
android.permission.VIBRATE	normal	control vibrator	Allows the application to control the vibrator.
android.permission.WRITE_EXTERNAL_STORAGE	dangerous	read/modify/delete external storage contents	Allows an application to write to external storage.
android.permission.READ_EXTERNAL_STORAGE	dangerous	read external storage contents	Allows an application to read from external storage.

M APKID ANALYSIS

FILE	DETAILS
------	---------

FILE	DETAILS		
	FINDINGS	DETAILS	
classes.dex	Compiler	dx	

△ NETWORK SECURITY

NO SC	SCOPE	SEVERITY	DESCRIPTION
-------	-------	----------	-------------

Q MANIFEST ANALYSIS

NO	ISSUE	SEVERITY	DESCRIPTION
1	Application Data can be Backed up [android:allowBackup=true]	warning	This flag allows anyone to backup your application data via adb. It allows users who have enabled USB debugging to copy application data off of the device.

</> CODE ANALYSIS

NO	ISSUE	SEVERITY	STANDARDS	FILES
1	App can read/write to External Storage. Any App can read data written to External Storage.	warning	CWE: CWE-276: Incorrect Default Permissions OWASP Top 10: M2: Insecure Data Storage OWASP MASVS: MSTG-STORAGE-2	pl/net/szafraniec/NFCTagmaker/UltralightH EXEDIT.java pl/net/szafraniec/a/a/d.java
2	The App logs information. Sensitive information should never be logged.	info	CWE: CWE-532: Insertion of Sensitive Information into Log File OWASP MASVS: MSTG-STORAGE-3	pl/net/szafraniec/a/a/d.java

■ NIAP ANALYSIS v1.3

NO	IDENTIFIER	REQUIREMENT	FEATURE	DESCRIPTION
1	FCS_STO_EXT.1.1	Security Functional Requirements	Storage of Credentials	The application does not store any credentials to non-volatile memory.
2	FCS_CKM_EXT.1.1	Security Functional Requirements	Cryptographic Key Generation Services	The application generate no asymmetric cryptographic keys.
3	FDP_DEC_EXT.1.1	Security Functional Requirements	Access to Platform Resources	The application has access to ['NFC'].
4	FDP_DEC_EXT.1.2	Security Functional Requirements	Access to Platform Resources	The application has access to no sensitive information repositories.
5	FDP_NET_EXT.1.1	Security Functional Requirements	Network Communications	The application has no network communications.

NO	IDENTIFIER	REQUIREMENT	FEATURE	DESCRIPTION
6	FDP_DAR_EXT.1.1	Security Functional Requirements	Encryption Of Sensitive Application Data	The application does not encrypt files in non-volatile memory.
7	FMT_MEC_EXT.1.1	Security Functional Requirements	Supported Configuration Mechanism	The application invoke the mechanisms recommended by the platform vendor for storing and setting configuration options.
8	FTP_DIT_EXT.1.1	Security Functional Requirements	Protection of Data in Transit	The application does encrypt some transmitted data with HTTPS/TLS/SSH between itself and another trusted IT product.
9	FCS_HTTPS_EXT.1.3	Selection-Based Security Functional Requirements	HTTPS Protocol	The application notify the user and not establish the connection or request application authorization to establish the connection if the peer certificate is deemed invalid.
10	FIA_X509_EXT.2.1	Selection-Based Security Functional Requirements	X.509 Certificate Authentication	The application use X.509v3 certificates as defined by RFC 5280 to support authentication for HTTPS , TLS.

Q DOMAIN MALWARE CHECK

DOMAIN	STATUS	GEOLOCATION
play.google.com	ok	IP: 142.251.36.46 Country: United States of America Region: California City: Mountain View Latitude: 37.405991 Longitude: -122.078514 View: Google Map

Report Generated by - MobSF v3.5.2 Beta

Mobile Security Framework (MobSF) is an automated, all-in-one mobile application (Android/iOS/Windows) pen-testing, malware analysis and security assessment framework capable of performing static and dynamic analysis.

© 2022 Mobile Security Framework - MobSF | Ajin Abraham | OpenSecurity.