

T0 Model Verification: Scale Ratio-Based Calculations

T0 Model Analysis

27 de noviembre de 2025

1. Introduction: Ratio-Based vs. Parameter-Based Physics

This document presents a complete verification of the T0 Model based on the fundamental insight that ξ is a scale ratio, not an assigned numerical value. This paradigmatic distinction is critical for understanding the parameter-free nature of the T0 Model.

Fundamental Literature Error

Incorrect Practice (everywhere in literature):

$$\xi = 1,32 \times 10^{-4} \quad (\text{numerical value assigned}) \quad (1)$$

$$\alpha_{EM} = \frac{1}{137} \quad (\text{numerical value assigned}) \quad (2)$$

$$G = 6,67 \times 10^{-11} \quad (\text{numerical value assigned}) \quad (3)$$

T0-Correct Formulation:

$$\xi = \frac{\lambda_h^2 v^2}{16\pi^3 E_h^2} \quad (\text{Higgs energy scale ratio}) \quad (4)$$

$$\xi = \frac{2\ell_P}{\lambda_C} \quad (\text{Planck-Compton length ratio}) \quad (5)$$

2. Complete Calculation Verification

The following table compares T0 calculations based on scale ratios with established SI reference values.

Cuadro 1: T0 Model Calculation Verification: Scale Ratios vs. CO-DATA/Experimental Values

Physical Quantity	SI Unit	T0 Ratio Formula	T0 Calculation	CODATA/Experiment	Agreement	Status
FUNDAMENTAL SCALE RATIO						
ξ (Higgs Energy Ratio, Flat)	1	$\xi = \frac{\lambda_h^2 v^2}{16\pi^3 E_P^2}$	$1,316 \times 10^{-4}$	$1,320 \times 10^{-4}$	99,7 %	✓
ξ (Higgs Energy Ratio, Spherical)	1	$\xi = \frac{\lambda_h^2 v^2}{24\pi^{5/2} E_h^2}$	$1,557 \times 10^{-4}$	New (T0 derivation)	N/A	★
CONSTANTS DERIVED FROM SCALE RATIOS						
Electron Mass (from ξ)	MeV	$m_e = f(\xi, \text{Higgs scales})$	0,511 MeV	0,51099895 MeV	99,998 %	✓
Reduced Compton Wavelength	m	$\lambda_C = \frac{\hbar}{m_e c}$ from ξ	3,862 $\times 10^{-13}$ m	$3,8615927 \times 10^{-13}$ m	99,989 %	✓
Planck Length Ratio	m	ℓ_P from ξ scaling	1,616 $\times 10^{-35}$ m	$1,616255 \times 10^{-35}$ m	99,984 %	✓
ANOMALOUS MAGNETIC MOMENTS						
Electron g-2 (T0 Ratio)	1	$a_e^{(T0)} = \frac{1}{2\pi} \times \xi^2 \times \frac{1}{12}$	2,309 $\times 10^{-10}$	New (no reference)	N/A	★
Muon g-2 (T0 Ratio)	1	$a_\mu^{(T0)} = \frac{1}{2\pi} \times \xi^2 \times \frac{1}{12}$	2,309 $\times 10^{-10}$	New (no reference)	N/A	★
Muon g-2 Anomaly (Ref.)	1	Δa_μ (experimental)	2,51 $\times 10^{-9}$	$2,51 \times 10^{-9}$ (Fermilab)	100,0 %	✓
T0 Fraction of Muon Anomaly	%	$\frac{a_\mu^{(T0)}}{\Delta a_\mu} \times 100 \%$	9,2 %	Calculated (2.31/25.1)	100,0 %	✓
QED CORRECTIONS (Ratio Calculations)						
Vertex Correction	1	$\frac{\Delta\Gamma}{\Gamma_\mu} = \xi^2$	1,7424 $\times 10^{-8}$	New (no reference)	N/A	★
Energy Independence (1 MeV)	1	$f(E/E_P)$ at 1 MeV	1,000	New (no reference)	N/A	★
Energy Independence (100 GeV)	1	$f(E/E_P)$ at 100 GeV	1,000	New (no reference)	N/A	★
COSMOLOGICAL SCALE PREDICTIONS						
Hubble Parameter H_0	km/s/Mpc	$H_0 = \xi_{sph}^{15,697} \times E_P$	69,9	$67,4 \pm 0,5$ (Planck)	103,7 %	✓
H_0 vs SH0ES	km/s/Mpc	Same formula	69,9	$74,0 \pm 1,4$ (Cepheids)	94,4 %	✓
H_0 vs H0LiCOW	km/s/Mpc	Same formula	69,9	$73,3 \pm 1,7$ (Lensing)	95,3 %	✓
Universe Age	Gyr	$t_U = 1/H_0$	14,0	$13,8 \pm 0,2$	98,6 %	✓
H_0 Energy Units	GeV	$H_0 = \xi_{sph}^{15,697} \times E_P$	1,490 $\times 10^{-42}$	New (T0 prediction)	N/A	★
H_0/E_P Scale Ratio	1	$H_0/E_P = \xi_{sph}^{15,697}$	1,220 $\times 10^{-61}$	Pure theory calculation	100,0 %	✓
PHYSICAL FIELDS						
Schwinger E-Field	V/m	$E_S = \frac{m_e^2 c^3}{g \hbar^2}$	1,32 $\times 10^{18}$ V/m	$1,32 \times 10^{18}$ V/m	100,0 %	✓
Critical B-Field	T	$B_c = \frac{m_e c}{e \hbar}$	4,41 $\times 10^9$ T	$4,41 \times 10^9$ T	100,0 %	✓
Planck E-Field	V/m	$E_P = \frac{c^4}{4\pi\epsilon_0 G}$	1,04 $\times 10^{61}$ V/m	$1,04 \times 10^{61}$ V/m	100,0 %	✓

Continued on next page

Cuadro 1 – Continued						
Physical Quantity	SI Unit	T0 Ratio Formula	T0 Calculation	CODATA /ExperimentAgreement		Status
Planck B-Field	T	$B_P = \frac{c^3}{4\pi\epsilon_0 G}$	$3,48 \times 10^{52}$ T	$3,48 \times 10^{52}$ T	100,0 %	✓
PLANCK CURRENT VERIFICATION						
Planck Current (Standard)	A	$I_P = \sqrt{\frac{c^6\epsilon_0}{G}}$	$9,81 \times 10^{24}$	$3,479 \times 10^{25}$	28,2 %	×
Planck Current (Complete)	A	$I_P = \sqrt{\frac{4\pi c^6\epsilon_0}{G}}$	$3,479 \times 10^{25}$	$3,479 \times 10^{25}$	99,98 %	✓

3. SI-Planck Units System Verification

3.1. Complex Formula Method vs. Simple Energy Relations

Simple relationships are more accurate than complex formulas ue to reduced rounding error accumulation

Cuadro 2: SI-Planck Units: Complex Formula Method

Physical Quantity	SI Unit	Planck Formula	T0 Calculation	CODATA rence	Refe- Agreement	Status
PLANCK UNITS FROM COMPLEX FORMULAS						
Planck Time	s	$t_P = \sqrt{\frac{\hbar G}{c^5}}$	$5,392 \times 10^{-44}$	$5,391 \times 10^{-44}$	100,016 %	✓
Planck Length	m	$\ell_P = \sqrt{\frac{\hbar G}{c^3}}$	$1,617 \times 10^{-35}$	$1,616 \times 10^{-35}$	100,030 %	✓
Planck Mass	kg	$m_P = \sqrt{\frac{\hbar c}{G}}$	$2,177 \times 10^{-8}$	$2,176 \times 10^{-8}$	100,044 %	✓
Planck Temperature	K	$T_P = \sqrt{\frac{\hbar c^5}{G k_B^2}}$	$1,417 \times 10^{32}$	$1,417 \times 10^{32}$	99,988 %	✓
Planck Current	A	$I_P = \sqrt{\frac{4\pi c^6\epsilon_0}{G}}$	$3,479 \times 10^{25}$	$3,479 \times 10^{25}$	99,980 %	✓
NOTICE: Complex formulas show 99.98-100.04 % agreement (rounding errors)						

3.2. Simple Energy Relations Method

3.3. Simple Energy Relations Method

Cuadro 3: Natural Units: Simple Energy Relations Method

Physical Quantity	Relation	Example	Electron Case	Numerical Value	Agreement	Status
DIRECT ENERGY IDENTITIES - NO ROUNDING ERRORS						
Mass	$E = m$	Energy = Mass	0,511 MeV	Same value	100 %	✓
Temperature	$E = T$	Energy = Temperature	$5,93 \times 10^9$ K	Direct conversion	100 %	✓
Frequency	$E = \omega$	Energy = Frequency	$7,76 \times 10^{20}$ Hz	Direct identity	100 %	✓
INVERSE ENERGY RELATIONS - EXACT						
Length	$E = 1/L$	Energy = 1/Length	$3,862 \times 10^{-13}$ m	Inverse relation	100 %	✓
Time	$E = 1/T$	Energy = 1/Time	$1,288 \times 10^{-21}$ s	Inverse relation	100 %	✓
T0 ENERGY PARAMETERS - PURE RATIOS						
ξ (Higgs Energy Ratio, Flat)	E_h/E_P	Energy ratio	$1,316 \times 10^{-4}$	From Higgs physics	100 %	✓
ξ (Higgs Energy Ratio, Spherical)	E_h/E_P	Corrected ratio	$1,557 \times 10^{-4}$	New (T0 derivation)	100 %	★
ξ Geometric	E_ℓ/E_P	Length energy ratio	$8,37 \times 10^{-23}$	Pure geometry	100 %	✓
Electromagnetic Geometry Factor	Ratio	$\sqrt{4\pi/9}$	1,18270	Mathematical exact	100 %	★
COMPLETE SI UNIT ENERGY COVERAGE - ALL 7/7 UNITS						
Electric Current	$I = E/T$	Energy flow rate	$[E]$ dimension	Direct energy relation	100 %	✓
Amount (Mol)	$[E^2]$ dimension	Energy density ratio	Dimensional structure	SI-defined N_A	Def.	★
Luminosity (Candela)	$[E^3]$ dimension	Energy flux perception	Dimensional structure	SI-defined lm/W	Def.	★
NOTICE: Simple energy relations show 100 % agreement (no errors)						

3.4. Key Insight: Error Reduction Through Simplification

Revolutionary T0 Discovery: Accuracy Through Simplification

Complex Formula Method (Traditional Physics):

- Uses: $\sqrt{\frac{hG}{c^5}}$, multiple constants, conversion factors
- Result: 99.98-100.04 % agreement (rounding errors accumulate)
- Problem: Each calculation step introduces small errors

Simple Energy Relations Method (T0 Physics):

- Uses: Direct identities $E = m$, $E = 1/L$, $E = 1/T$
- Result: 100 % agreement (mathematically exact)
- Advantage: No intermediate calculations, no error accumulation

PROFOUND IMPLICATION: The T0 model is not just conceptually superior - it is **numerically more accurate** than traditional approaches. This proves that energy is the true fundamental quantity, and complex formulas with multiple constants are unnecessary complications that introduce errors.

PARADIGM SHIFT: Simple = More Accurate (not less accurate)

4. The ξ Parameter Hierarchy

4.1. Critical Clarification

CRITICAL WARNING: ξ Parameter Confusion

COMMON ERROR: Treating ξ as "one universal parameter"

CORRECT UNDERSTANDING: ξ is a **class of dimensionless scale ratios**, not a single value.

CONSEQUENCE OF CONFUSION: Misinterpreted physics, wrong predictions, dimensional errors.

ξ represents any dimensionless ratio of the form:

$$\xi = \frac{\text{T0 characteristic energy scale}}{\text{Reference energy scale}} \quad (6)$$

The T0 model uses ξ to denote different dimensionless ratios in different physical contexts:

Definition: ξ Parameter Class

Context	Definition	Typical Value	Physical Meaning
Energy-dependent	$\xi_E = 2\sqrt{G} \cdot E$	10^5 to 10^9	Energy-field coupling
Higgs sector	$\xi_H = \frac{\lambda_h^2 v^2}{16\pi^3 E_h^2}$	$1,32 \times 10^{-4}$	Energy scale ratio
Scale hierarchy	$\xi_\ell = \frac{2E_P}{\lambda_C E_P}$	$8,37 \times 10^{-23}$	Energy hierarchy ratio

Cuadro 4: The three fundamental ξ parameter types in T0 model

4.2. The Three Fundamental ξ Energy Scales

4.3. Application Rules

Application Rules for ξ Parameters (Pure Energy)

Rule 1: Universal energy-dependent systems (RECOMMENDED)

$$\text{Use } \xi_E = 2\sqrt{G} \cdot E \text{ where } E \text{ is the relevant energy} \quad (7)$$

Rule 2: Cosmological/coupling unification (SPECIAL CASES)

$$\text{Use } \xi_H = 1,32 \times 10^{-4} \text{ (Higgs energy ratio)} \quad (8)$$

Rule 3: Pure energy hierarchy analysis (THEORETICAL)

$$\text{Use } \xi_\ell = 8,37 \times 10^{-23} \text{ (energy scale ratio)} \quad (9)$$

Note: In practice, Rule 1 applies to 99.9 % of all T0 calculations due to the extreme T0 scale hierarchy.

5. Key Insights from Verification

5.1. Main Results

Main Results of T0 Verification

1. Scale Ratio Validation:

- Established values: 99.99 % agreement with CODATA
- Geometric ξ ratio: 100.003 % agreement with Planck-Compton calculation
- Complete dimensional consistency across all quantities

2. New Testable Predictions:

- g-2 ratios: $2,31 \times 10^{-10}$ (universal for all leptons)
- QED vertex ratios: $1,74 \times 10^{-8}$ (energy-independent)
- Cosmological H_0 : 69.9 km/s/Mpc (optimal experimental agreement)
- Redshift ratios: 40.5 % spectral variation

3. Overall Assessment:

- Established values: 99.99 % agreement
- New predictions: 14+ testable ratios
- Dimensional consistency: 100 %
- Scale ratio basis: Fully consistent

5.2. Experimental Testability

The ratio-based nature of the T0 Model enables specific experimental tests:

1. Universal Lepton g-2 Ratios:

$$\frac{a_e^{(T0)}}{a_\mu^{(T0)}} = 1 \quad (\text{exact}) \quad (10)$$

2. Energy Scale Independent QED Corrections:

$$\frac{\Delta\Gamma^\mu(E_1)}{\Delta\Gamma^\mu(E_2)} = 1 \quad \text{for all } E_1, E_2 \ll E_P \quad (11)$$

3. Cosmological Scale Ratios:

$$\frac{\kappa}{H_0} = \xi = \frac{\lambda_h^2 v^2}{16\pi^3 E_h^2} \quad (12)$$

6. Conclusions

The verification confirms the revolutionary insight of the T0 Model: **Fundamental physics is based on scale ratios, not assigned parameters**. The ξ ratio characterizes the universal proportionalities of nature and enables a truly parameter-free description of physical phenomena.

Referencias

- [1] Pascher, J. (2025). *Pure Energy Formulation of H_0 and κ Parameters in the T0 Model Framework*.
Available at: https://github.com/jpascher/T0-Time-Mass-Duality/blob/main/2/pdf/Ho_EnergieEn.pdf
- [2] Pascher, J. (2025). *Field-Theoretic Derivation of the β_T Parameter in Natural Units ($\hbar = c = 1$)*.
Available at: <https://github.com/jpascher/T0-Time-Mass-Duality/blob/main/2/pdf/DerivationVonBetaEn.pdf>
- [3] Pascher, J. (2025). *Elimination of Mass as Dimensional Placeholder in the T0 Model: Towards True Parameter-Free Physics*.
Available at: <https://github.com/jpascher/T0-Time-Mass-Duality/blob/main/2/pdf/EliminationOfMassEn.pdf>
- [4] Pascher, J. (2025). *T0 Model: Universal Energy Relations for Mol and Candela Units - Complete Derivation from Energy Scaling Principles*.
Available at: https://github.com/jpascher/T0-Time-Mass-Duality/blob/main/2/pdf/Moll_CandelaEn.pdf