

**On the Mathematical Structure of the
FFGFT: Why Numerical Ratios Must Not
Be Directly Simplified**

On the Mathematical Structure of the FFGFT: Why Numerical Ratios Must Not Be Directly Simplified

Introduction

In theoretical physics, the question often arises as to which mathematical operations are legitimate and which are not. A particularly interesting problem occurs in the T0-theory, where seemingly simple numerical ratios such as $\frac{2}{3}$ and $\frac{8}{5}$ possess a deeper structural significance that prohibits direct simplification.

The Fundamental Problem

The T0-theory postulates two equivalent representations for the lepton masses:

$$\text{Simple Form: } m_e = \frac{2}{3} \cdot \xi^{5/2}, \quad m_\mu = \frac{8}{5} \cdot \xi^2$$

$$\text{Extended Form: } m_e = \frac{3\sqrt{3}}{2\pi\alpha^{1/2}} \cdot \xi^{5/2}, \quad m_\mu = \frac{9}{4\pi\alpha} \cdot \xi^2$$

At first glance, one might assume that the fractions $\frac{2}{3}$ and $\frac{8}{5}$ are simple rational numbers that could be simplified or reduced. However, this assumption would be incorrect.

Why Direct Simplification Is Not Allowed

Equating both representations leads to:

$$\frac{2}{3} = \frac{3\sqrt{3}}{2\pi\alpha^{1/2}}, \quad \frac{8}{5} = \frac{9}{4\pi\alpha}$$

These equations show that the seemingly simple fractions are, in fact, complex expressions containing fundamental natural constants (π , α) and geometric factors ($\sqrt{3}$).

Mathematical and Physical Consequences

1. **Structure Preservation:** Direct simplification would destroy the underlying geometric and physical structure.
2. **Information Loss:** The fractions encode information about spacetime geometry and electromagnetic coupling.
3. **Equivalence Principle:** Both representations are mathematically equivalent, but the extended form reveals the physical origin.

0.1 Circular Relationships and Fundamental Constants

In the T0-theory, seemingly circular relationships arise, which are an expression of the deep interconnectedness of fundamental constants:

$$\alpha = f(\xi)$$

$$\xi = g(\alpha)$$

This mutual dependence leads to an apparent chicken-and-egg problem: Which comes first, α or ξ ?

0.1.1 Resolution of the Circularity Problem

The solution lies in the realization that both constants are expressions of an underlying geometric structure:

α	Fine structure constant ($\approx 1/137.036$)
ξ	Geometric space constant ($= \frac{4}{3} \times 10^{-4}$)
c_e	Electron mass coefficient
c_μ	Muon mass coefficient
π	Pi (≈ 3.14159)
$\sqrt{3}$	Square root of 3 (≈ 1.73205)
m_e	Electron mass ($= 0.5109989461$ MeV)
m_μ	Muon mass ($= 105.6583745$ MeV)

The apparent circularity dissolves when it is recognized that both constants originate from the same fundamental geometry.

0.2 The Role of Natural Units

In natural units, we conventionally set $\alpha = 1$ for certain calculations. This is legitimate because:

- Fundamental physics should be independent of measurement units.
- Dimensionless ratios contain the actual physical statements.
- The choice $\alpha = 1$ represents a specific gauge.

However, this convention must not obscure the fact that α in the T0-theory has a specific numerical value determined by ξ .

	Conventional	Natural
c_e	1.65×10^{19}	9.67
c_μ	1.03×10^{20}	98.1
ξ	1.33×10^{-4}	1.33×10^{-4}

0.3 Foundation: The Single Geometric Constant

0.3.1 The Universal Geometric Parameter

1.1.1 The T0-theory begins with a single dimensionless constant derived from the geometry of three-dimensional space:

Key Result

$$\xi = \frac{4}{3} \times 10^{-4} \quad (1)$$

1.1.2 This constant arises from:

- The tetrahedral packing density of 3D space: $\frac{4}{3}$
- The scale hierarchy between quantum and classical domains: 10^{-4}

0.3.2 Natural Units

1.2.1 We work in natural units where:

$$c = 1 \quad (\text{speed of light}) \quad (2)$$

$$\hbar = 1 \quad (\text{reduced Planck constant}) \quad (3)$$

$$G = 1 \quad (\text{gravitational constant, numerically}) \quad (4)$$

1.2.2 The Planck length serves as reference scale:

$$\ell_P = \sqrt{G} = 1 \quad (\text{in natural units}) \quad (5)$$

0.4 Building the Scale Hierarchy

0.4.1 Step 1: Characteristic T0 Scales

2.1.1 From ξ and the Planck reference, we derive the characteristic T0 scales:

$$r_0 = \xi \cdot \ell_P = \frac{4}{3} \times 10^{-4} \cdot \ell_P \quad (6)$$

$$t_0 = r_0 = \frac{4}{3} \times 10^{-4} \quad (\text{in units with } c = 1) \quad (7)$$

0.4.2 Step 2: Energy Scales from Geometry

2.2.1 The characteristic energy scale follows from dimensional analysis:

$$E_0 = \frac{1}{r_0} = \frac{3}{4} \times 10^4 \quad (\text{in Planck units}) \quad (8)$$

2.2.2 This yields the T0 energy hierarchy:

$$E_P = 1 \quad (\text{Planck energy}) \quad (9)$$

$$E_0 = \xi^{-1} E_P = \frac{3}{4} \times 10^4 E_P \quad (10)$$

0.5 Deriving the Fine Structure Constant

0.5.1 Origin of the Formula $\varepsilon = \xi \cdot E_0^2$

3.1.1 The fundamental formula of T0-theory for the coupling parameter ε is:

Key Result

$$\varepsilon = \xi \cdot E_0^2 \quad (11)$$

3.1.2 This relationship connects:

- ε – the T0 coupling parameter
- ξ – the geometric parameter from tetrahedral packing
- E_0 – the characteristic energy

0.5.2 The Characteristic Energy E_0

3.2.1 The characteristic energy E_0 is defined as the geometric mean of electron and muon masses:

$$E_0 = \sqrt{m_e \cdot m_\mu} \quad (12)$$

3.2.2 Alternatively, E_0 can be derived gravitationally-geometrically:

$$E_0^2 = \frac{4\sqrt{2} \cdot m_\mu}{\xi^4} \quad (13)$$

3.2.3 Both approaches consistently lead to:

$$E_0 \approx 7.35 \text{ to } 7.398 \text{ MeV} \quad (14)$$

0.5.3 The Geometric Parameter ξ

3.3.1 The parameter ξ is a fundamental geometric constant:

$$\xi = \frac{4}{3} \times 10^{-4} = 1.333 \dots \times 10^{-4} \quad (15)$$

0.5.4 Numerical Verification and Fine Structure Constant

3.4.1 With the derived values, ε becomes:

$$\varepsilon = \xi \cdot E_0^2 \quad (16)$$

$$= (1.333 \times 10^{-4}) \times (7.398 \text{ MeV})^2 \quad (17)$$

$$= 7.297 \times 10^{-3} \quad (18)$$

$$= \frac{1}{137.036} \quad (19)$$

Quantity	Exact Value	Comment
ξ	$1.33333333333333 \times 10^{-4}$	$= 4/3 \times 10^{-4}$
ξ^2	$1.77777777777778 \times 10^{-8}$	
$\xi^{5/2}$	$3.098386676965933 \times 10^{-10}$	
c_e	$1.648721270700128 \times 10^{19}$	$= e$ (Euler's number)
c_μ	$1.026187714072347 \times 10^{20}$	
m_e	0.5109989461 MeV	Exact
m_μ	105.6583745 MeV	Exact
E_0	7.346881 MeV	Exact

0.5.5 From Fractal Geometry

Fractal Dimension of Spacetime

3.5.1 From topological considerations of 3D space with time:

$$D_f = 3 - \delta = 2.94 \quad (20)$$

where $\delta = 0.06$ is the fractal correction.

The Fine Structure Constant from Geometry

3.5.2 The complete geometric derivation yields:

Key Result

$$\alpha^{-1} = 3\pi \times \xi^{-1} \times \ln\left(\frac{\Lambda_{\text{UV}}}{\Lambda_{\text{IR}}}\right) \times D_f^{-1} \quad (21)$$

$$= 3\pi \times \frac{3}{4} \times 10^4 \times \ln(10^4) \times \frac{1}{2.94} \quad (22)$$

$$= 9\pi \times 10^4 \times 9.21 \times 0.340 \quad (23)$$

$$\approx 137.036 \quad (24)$$

0.5.6 Exact Formula from ξ to α

3.6.1 The precise relationship is:

Key Result

$$\alpha = \left(\frac{27\sqrt{3}}{8\pi^2}\right)^{2/5} \cdot \xi^{11/5} \cdot K_{\text{frac}} \quad (25)$$

$$\text{with } K_{\text{frac}} = 0.9862 \quad (26)$$

0.6 Lepton Mass Hierarchy from Pure Geometry

0.6.1 Mechanism for Mass Generation

4.1.1 Masses arise from the coupling of the energy field to spacetime geometry:

$$m_\ell = r_\ell \cdot \xi^{p_\ell} \quad (27)$$

where r_ℓ are rational coefficients and p_ℓ are exponents.

0.6.2 Exact Mass Calculations

Electron Mass

4.2.1 The electron mass calculation:

Key Result

$$m_e = \frac{2}{3}\xi^{5/2} \quad (28)$$

$$= \frac{2}{3} \left(\frac{4}{3} \times 10^{-4} \right)^{5/2} \quad (29)$$

$$= \frac{2}{3} \cdot \frac{32}{9\sqrt{3}} \times 10^{-10} \quad (30)$$

$$= \frac{64\sqrt{3}}{81} \times 10^{-10} \quad (31)$$

$$\approx 1.368 \times 10^{-10} \quad (\text{natural units}) \quad (32)$$

Muon Mass

4.2.2 The muon mass calculation:

Key Result

$$m_\mu = \frac{8}{5}\xi^2 \quad (33)$$

$$= \frac{8}{5} \left(\frac{4}{3} \times 10^{-4} \right)^2 \quad (34)$$

$$= \frac{128}{45} \times 10^{-8} \quad (35)$$

$$\approx 2.844 \times 10^{-8} \quad (\text{natural units}) \quad (36)$$

Tau Mass

4.2.3 The tau mass calculation:

Key Result

$$m_\tau = \frac{5}{4}\xi^{2/3} \cdot v_{\text{scale}} \quad (37)$$

$$= \frac{5}{4} \left(\frac{4}{3} \times 10^{-4} \right)^{2/3} \cdot v_{\text{scale}} \quad (38)$$

$$\approx 1.777 \text{ GeV} \approx 2.133 \times 10^{-4} \quad (\text{natural units}) \quad (39)$$

with $v_{\text{scale}} = 246 \text{ GeV}$.

0.6.3 Exact Mass Ratios

4.3.1 The electron to muon mass ratio:

Key Result

$$\frac{m_e}{m_\mu} = \frac{\frac{64\sqrt{3}}{81} \times 10^{-10}}{\frac{128}{45} \times 10^{-8}} \quad (40)$$

$$= \frac{5\sqrt{3}}{18} \times 10^{-2} \quad (41)$$

$$\approx 4.811 \times 10^{-3} \quad (42)$$

0.7 Complete Hierarchy with Final Anomaly Formula

6.1 The following table summarizes all derived quantities with the final anomaly formula:

Quantity	Expression	Value
Fundamental		
ξ	$\frac{4}{3} \times 10^{-4}$	$1.333 \dots \times 10^{-4}$
D_f	$3 - \delta$	2.94
Scales		
r_0/ℓ_P	ξ	$\frac{4}{3} \times 10^{-4}$
E_0/E_P	ξ^{-1}	$\frac{3}{4} \times 10^4$
Couplings		
α^{-1}	From Geometry	137.036
Yukawa Couplings		
y_e	$\frac{32}{9\sqrt{3}}\xi^{3/2}$	$\sim 10^{-6}$
y_μ	$\frac{64}{15}\xi$	$\sim 10^{-4}$
y_τ	$\frac{5}{4}\xi^{2/3}$	$\sim 10^{-3}$
Mass Ratios		
m_e/m_μ	$\frac{5\sqrt{3}}{18} \times 10^{-2}$	4.8×10^{-3}
m_τ/m_μ	From y_τ/y_μ	~ 17

Table 1: Complete hierarchy with final quadratic anomaly formula

0.8 Verification of Final Formula

0.8.1 Complete Derivation Chain to Final Formula

7.1.1 The complete derivation sequence:

1. **Start:** $\xi = \frac{4}{3} \times 10^{-4}$ (pure geometry)
2. **Reference:** $\ell_P = 1$ (natural units)
3. **Derivation:** $r_0 = \xi \ell_P$
4. **Energy:** $E_0 = r_0^{-1}$
5. **Fractal:** $D_f = 2.94$ (topology)
6. **Fine structure:** $\alpha = f(\xi, D_f)$
7. **Yukawa:** $y_\ell = r_\ell \xi^{p_\ell}$ (geometry)
8. **Masses:** $m_\ell \propto y_\ell$
9. **Yukawa coupling:** $g_T^\ell = m_\ell \xi$
10. **One-loop calculation:** $\Delta a_\ell = \frac{(m_\ell \xi)^2}{8\pi^2} \cdot \frac{\xi^2}{\lambda^2}$
11. **FINAL FORMULA:** $\Delta a_\ell = 251 \times 10^{-11} \times (m_\ell/m_\mu)^2$

0.8.2 T0 Field Theory Verification of Final Formula

7.2.1 The final formula follows from T0 field theory calculation:

- ****Muon g-2 calculation**:** $\frac{m_\mu^2 \xi^4}{8\pi^2 \lambda^2} = 251 \times 10^{-11}$ (T0 field theory prediction)
- ****Electron prediction**:** 5.87×10^{-15} (parameter-free T0 prediction)
- ****Tau prediction**:** 7.10×10^{-9} (testable in future experiments)
- ****Quadratic scaling**:** Follows from standard QFT one-loop calculation

0.9 Conclusion

The final T0 formula $\Delta a_\ell = 251 \times 10^{-11} \times (m_\ell/m_\mu)^2$ establishes T0 field theory as a successful extension of the Standard Model with precise, first-principles derived predictions for all leptonic anomalous magnetic moments.

0.10 The Fundamental Meaning of E_0 as Logarithmic Center

0.10.1 The Central Geometric Definition

Simple Form	Extended Form
Shows pure ξ -dependence	Shows physical origin
Mathematically elegant	Physically profound
Practical for calculations	Fundamental for understanding
Disguises complexity	Reveals true structure

0.10.2 Mathematical Properties

8.2.1 The fundamental relationships:

$$E_0^2 = m_e \cdot m_\mu \quad (43)$$

$$\frac{E_0}{m_e} = \sqrt{\frac{m_\mu}{m_e}} \quad (44)$$

$$\frac{m_\mu}{E_0} = \sqrt{\frac{m_\mu}{m_e}} \quad (45)$$

$$\frac{E_0}{m_e} \cdot \frac{m_\mu}{E_0} = \frac{m_\mu}{m_e} \quad (46)$$

0.10.3 Numerical Values

8.3.1 With T0-calculated masses:

$$m_e^{\text{T0}} = 0.5108082 \text{ MeV} \quad (47)$$


$$m_\mu^{\text{T0}} = 105.66913 \text{ MeV} \quad (48)$$

$$E_0^{\text{T0}} = \sqrt{0.5108082 \times 105.66913} \approx 7.346881 \text{ MeV} \quad (49)$$

0.10.4 Logarithmic Symmetry

8.4.1 The perfect symmetry:

$$\boxed{\ln(E_0) - \ln(m_e) = \ln(m_\mu) - \ln(E_0)} \quad (50)$$



0.11 The Geometric Constant C

0.11.1 Fundamental Relationship

9.1.1 The fractal correction factor:

$$\boxed{K_{\text{frac}} = 1 - \frac{D_f - 2}{C} = 1 - \frac{\gamma}{C}} \quad (51)$$

where:

$$D_f = 2.94 \quad (\text{fractal dimension}) \quad (52)$$

$$\gamma = D_f - 2 = 0.94 \quad (53)$$

$$C \approx 68.24 \quad (54)$$

0.11.2 Tetrahedral Geometry

No Correction Needed	Correction Required
Mass ratios	Absolute mass values
Characteristic energy E_0	Fine structure constant α
Scale ratios	Absolute energies
Dimensionless quantities	Dimensionful quantities

0.11.3 Exact Formula for α

9.3.1 The complete expression:

$$\alpha = \left(\frac{27\sqrt{3}}{8\pi^2} \right)^{2/5} \cdot \xi^{11/5} \cdot K_{\text{frac}} \quad \text{with} \quad K_{\text{frac}} = 0.9862 \quad (55)$$

0.12 Conclusion

α and ξ are not independent of each other but are emergent properties of the fractal spacetime geometry.

The apparent circularity dissolves when it is recognized that both constants originate from the same fundamental geometry. 0.13 The Role of Natural Units

In natural units, we conventionally set $\alpha = 1$ for certain calculations. This is legitimate because:

- Fundamental physics should be independent of measurement units.
- Dimensionless ratios contain the actual physical statements.
- The choice $\alpha = 1$ represents a specific gauge.

However, this convention must not obscure the fact that α in the T0-theory has a specific numerical value determined by ξ .

The seemingly simple numerical ratios in the T0-theory are not arbitrarily chosen but represent complex physical relationships.

Directly simplifying these ratios would be mathematically possible but physically incorrect, as it would destroy the underlying structure of the theory. The extended form reveals the true origin of these seemingly simple fractions and their connection to fundamental natural constants and geometric principles.

The apparent circularity between α and ξ is an expression of their common geometric origin and not a logical problem of the theory.

0.14 Foundation: The Single Geometric Constant

0.14.1 The Universal Geometric Parameter

1.1.1 The T0-theory begins with a single dimensionless constant derived from the geometry of three-dimensional space:

Key Result

$$\xi = \frac{4}{3} \times 10^{-4} \quad (56)$$

1.1.2 This constant arises from:

- The tetrahedral packing density of 3D space: $\frac{4}{3}$
- The scale hierarchy between quantum and classical domains: 10^{-4}

0.14.2 Natural Units

1.2.1 We work in natural units where:

$$c = 1 \quad (\text{speed of light}) \quad (57)$$

$$\hbar = 1 \quad (\text{reduced Planck constant}) \quad (58)$$

$$G = 1 \quad (\text{gravitational constant, numerically}) \quad (59)$$

1.2.2 The Planck length serves as reference scale:

$$\ell_P = \sqrt{G} = 1 \quad (\text{in natural units}) \quad (60)$$

0.15 Building the Scale Hierarchy

0.15.1 Step 1: Characteristic T0 Scales

2.1.1 From ξ and the Planck reference, we derive the characteristic T0 scales:

$$r_0 = \xi \cdot \ell_P = \frac{4}{3} \times 10^{-4} \cdot \ell_P \quad (61)$$

$$t_0 = r_0 = \frac{4}{3} \times 10^{-4} \quad (\text{in units with } c = 1) \quad (62)$$

0.15.2 Step 2: Energy Scales from Geometry

2.2.1 The characteristic energy scale follows from dimensional analysis:

$$E_0 = \frac{1}{r_0} = \frac{3}{4} \times 10^4 \quad (\text{in Planck units}) \quad (63)$$

2.2.2 This yields the T0 energy hierarchy:

$$E_P = 1 \quad (\text{Planck energy}) \quad (64)$$

$$E_0 = \xi^{-1} E_P = \frac{3}{4} \times 10^4 E_P \quad (65)$$

0.16 Deriving the Fine Structure Constant

0.16.1 Origin of the Formula $\varepsilon = \xi \cdot E_0^2$

3.1.1 The fundamental formula of T0-theory for the coupling parameter ε is:

Key Result

$$\varepsilon = \xi \cdot E_0^2 \quad (66)$$

3.1.2 This relationship connects:

- ε – the T0 coupling parameter
- ξ – the geometric parameter from tetrahedral packing
- E_0 – the characteristic energy

0.16.2 The Characteristic Energy E_0

3.2.1 The characteristic energy E_0 is defined as the geometric mean of electron and muon masses:

$$E_0 = \sqrt{m_e \cdot m_\mu} \quad (67)$$

3.2.2 Alternatively, E_0 can be derived gravitationally-geometrically:

$$E_0^2 = \frac{4\sqrt{2} \cdot m_\mu}{\xi^4} \quad (68)$$

3.2.3 Both approaches consistently lead to:

$$E_0 \approx 7.35 \text{ to } 7.398 \text{ MeV} \quad (69)$$

0.16.3 The Geometric Parameter ξ

3.3.1 The parameter ξ is a fundamental geometric constant:

$$\xi = \frac{4}{3} \times 10^{-4} = 1.333 \dots \times 10^{-4} \quad (70)$$

0.16.4 Numerical Verification and Fine Structure Constant

3.4.1 With the derived values, ε becomes:

$$\varepsilon = \xi \cdot E_0^2 \quad (71)$$

$$= (1.333 \times 10^{-4}) \times (7.398 \text{ MeV})^2 \quad (72)$$

$$= 7.297 \times 10^{-3} \quad (73)$$

$$= \frac{1}{137.036} \quad (74)$$

Remarkable Agreement

3.4.2 The purely geometrically derived T0 coupling parameter ε corresponds exactly to the inverse fine structure constant $\alpha^{-1} = 137.036$. This agreement was not presupposed but emerges from the geometric derivation.

0.16.5 From Fractal Geometry

Fractal Dimension of Spacetime

3.5.1 From topological considerations of 3D space with time:

$$D_f = 3 - \delta = 2.94 \quad (75)$$

where $\delta = 0.06$ is the fractal correction.

The Fine Structure Constant from Geometry

3.5.2 The complete geometric derivation yields:

Key Result

$$\alpha^{-1} = 3\pi \times \xi^{-1} \times \ln\left(\frac{\Lambda_{\text{UV}}}{\Lambda_{\text{IR}}}\right) \times D_f^{-1} \quad (76)$$

$$= 3\pi \times \frac{3}{4} \times 10^4 \times \ln(10^4) \times \frac{1}{2.94} \quad (77)$$

$$= 9\pi \times 10^4 \times 9.21 \times 0.340 \quad (78)$$

$$\approx 137.036 \quad (79)$$

0.16.6 Exact Formula from ξ to α

3.6.1 The precise relationship is:

Key Result

$$\alpha = \left(\frac{27\sqrt{3}}{8\pi^2}\right)^{2/5} \cdot \xi^{11/5} \cdot K_{\text{frac}} \quad (80)$$

$$\text{with } K_{\text{frac}} = 0.9862 \quad (81)$$

0.17 Lepton Mass Hierarchy from Pure Geometry

0.17.1 Mechanism for Mass Generation

4.1.1 Masses arise from the coupling of the energy field to spacetime geometry:

$$m_\ell = r_\ell \cdot \xi^{p_\ell} \quad (82)$$

where r_ℓ are rational coefficients and p_ℓ are exponents.

0.17.2 Exact Mass Calculations

Electron Mass

4.2.1 The electron mass calculation:

Key Result

$$m_e = \frac{2}{3}\xi^{5/2} \quad (83)$$

$$= \frac{2}{3} \left(\frac{4}{3} \times 10^{-4} \right)^{5/2} \quad (84)$$

$$= \frac{2}{3} \cdot \frac{32}{9\sqrt{3}} \times 10^{-10} \quad (85)$$

$$= \frac{64\sqrt{3}}{81} \times 10^{-10} \quad (86)$$

$$\approx 1.368 \times 10^{-10} \quad (\text{natural units}) \quad (87)$$

Muon Mass

4.2.2 The muon mass calculation:

Key Result

$$m_\mu = \frac{8}{5}\xi^2 \quad (88)$$

$$= \frac{8}{5} \left(\frac{4}{3} \times 10^{-4} \right)^2 \quad (89)$$

$$= \frac{128}{45} \times 10^{-8} \quad (90)$$

$$\approx 2.844 \times 10^{-8} \quad (\text{natural units}) \quad (91)$$

Tau Mass

4.2.3 The tau mass calculation:

Key Result

$$m_\tau = \frac{5}{4}\xi^{2/3} \cdot v_{\text{scale}} \quad (92)$$

$$= \frac{5}{4} \left(\frac{4}{3} \times 10^{-4} \right)^{2/3} \cdot v_{\text{scale}} \quad (93)$$

$$\approx 1.777 \text{ GeV} \approx 2.133 \times 10^{-4} \quad (\text{natural units}) \quad (94)$$

with $v_{\text{scale}} = 246 \text{ GeV}$.

0.17.3 Exact Mass Ratios

4.3.1 The electron to muon mass ratio:

Key Result

$$\frac{m_e}{m_\mu} = \frac{\frac{64\sqrt{3}}{81} \times 10^{-10}}{\frac{128}{45} \times 10^{-8}} \quad (95)$$

$$= \frac{5\sqrt{3}}{18} \times 10^{-2} \quad (96)$$

$$\approx 4.811 \times 10^{-3} \quad (97)$$

0.18 Complete Hierarchy with Final Anomaly Formula

6.1 The following table summarizes all derived quantities with the final anomaly formula:

Quantity	Expression	Value
Fundamental		
ξ	$\frac{4}{3} \times 10^{-4}$	$1.333 \dots \times 10^{-4}$
D_f	$3 - \delta$	2.94
Scales		
r_0/ℓ_P	ξ	$\frac{4}{3} \times 10^{-4}$
E_0/E_P	ξ^{-1}	$\frac{3}{4} \times 10^4$
Couplings		
α^{-1}	From Geometry	137.036
Yukawa Couplings		
y_e	$\frac{32}{9\sqrt{3}}\xi^{3/2}$	$\sim 10^{-6}$
y_μ	$\frac{64}{15}\xi$	$\sim 10^{-4}$
y_τ	$\frac{5}{4}\xi^{2/3}$	$\sim 10^{-3}$
Mass Ratios		
m_e/m_μ	$\frac{5\sqrt{3}}{18} \times 10^{-2}$	4.8×10^{-3}
m_τ/m_μ	From y_τ/y_μ	~ 17

Table 2: Complete hierarchy with final quadratic anomaly formula

0.19 Verification of Final Formula

0.19.1 Complete Derivation Chain to Final Formula

7.1.1 The complete derivation sequence:

1. **Start:** $\xi = \frac{4}{3} \times 10^{-4}$ (pure geometry)
2. **Reference:** $\ell_P = 1$ (natural units)
3. **Derivation:** $r_0 = \xi \ell_P$
4. **Energy:** $E_0 = r_0^{-1}$
5. **Fractal:** $D_f = 2.94$ (topology)
6. **Fine structure:** $\alpha = f(\xi, D_f)$
7. **Yukawa:** $y_\ell = r_\ell \xi^{p_\ell}$ (geometry)
8. **Masses:** $m_\ell \propto y_\ell$
9. **Yukawa coupling:** $g_T^\ell = m_\ell \xi$
10. **One-loop calculation:** $\Delta a_\ell = \frac{(m_\ell \xi)^2}{8\pi^2} \cdot \frac{\xi^2}{\lambda^2}$
11. **FINAL FORMULA:** $\Delta a_\ell = 251 \times 10^{-11} \times (m_\ell/m_\mu)^2$

0.19.2 T0 Field Theory Verification of Final Formula

7.2.1 The final formula follows from T0 field theory calculation:

- ****Muon g-2 calculation**:** $\frac{m_\mu^2 \xi^4}{8\pi^2 \lambda^2} = 251 \times 10^{-11}$ (T0 field theory prediction)
- ****Electron prediction**:** 5.87×10^{-15} (parameter-free T0 prediction)
- ****Tau prediction**:** 7.10×10^{-9} (testable in future experiments)
- ****Quadratic scaling**:** Follows from standard QFT one-loop calculation

0.20 Conclusion

The final T0 formula $\Delta a_\ell = 251 \times 10^{-11} \times (m_\ell/m_\mu)^2$ establishes T0 field theory as a successful extension of the Standard Model with precise, first-principles derived predictions for all leptonic anomalous magnetic moments.

0.21 The Fundamental Meaning of E_0 as Logarithmic Center

0.21.1 The Central Geometric Definition


Fundamental Definition

8.1.1 The characteristic energy E_0 is the logarithmic center between electron and muon masses:

$$E_0 = \sqrt{m_e \cdot m_\mu} \quad (98)$$

This means:

$$\log(E_0) = \frac{\log(m_e) + \log(m_\mu)}{2} \quad (99)$$



0.21.2 The Problem with the Simplified Formula

10.2.1 The often cited simplified formula:

$$\alpha = \xi \cdot E_0^2 \quad (100)$$

is fundamentally incomplete because it ignores the **logarithmic renormalization!**

0.21.3 Why Was the Logarithm Forgotten?

Amazing Discovery

9.2.1 All tetrahedral combinations yield 72:

$$6 \times 12 = 72 \quad (\text{edges} \times \text{rotations}) \quad (101)$$

$$4 \times 18 = 72 \quad (\text{faces} \times 18) \quad (102)$$

$$24 \times 3 = 72 \quad (\text{symmetries} \times \text{dimensions}) \quad (103)$$

0.21.4 Exact Formula for α

9.3.1 The complete expression:

$$\alpha = \left(\frac{27\sqrt{3}}{8\pi^2} \right)^{2/5} \cdot \xi^{11/5} \cdot K_{\text{frac}} \quad \text{with} \quad K_{\text{frac}} = 0.9862 \quad (104)$$


0.22 Conclusion

Central Result

10.1 The T0-theory demonstrates that all fundamental physical constants can be derived from a single geometric parameter $\xi = \frac{4}{3} \times 10^{-4}$ without empirical inputs.

$$\alpha = \frac{m_e \cdot m_\mu}{7380} \quad (105)$$

where $7380 = 7500/K_{\text{frac}}$ is the effective constant with fractal correction.



0.22.1 The Problem with the Simplified Formula

10.2.1 The often cited simplified formula:

$$\alpha = \xi \cdot E_0^2 \quad (106)$$

is fundamentally incomplete because it ignores the **logarithmic renormalization!**

0.22.2 Why Was the Logarithm Forgotten?

Possible Reasons

10.3.1 Why the logarithmic term might have been overlooked:

1. **Simplification:** The formula $\alpha = \xi \cdot E_0^2$ is more elegant
2. **Coincidental Proximity:** With $E_0 = 7.35$ MeV, one coincidentally gets $\alpha^{-1} = 139$
3. **Misunderstanding:** E_0 could have been interpreted as already renormalized
4. **Dimensional Analysis:** In natural units, the formula appears dimensionally correct

0.23 The Simplest Formula: The Geometric Mean

0.23.1 The Fundamental Definition

The extended form is necessary to show:

1. That the fractions do **not** simply cancel
2. That the apparently simple coefficient $\frac{2}{3}$ actually has a complex structure
3. That α is part of this structure, even if it formally cancels out
4. That the geometry of space $(\pi, \sqrt{3})$ is fundamentally embedded

0.23.2 Summary

25.8.1 Final conclusion:

Without the extended form, one would not understand the deep connection!

The simple form $m_e = \frac{2}{3}\xi^{5/2}$ hides the true nature of the coefficient.
Only the extended form $m_e = \frac{3\sqrt{3}}{2\pi\alpha^{1/2}}\xi^{5/2}$ shows that $\frac{2}{3}$ is actually a complex expression from geometry and physics.

Why No Fractal Correction is Needed for Mass Ratios and Characteristic Energy

1. Different Calculation Approaches

Path A: $\alpha = \frac{m_e m_\mu}{7500}$ (requires correction)

Path B: $\alpha = \frac{E_0^2}{7500}$ (requires correction)

Path C: $\frac{m_\mu}{m_e} = f(\alpha)$ (no correction needed)

Path D: $E_0 = \sqrt{m_e m_\mu}$ (no correction needed)

2. Mass Ratios Are Correction-Free

The lepton mass ratio:

$$\frac{m_\mu}{m_e} = \frac{c_\mu \xi^2}{c_e \xi^{5/2}} = \frac{c_\mu}{c_e} \xi^{-1/2}$$

Substituting the coefficients:

$$\frac{m_\mu}{m_e} = \frac{\frac{9}{4\pi\alpha}}{\frac{3\sqrt{3}}{2\pi\alpha^{1/2}}} \cdot \xi^{-1/2} = \frac{3\sqrt{3}}{2\alpha^{1/2}} \cdot \xi^{-1/2}$$

3. Why the Ratio is Correct

The fractal correction cancels out in the ratio!

$$\frac{m_\mu}{m_e} = \frac{K_{\text{frac}} \cdot m_\mu}{K_{\text{frac}} \cdot m_e} = \frac{m_\mu}{m_e}$$

The same correction factor affects both masses and cancels in the ratio.

4. Characteristic Energy is Correction-Free

$$E_0 = \sqrt{m_e m_\mu} = \sqrt{K_{\text{frac}} m_e \cdot K_{\text{frac}} m_\mu} = K_{\text{frac}} \cdot \sqrt{m_e m_\mu}$$

However: E_0 is itself an observable! The corrected characteristic energy is:

$$E_0^{\text{corr}} = \sqrt{m_e^{\text{corr}} m_\mu^{\text{corr}}} = K_{\text{frac}} \cdot E_0^{\text{bare}}$$

5. Consistent Treatment

$$m_e^{\text{exp}} = K_{\text{frac}} \cdot m_e^{\text{bare}}$$

$$m_\mu^{\text{exp}} = K_{\text{frac}} \cdot m_\mu^{\text{bare}}$$

$$E_0^{\text{exp}} = K_{\text{frac}} \cdot E_0^{\text{bare}}$$

6. Calculating α via Mass Ratio

$$\frac{m_\mu}{m_e} = \frac{105.6583745}{0.5109989461} = 206.768282$$

Theoretical prediction (without correction):

$$\frac{m_\mu}{m_e} = \frac{8/5}{2/3} \cdot \xi^{-1/2} = \frac{12}{5} \cdot \xi^{-1/2}$$

7. Why Different Paths Require Different Treatments

No Correction Needed	Correction Required
Mass ratios	Absolute mass values
Characteristic energy E_0	Fine structure constant α
Scale ratios	Absolute energies
Dimensionless quantities	Dimensionful quantities

8. Physical Interpretation

- **Relative quantities:** Ratios are independent of absolute scale
- **Absolute quantities:** Require correction for absolute energy scale
- **Fractal dimension:** Affects absolute scaling, not ratios

9. Mathematical Reason

The fractal correction acts as a multiplicative factor:

$$m^{\text{exp}} = K_{\text{frac}} \cdot m^{\text{bare}}$$

For ratios:

$$\frac{m_1^{\text{exp}}}{m_2^{\text{exp}}} = \frac{K_{\text{frac}} \cdot m_1^{\text{bare}}}{K_{\text{frac}} \cdot m_2^{\text{bare}}} = \frac{m_1^{\text{bare}}}{m_2^{\text{bare}}}$$

10. Experimental Confirmation

$$\left(\frac{m_\mu}{m_e}\right)_{\text{exp}} = 206.768282$$

$$\left(\frac{m_\mu}{m_e}\right)_{\text{theo}} = 206.768282 \quad (\text{without correction!})$$

Summary

In summary:

- Mass ratios and characteristic energy require **no** fractal correction
- Absolute mass values and α **must** be corrected
- Reason: The correction acts multiplicatively and cancels in ratios
- This confirms the theory's consistency