

# Unit Conventions and the Speed of Light $c$

$E=mc^2$  vs.  $E=m$ : Two Equivalent Perspectives

Natural Units, SI Units, and the T0 Viewpoint

Johann Pascher

December 22, 2025

## Abstract

This document examines when one can set  $c=1$  (natural units) and when the full form  $E=mc^2$  with  $c=299,792,458$  m/s (SI units) is required. Parallel to the treatment of the fine-structure constant  $\alpha$  in Document 101, we show: Both perspectives are mathematically equivalent and differ only in the choice of unit system. The T0 theory reveals that  $c$  is not a fundamental law of nature but a dynamic ratio  $L/T$ . From the T0 perspective,  $c=1$  can be set (Planck units, particle physics), while for technical applications and precision measurements, SI units with explicit  $c$  are required. The equivalence  $E=mc^2 \leftrightarrow E=m$  holds exactly in natural units. References: Documents 013 (SI system), 014 (nat./SI), 015 (systematics), 077 ( $E=mc^2$  analysis), 101 ( $\alpha$  conventions).

## Contents

1	Introduction: The Question of $c=1$	2
1.1	The Central Question . . . . .	2
1.2	Historical Context . . . . .	2
2	Natural Units: When $c=1$ is Valid	2
2.1	Definition of Natural Units . . . . .	2
2.2	Application Domains . . . . .	2
2.3	Mathematical Consistency . . . . .	3
2.4	T0 Perspective: $c$ as a Ratio . . . . .	3
3	SI Units: When $c=299,792,458$ m/s is Required	3
3.1	The SI Definition (since 2019) . . . . .	3
3.2	Application Domains . . . . .	3
3.3	Mathematical Form . . . . .	4
3.4	Conversion Between Unit Systems . . . . .	4
4	Comparison with $\alpha$ : Parallel Structure	4

4.1	Two Analogous Conventions . . . . .	4
4.2	Common Principles . . . . .	4
4.3	T0 Reduction . . . . .	5
5	When to Use Which System? . . . . .	5
5.1	Decision Matrix . . . . .	5
5.2	Recommendations . . . . .	5
6	Common Misconceptions . . . . .	6
6.1	“ $c=1$ is only an approximation” . . . . .	6
6.2	“ $E=m$ only holds for photons” . . . . .	6
6.3	“ $c$ is a fundamental constant of nature” . . . . .	6
6.4	“Natural units change the physics” . . . . .	6
7	T0 Perspective: $c$ as a Dynamic Ratio . . . . .	6
7.1	The T0 Fundamental Relation . . . . .	6
7.2	Implications . . . . .	7
7.3	Comparison with Document 077 . . . . .	7
8	Mathematical Consistency . . . . .	7
8.1	Energy-Momentum Relation . . . . .	7
8.2	Lorentz Transformation . . . . .	7
8.3	Klein-Gordon Equation . . . . .	7
9	References to T0 Documents . . . . .	8
9.1	Related Documents . . . . .	8
9.2	Derivation Hierarchy . . . . .	8
10	Summary and Conclusion . . . . .	9
10.1	Key Insights . . . . .	9

# 1 Introduction: The Question of $c=1$

## 1.1 The Central Question

The question "When can one set  $c=1$ ?" is analogous to the question "When can one set  $\alpha=1$ ?" addressed in Document 101. In both cases, it concerns **unit conventions**, not fundamental physics.

### Central Thesis

**$E=mc^2$  and  $E=m$  are mathematically identical!**

- In SI units:  $E = mc^2$  with  $c = 299,792,458$  m/s
- In natural units:  $E = m$  with  $c = 1$

Both forms describe the same physics – only the unit choice differs.

## 1.2 Historical Context

Einstein wrote the famous formula in 1905:

$$E = mc^2 \quad (1)$$

This form was necessary because he worked in **SI units**, where length (meter), time (second), and mass (kilogram) are independent dimensions.

**Modern particle physics** uses instead:

$$E = m \quad (\text{in natural units with } c = \hbar = 1) \quad (2)$$

# 2 Natural Units: When $c=1$ is Valid

## 2.1 Definition of Natural Units

In natural units, one sets:

$$c = 1, \quad \hbar = 1, \quad (\text{optional: } k_B = 1) \quad (3)$$

**Mathematical meaning:**

$$c = 1 \quad \Rightarrow \quad \text{Length} \equiv \text{Time} \quad (4)$$

$$\hbar = 1 \quad \Rightarrow \quad \text{Energy} \equiv \text{inverse Time} \quad (5)$$

## 2.2 Application Domains

**Natural units are appropriate in:**

- **Planck scale:** Quantum gravity, fundamental theory
- **Particle physics:** High-energy physics, QFT, Standard Model
- **Cosmology:** Early universe, inflationary models
- **Theoretical work:** Mathematical derivations, symmetries

**Advantage:** Formulas become simpler, physical relationships clearer.

## 2.3 Mathematical Consistency

In natural units:

$$E^2 = p^2 + m^2 \quad (6)$$

In the rest frame ( $p = 0$ ):

$$E = m \quad (7)$$

This is exact – **not an approximation**.

## 2.4 T0 Perspective: c as a Ratio

The T0 theory shows (see Document 077):

$$c = \frac{L}{T} \quad (8)$$

**c is not a fundamental law of nature but a *ratio*!**

With the T0 fundamental relation:

$$T \cdot m = 1 \quad (\text{Time-Mass Duality}) \quad (9)$$

it follows that c is a dynamic ratio that varies with mass scale.

**Implication:** In Planck units, where  $t_P = \ell_P/c$ ,  $c=1$  is the natural choice.

# 3 SI Units: When $c=299,792,458$ m/s is Required

## 3.1 The SI Definition (since 2019)

The modern SI system defines since 2019:

$$\boxed{c = 299,792,458 \text{ m/s (exact)}} \quad (10)$$

This choice is a **convention** that defines the meter via the second.

## 3.2 Application Domains

SI units with explicit c are required in:

- **Engineering:** GPS, telecommunications, laser technology
- **Precision measurements:** Atomic clocks, interferometry, metrology
- **Experimental physics:** Laboratory measurements with SI-calibrated devices
- **Applied physics:** Energy calculations, dosimetry
- **Public & Education:** Comprehensibility, historical continuity

**Advantage:** Practical calculability with calibrated measurement devices.

### 3.3 Mathematical Form

In SI units:

$$E = \gamma mc^2 \quad (11)$$

with the Lorentz factor:

$$\gamma = \frac{1}{\sqrt{1 - v^2/c^2}} \quad (12)$$

In the rest frame ( $v = 0$ ,  $\gamma = 1$ ):

$$E = mc^2 \quad (13)$$

### 3.4 Conversion Between Unit Systems

From natural units to SI:

$$E_{\text{nat}} = m_{\text{nat}} \quad (14)$$

$$\Downarrow \text{ (Multiply by } c^2 \text{)} \quad (15)$$

$$E_{\text{SI}} = m_{\text{SI}} \cdot c^2 \quad (16)$$

**Example:** Electron mass

$$m_e = 0.511 \text{ MeV} \quad (\text{natural units}) \quad (17)$$

$$m_e = 9.109 \times 10^{-31} \text{ kg} \quad (\text{SI}) \quad (18)$$

$$E_e = m_e c^2 = 0.511 \text{ MeV} = 8.187 \times 10^{-14} \text{ J} \quad (19)$$

## 4 Comparison with $\alpha$ : Parallel Structure

### 4.1 Two Analogous Conventions

Convention	Fine-structure constant $\alpha$	Speed of light $c$
<b>Natural</b>	$\alpha = 1$ (Heaviside-Lorentz)	$c = 1$ (Planck units)
<b>SI / Standard</b>	$\alpha = 1/137.036$ (Gauss-SI)	$c = 299,792,458 \text{ m/s}$
<b>Document</b>	101 (Circularity-Constants)	134 (Unit Conventions c)

Table 1: Parallel structure:  $\alpha$  and  $c$  as conventions

### 4.2 Common Principles

Both cases show:

- **Physics is invariant** under unit choice
- **Natural units** simplify theoretical work
- **SI units** enable practical applications
- **T0 theory:** Both are derived conventions, not fundamental

### 4.3 T0 Reduction

From the T0 perspective (see Document 101):

$$\xi \rightarrow D_f \rightarrow E_0 \rightarrow \alpha \rightarrow \hbar, c, G \rightarrow \text{all other constants} \quad (20)$$

**Only  $\xi = \frac{4}{3} \times 10^{-4}$  is fundamental.**

Both  $\alpha$  and  $c$  are derived quantities or conventions.

## 5 When to Use Which System?

### 5.1 Decision Matrix

Context	Natural units (c=1)	SI units ( $c$ explicit)
Theoretical physics	✓	
Quantum field theory	✓	
High-energy physics	✓	
Early cosmology	✓	
Experimental physics		✓
Engineering		✓
Precision measurements		✓
Applied physics		✓
Education		✓

Table 2: Application domains of unit systems

### 5.2 Recommendations

**Use natural units (c=1) when:**

- Performing theoretical derivations
- Symmetries and invariant structures are important
- Formulas should be simplified
- Working in particle physics or cosmology

**Use SI units ( $c$  explicit) when:**

- Planning or evaluating experimental measurements
- Technical calculations are required
- Results should be understandable for non-physicists
- Historical continuity is important

## 6 Common Misconceptions

### 6.1 “c=1 is only an approximation”

**FALSE.** c=1 is **exact** in natural units, not an approximation.

It is a choice of unit system that defines:

$$\text{Length unit} = \text{Time unit} \quad (21)$$

Analogously: In Planck units,  $\hbar = 1$  is exact, not approximate.

### 6.2 “E=m only holds for photons”

**FALSE.** In natural units,  $E = m$  holds for **all** particles in their rest frame.

For photons ( $m = 0$ ):  $E = p$  (in natural units) or  $E = pc$  (in SI).

### 6.3 “c is a fundamental constant of nature”

**T0 viewpoint:** c is a **ratio**  $L/T$ , not a fundamental constant.

With the T0 duality  $T \cdot m = 1$ , c varies dynamically with mass scale:

$$c = \frac{L}{T} = L \cdot m \quad (22)$$

Only in SI units is c *fixed by definition*.

### 6.4 “Natural units change the physics”

**FALSE.** Physics is independent of the unit system.

All **dimensionless** quantities (e.g.,  $\xi$ ,  $\alpha$ , mass ratios) are invariant.

Only dimensional quantities change their numerical values.

## 7 T0 Perspective: c as a Dynamic Ratio

### 7.1 The T0 Fundamental Relation

From Document 077:

$$T \cdot m = 1 \quad (\text{Time-Mass Duality}) \quad (23)$$

This means:

$$T \propto \frac{1}{m} \quad (24)$$

$$L \propto \frac{1}{m} \quad (\text{via Compton wavelength}) \quad (25)$$

$$\Rightarrow c = \frac{L}{T} \propto \frac{1/m}{1/m} = \text{scale-dependent} \quad (26)$$

## 7.2 Implications

### 1. $c$ is not universally constant in the T0 framework:

Different effective  $c$ -values can occur at different mass scales.

### 2. SI definition $c=299,792,458$ m/s is a calibration:

This fixation defines the meter via the second – a metrological convention.

### 3. Natural units $c=1$ are T0-consistent:

In Planck units, where  $t_P \propto \ell_P$ ,  $c=1$  is the natural choice.

## 7.3 Comparison with Document 077

Document 077 argues: “ $E=mc^2 = E=m$  – The Constant Illusion Exposed”

**Clarification here:**

- $E=mc^2$  (SI) and  $E=m$  (natural) are *equivalent*, not identical
- The difference lies in the *unit system*, not in physics
- Einstein’s  $c$ -fixation is a *convention*, not an error
- T0 shows:  $c$  is a ratio that can vary depending on scale

## 8 Mathematical Consistency

### 8.1 Energy-Momentum Relation

In natural units ( $c = 1$ ):

$$E^2 = p^2 + m^2 \quad (27)$$

In SI units:

$$E^2 = (pc)^2 + (mc^2)^2 \quad (28)$$

Both forms are mathematically equivalent.

### 8.2 Lorentz Transformation

In natural units:

$$E' = \gamma(E - p \cdot v) \quad (29)$$

In SI units:

$$E' = \gamma(E - p \cdot v \cdot c^2) \quad (30)$$

The physics remains invariant.

### 8.3 Klein-Gordon Equation

In natural units:

$$(\partial_\mu \partial^\mu + m^2)\phi = 0 \quad (31)$$

In SI units:

$$\left( \frac{1}{c^2} \frac{\partial^2}{\partial t^2} - \nabla^2 + \frac{m^2 c^2}{\hbar^2} \right) \phi = 0 \quad (32)$$

Identical physics, different notation.



## 9 References to T0 Documents

### 9.1 Related Documents

- **Document 013:** SI System and T0 Theory  
[https://github.com/jpascher/T0-Time-Mass-Duality/blob/main/2/pdf/013\\_T0\\_SI\\_En.pdf](https://github.com/jpascher/T0-Time-Mass-Duality/blob/main/2/pdf/013_T0_SI_En.pdf)
- **Document 014:** Natural vs. SI Units  
[https://github.com/jpascher/T0-Time-Mass-Duality/blob/main/2/pdf/014\\_T0\\_nat-si\\_En.pdf](https://github.com/jpascher/T0-Time-Mass-Duality/blob/main/2/pdf/014_T0_nat-si_En.pdf)
- **Document 015:** Systematics of Natural Units  
[https://github.com/jpascher/T0-Time-Mass-Duality/blob/main/2/pdf/015\\_NatEinheitenSystematik\\_En.pdf](https://github.com/jpascher/T0-Time-Mass-Duality/blob/main/2/pdf/015_NatEinheitenSystematik_En.pdf)
- **Document 077:**  $E=mc^2 = E=m$  Analysis  
[https://github.com/jpascher/T0-Time-Mass-Duality/blob/main/2/pdf/077\\_E-mc2\\_En.pdf](https://github.com/jpascher/T0-Time-Mass-Duality/blob/main/2/pdf/077_E-mc2_En.pdf)
- **Document 101:** Circularity of Constants ( $\alpha$  Conventions)  
[https://github.com/jpascher/T0-Time-Mass-Duality/blob/main/2/pdf/101\\_zirkularitaet-Konstanten\\_En.pdf](https://github.com/jpascher/T0-Time-Mass-Duality/blob/main/2/pdf/101_zirkularitaet-Konstanten_En.pdf)
- **Document 133:** Fractal Correction  $K_{\text{frak}}$  Derivation  
[https://github.com/jpascher/T0-Time-Mass-Duality/blob/main/2/pdf/133\\_Fraktale\\_Korrektur\\_Herleitung\\_En.pdf](https://github.com/jpascher/T0-Time-Mass-Duality/blob/main/2/pdf/133_Fraktale_Korrektur_Herleitung_En.pdf)

### 9.2 Derivation Hierarchy

The T0 hierarchy (from Document 101):

$$\xi \rightarrow D_f \rightarrow E_0 \rightarrow \alpha \rightarrow \hbar, c, G \rightarrow \text{mass ratios} \quad (33)$$

shows that both  $\alpha$  and  $c$  are derived quantities.

## 10 Summary and Conclusion

### 10.1 Key Insights

#### Summary

1.  **$E=mc^2$  and  $E=m$  are mathematically equivalent** – different only in unit system
2.  **$c=1$  (natural units)** is exact, not approximate, in particle physics/theory
3.  **$c=299,792,458$  m/s (SI)** is required for experiment, engineering, education
4. **T0 perspective:**  $c$  is a ratio  $L/T$ , not a fundamental law of nature
5. **Unit choice does not change physics** – only notation
6. **Parallel to  $\alpha$ :** Both are conventions/derived quantities, not fundamental