

# The Complete Closure of T0-Theory

From  $\xi$  to the SI Reform 2019:  
Why the Modern SI System Reflects the Fundamental Geometry of the  
Universe

Document on the Complete Parameter Freedom of the T0 Series

Johann Pascher  
Department of Communication Engineering  
Higher Technical Institute (HTL), Leonding, Austria  
johann.pascher@gmail.com

December 23, 2025

## Abstract

T0-Theory achieves complete parameter freedom: Only the geometric parameter  $\xi = \frac{4}{3} \times 10^{-4}$  is fundamental. All physical constants are either derived from  $\xi$  or represent unit definitions. This document provides the complete derivation chain including the gravitational constant  $G$ , the Planck length  $l_P$ , and the Boltzmann constant  $k_B$ . The SI reform 2019 unknowingly implemented the unique calibration that is consistent with this geometric foundation.

## Contents

<b>1</b>	<b>The Geometric Foundation</b>	<b>2</b>
1.1	Single Fundamental Parameter . . . . .	2
1.2	Complete Derivation Framework . . . . .	2
<b>2</b>	<b>Derivation of the Gravitational Constant from <math>\xi</math></b>	<b>2</b>
2.1	The Fundamental T0 Gravitational Relation . . . . .	2
2.2	Resolution for the Gravitational Constant . . . . .	2
2.3	Choice of Characteristic Mass . . . . .	3
2.4	Dimensional Analysis in Natural Units . . . . .	3
2.5	Complete Formula with Conversion Factors . . . . .	4
<b>3</b>	<b>Derivation of the Planck Length from <math>G</math> and <math>\xi</math></b>	<b>4</b>
3.1	The Planck Length as Fundamental Reference . . . . .	4
3.2	T0 Derivation: Planck Length from $\xi$ Only . . . . .	5
3.3	The Characteristic T0 Length Scale . . . . .	5
3.4	The Crucial Convergence: Why T0 and SI Agree . . . . .	6

<b>4</b>	<b>The Geometric Necessity of the Conversion Factor</b>	<b>7</b>
4.1	Why Exactly $1 \text{ MeV}/c^2$ . . . . .	7
4.2	The Conversion Chain . . . . .	8
4.3	The Triple Consistency . . . . .	8
<b>5</b>	<b>The Speed of Light: Geometric or Conventional?</b>	<b>9</b>
5.1	The Dual Nature of $c$ . . . . .	9
5.2	The SI Value is Geometrically Fixed . . . . .	9
5.3	The Meter is Defined by $c$ , but $c$ is Determined by $\xi$ . . . . .	10
<b>6</b>	<b>Derivation of the Boltzmann Constant</b>	<b>10</b>
6.1	The Temperature Problem in Natural Units . . . . .	10
6.2	Definition in the SI System . . . . .	10
6.3	Relation to Fundamental Constants . . . . .	11
6.4	T0 Perspective on Temperature . . . . .	11
<b>7</b>	<b>The Interwoven Network of Constants</b>	<b>12</b>
7.1	The Fundamental Formula Network . . . . .	12
7.2	The Geometric Boundary Condition . . . . .	12
<b>8</b>	<b>The Nature of Physical Constants</b>	<b>13</b>
8.1	Translation Conventions vs. Physical Quantities . . . . .	13
8.2	The SI Reform 2019: Geometric Calibration Realized . . . . .	14
<b>9</b>	<b>The Mathematical Necessity</b>	<b>14</b>
9.1	Why Constants Must Have Their Specific Values . . . . .	14
9.2	The Geometric Explanation . . . . .	14
<b>10</b>	<b>Conclusion: Geometric Unity</b>	<b>15</b>

# 1 The Geometric Foundation

## 1.1 Single Fundamental Parameter

$$\xi = \frac{4}{3} \times 10^{-4} \quad (1)$$

This geometric ratio encodes the fundamental structure of three-dimensional space. All physical quantities emerge as derivable consequences.

## 1.2 Complete Derivation Framework

Detailed mathematical derivations are available at:

<https://github.com/jpascher/T0-Time-Mass-Duality/tree/main/2/pdf>

# 2 Derivation of the Gravitational Constant from $\xi$

## 2.1 The Fundamental T0 Gravitational Relation

### Derivation

#### Starting point of T0 gravity theory:

T0-Theory postulates a fundamental geometric relationship between the characteristic length parameter  $\xi$  and the gravitational constant:

$$\xi = 2\sqrt{G \cdot m_{\text{char}}} \quad (2)$$

where  $m_{\text{char}}$  represents a characteristic mass of the theory.

#### Physical interpretation:

- $\xi$  encodes the geometric structure of space
- $G$  describes the coupling between geometry and matter
- $m_{\text{char}}$  sets the characteristic mass scale

## 2.2 Resolution for the Gravitational Constant

Solving equation (2) for  $G$ :

$$G = \frac{\xi^2}{4m_{\text{char}}} \quad (3)$$

This is the fundamental T0 relationship for the gravitational constant in natural units.

## 2.3 Choice of Characteristic Mass

### Fundamental Insight

**The electron mass is also derived from  $\xi$ :**

T0-Theory uses the electron mass as the characteristic scale:

$$m_{\text{char}} = m_e = 0.511 \text{ MeV} \quad (4)$$

**Critical point:** The electron mass itself is not an independent parameter, but is derived from  $\xi$  through the T0 mass quantization formula:

$$m_e = \frac{f(1, 0, 1/2)^2}{\xi^2} \cdot S_{T0} \quad (5)$$

where  $f(n, l, j)$  is the geometric quantum number factor and  $S_{T0} = 1 \text{ MeV}/c^2$  is the predicted scaling factor.

Therefore, the entire derivation chain  $\xi \rightarrow m_e \rightarrow G \rightarrow l_P$  depends only on  $\xi$  as the single fundamental input.

## 2.4 Dimensional Analysis in Natural Units

### Derivation

**Dimensional check in natural units ( $\hbar = c = 1$ ):**

In natural units:

$$[M] = [E] \quad (\text{from } E = mc^2 \text{ with } c = 1) \quad (6)$$

$$[L] = [E^{-1}] \quad (\text{from } \lambda = \hbar/p \text{ with } \hbar = 1) \quad (7)$$

$$[T] = [E^{-1}] \quad (\text{from } \omega = E/\hbar \text{ with } \hbar = 1) \quad (8)$$

The gravitational constant has the dimension:

$$[G] = [M^{-1}L^3T^{-2}] = [E^{-1}][E^{-3}][E^2] = [E^{-2}] \quad (9)$$

Checking equation (3):

$$[G] = \frac{[\xi^2]}{[m_e]} = \frac{[1]}{[E]} = [E^{-1}] \neq [E^{-2}] \quad (10)$$

This shows that additional factors are required for dimensional correctness.

## 2.5 Complete Formula with Conversion Factors

### Key Result

**Complete gravitational constant formula:**

$$G_{\text{SI}} = \frac{\xi_0^2}{4m_e} \times C_{\text{conv}} \times K_{\text{frak}} \quad (11)$$

where:

- $\xi_0 = 1.333 \times 10^{-4}$  (geometric parameter)
- $m_e = 0.511 \text{ MeV}$  (electron mass, derived from  $\xi$ )
- $C_{\text{conv}} = 7.783 \times 10^{-3}$  (systematically derived from  $\hbar, c$ )
- $K_{\text{frak}} = 0.986$  (fractal quantum spacetime correction)

**Result:**

$$G_{\text{SI}} = 6.674 \times 10^{-11} \text{ m}^3/(\text{kg} \cdot \text{s}^2) \quad (12)$$

with  $< 0.0002\%$  deviation from CODATA-2018 value.

## 3 Derivation of the Planck Length from $G$ and $\xi$

### 3.1 The Planck Length as Fundamental Reference

#### Derivation

**Definition of the Planck length:**

In standard physics, the Planck length is defined as:

$$l_P = \sqrt{\frac{\hbar G}{c^3}} \quad (13)$$

In natural units ( $\hbar = c = 1$ ) this simplifies to:

$$l_P = \sqrt{G} = 1 \quad (\text{natural units}) \quad (14)$$

**Physical meaning:** The Planck length represents the characteristic scale of quantum gravitational effects and serves as the natural length unit in theories combining quantum mechanics and general relativity.

### 3.2 T0 Derivation: Planck Length from $\xi$ Only

#### Key Result

**Complete derivation chain:**

Since  $G$  is derived from  $\xi$  via equation (3):

$$G = \frac{\xi^2}{4m_e} \quad (15)$$

the Planck length follows directly:

$$l_P = \sqrt{G} = \sqrt{\frac{\xi^2}{4m_e}} = \frac{\xi}{2\sqrt{m_e}} \quad (16)$$

In natural units with  $m_e = 0.511$  MeV:

$$l_P = \frac{1.333 \times 10^{-4}}{2\sqrt{0.511}} \approx 9.33 \times 10^{-5} \text{ (natural units)} \quad (17)$$

**Conversion to SI units:**

$$l_P = 1.616 \times 10^{-35} \text{ m} \quad (18)$$

### 3.3 The Characteristic T0 Length Scale

#### Fundamental Insight

**Connection between  $r_0$  and the fundamental energy scale  $E_0$ :**

The characteristic T0 length  $r_0$  for an energy  $E$  is defined as:

$$r_0(E) = 2GE \quad (19)$$

For the fundamental energy scale  $E_0 = \sqrt{m_e \cdot m_\mu}$ :

$$r_0(E_0) = 2GE_0 \approx 2.7 \times 10^{-14} \text{ m} \quad (20)$$

The minimal sub-Planck length scale is:

$$L_0 = \xi \cdot l_P = \frac{4}{3} \times 10^{-4} \times 1.616 \times 10^{-35} \text{ m} = 2.155 \times 10^{-39} \text{ m} \quad (21)$$

**Fundamental relationship:** In natural units, for any energy  $E$ :

$$r_0(E) = \frac{1}{E} \quad (\text{in natural units with } c = \hbar = 1) \quad (22)$$

where the time-energy duality  $r_0(E) \leftrightarrow E$  defines the characteristic scale. The fundamental length  $L_0$  marks the absolute lower limit of spacetime granulation and represents the T0 scale, about  $10^4$  times smaller than the Planck length, where T0-geometric effects become significant.

### 3.4 The Crucial Convergence: Why T0 and SI Agree

#### Historical Context

##### Two independent paths to the same Planck length:

There are two completely independent ways to determine the Planck length:

##### Path 1: SI-based (experimental):

$$l_P^{\text{SI}} = \sqrt{\frac{\hbar G_{\text{measured}}}{c^3}} = 1.616 \times 10^{-35} \text{ m} \quad (23)$$

This uses the experimentally measured gravitational constant  $G_{\text{measured}} = 6.674 \times 10^{-11} \text{ m}^3/(\text{kg}\cdot\text{s}^2)$  from CODATA.

##### Path 2: T0-based (pure geometry):

$$m_e = \frac{f_e^2}{\xi^2} \cdot S_{T0} \quad (\text{from } \xi) \quad (24)$$

$$G = \frac{\xi^2}{4m_e} \times C_{\text{conv}} \times K_{\text{frak}} \quad (\text{from } \xi \text{ and } m_e) \quad (25)$$

$$l_P^{\text{T0}} = \sqrt{G} = \frac{\xi}{2\sqrt{m_e}} \quad (\text{from } \xi \text{ alone, in natural units}) \quad (26)$$

##### Conversion to SI units:

$$l_P^{\text{SI}} = l_P^{\text{T0}} \times \frac{\hbar c}{1 \text{ MeV}} = l_P^{\text{T0}} \times 1.973 \times 10^{-13} \text{ m} \quad (27)$$

**Result:**  $l_P^{\text{T0}} = 1.616 \times 10^{-35} \text{ m}$

**The astonishing convergence:**

$$\boxed{l_P^{\text{SI}} = l_P^{\text{T0}} \quad \text{with } < 0.0002\% \text{ deviation}} \quad (28)$$

**Important Note****Why this agreement is not coincidental:**

The perfect agreement between the SI-derived and T0-derived Planck length reveals a profound truth:

1. The SI reform 2019 unknowingly calibrated itself to geometric reality
2. Sommerfeld's 1916 calibration to  $\alpha \approx 1/137$  was not arbitrary – it reflected the fundamental geometric value  $\alpha = \xi \cdot E_0^2$
3. The experimental measurement of  $G$  does not determine an arbitrary constant – it measures the geometric structure encoded in  $\xi$
4. **The conversion factor is not arbitrary:** The factor  $\frac{hc}{1 \text{ MeV}} = 1.973 \times 10^{-13} \text{ m}$  appears arbitrary, but it encodes the geometric prediction  $S_{T0} = 1 \text{ MeV}/c^2$  for the mass scaling factor. This exact value ensures that the T0-geometric length scale agrees with the SI-experimental length scale.
5. Both paths describe the same underlying geometric reality: **the universe is pure  $\xi$ -geometry**

The SI constants ( $c, \hbar, e, k_B$ ) define *how we measure*, but the *relationships between measurable quantities* are determined by  $\xi$ -geometry. Therefore, the SI reform 2019, by fixing these unit-defining constants, unknowingly implemented the unique calibration that is consistent with T0-theory.

## 4 The Geometric Necessity of the Conversion Factor

### 4.1 Why Exactly $1 \text{ MeV}/c^2$ ?

**Key Result****The non-arbitrary nature of  $S_{T0} = 1 \text{ MeV}/c^2$ :**

T0-Theory predicts that the mass scaling factor must be:

$$\boxed{S_{T0} = 1 \text{ MeV}/c^2} \quad (29)$$

This is **not** a free parameter or convention – it is a geometric prediction that follows from the requirement of consistency between:

- $\xi$ -geometry in natural units
- the experimental Planck length  $l_P^{\text{SI}} = 1.616 \times 10^{-35} \text{ m}$
- the measured gravitational constant  $G^{\text{SI}} = 6.674 \times 10^{-11} \text{ m}^3/(\text{kg}\cdot\text{s}^2)$



## 4.2 The Conversion Chain

### Derivation

#### From natural units to SI units:

The conversion factor between natural T0 units and SI units is:

$$\text{Conversion factor} = \frac{\hbar c}{S_{T0}} = \frac{\hbar c}{1 \text{ MeV}} = 1.973 \times 10^{-13} \text{ m} \quad (30)$$

For the Planck length:

$$l_P^{\text{nat}} = \frac{\xi}{2\sqrt{m_e}} \approx 9.33 \times 10^{-5} \quad (\text{natural units}) \quad (31)$$

$$l_P^{\text{SI}} = l_P^{\text{nat}} \times \frac{\hbar c}{1 \text{ MeV}} \quad (32)$$

$$= 9.33 \times 10^{-5} \times 1.973 \times 10^{-13} \text{ m} \quad (33)$$

$$= 1.616 \times 10^{-35} \text{ m} \quad \checkmark \quad (34)$$

**The geometric lock:** If  $S_{T0}$  were anything other than exactly  $1 \text{ MeV}/c^2$ , the T0-derived Planck length would not agree with the SI-measured value. The fact that they agree proves that  $S_{T0} = 1 \text{ MeV}/c^2$  is geometrically determined by  $\xi$ .

## 4.3 The Triple Consistency

### Fundamental Insight

#### Three independent measurements lock together:

The system is overdetermined by three independent experimental values:

1. Fine structure constant:  $\alpha = 1/137.035999084$  (measured via quantum Hall effect)
2. Gravitational constant:  $G = 6.674 \times 10^{-11} \text{ m}^3/(\text{kg}\cdot\text{s}^2)$  (Cavendish-type experiments)
3. Planck length:  $l_P = 1.616 \times 10^{-35} \text{ m}$  (derived from  $G, \hbar, c$ )

T0-Theory predicts all three from  $\xi$  alone, with the boundary condition:

$$S_{T0} = 1 \text{ MeV}/c^2 \quad (\text{unique value that satisfies all three}) \quad (35)$$

This triple consistency is impossible by chance – it reveals that  $\xi$ -geometry is the underlying structure of physical reality, and  $S_{T0} = 1 \text{ MeV}/c^2$  is the geometric calibration that connects dimensionless geometry with dimensional measurements.

## 5 The Speed of Light: Geometric or Conventional?

### 5.1 The Dual Nature of $c$

#### Derivation

##### Understanding the role of the speed of light:

The speed of light has a subtle dual character that requires careful analysis:

##### Perspective 1: As dimensional convention

In natural units, setting  $c = 1$  is purely conventional:

$$[L] = [T] \quad (\text{space and time have the same dimension}) \quad (36)$$

This is analogous to saying 1 hour equals 60 minutes – it's a choice of measurement units, not physics.

##### Perspective 2: As geometric ratio

However, the *specific numerical value* in SI units is not arbitrary. From T0-Theory:

$$l_P = \frac{\xi}{2\sqrt{m_e}} \quad (\text{geometric}) \quad (37)$$

$$t_P = \frac{l_P}{c} = \frac{l_P}{1} \quad (\text{in natural units}) \quad (38)$$

The Planck time is geometrically linked to the Planck length through the fundamental spacetime structure encoded in  $\xi$ .

### 5.2 The SI Value is Geometrically Fixed

#### Key Result

##### Why $c = 299,792,458 \text{ m/s}$ exactly:

The SI reform 2019 fixed  $c$  by definition, but this value was not arbitrary – it was chosen to match centuries of measurements. These measurements were actually probing the geometric structure:

$$c^{\text{SI}} = \frac{l_P^{\text{SI}}}{t_P^{\text{SI}}} = \frac{1.616 \times 10^{-35} \text{ m}}{5.391 \times 10^{-44} \text{ s}} \quad (39)$$

Both  $l_P^{\text{SI}}$  and  $t_P^{\text{SI}}$  are derived from  $\xi$  through:

$$l_P = \sqrt{G} = \sqrt{\frac{\xi^2}{4m_e}} \quad (\text{from } \xi) \quad (40)$$

$$t_P = l_P/c = l_P \quad (\text{natural units}) \quad (41)$$

Therefore:

$$\boxed{c^{\text{measured}} = c^{\text{geometric}}(\xi) = 299,792,458 \text{ m/s}} \quad (42)$$

The agreement is not coincidental – it reveals that historical measurements of  $c$  were measuring the  $\xi$ -geometric structure of spacetime.

### 5.3 The Meter is Defined by $c$ , but $c$ is Determined by $\xi$

#### Fundamental Insight

**The beautiful calibration loop:**

There is a beautiful circularity in the SI-2019 system:

1. The meter is *defined* as the distance light travels in  $1/299,792,458$  seconds
2. But the number  $299,792,458$  was chosen to match experimental measurements
3. These measurements probed  $\xi$ -geometry:  $c = l_P/t_P$  where both scales are derived from  $\xi$
4. Therefore, the meter is ultimately calibrated to  $\xi$ -geometry

**Conclusion:** While we use  $c$  to *define* the meter, nature uses  $\xi$  to *determine*  $c$ . The SI system unknowingly calibrated itself to fundamental geometry.

## 6 Derivation of the Boltzmann Constant

### 6.1 The Temperature Problem in Natural Units

#### Important Note

**The Boltzmann constant is NOT fundamental:**

In natural units, where energy is the fundamental dimension, temperature is just another energy scale. The Boltzmann constant  $k_B$  is purely a conversion factor between historical temperature units (Kelvin) and energy units (Joule or eV).

### 6.2 Definition in the SI System

#### Derivation

**The SI-Reform-2019 definition:**

Since May 20, 2019, the Boltzmann constant is fixed by definition:

$$k_B = 1.380649 \times 10^{-23} \text{ J/K} \quad (43)$$

This defines the Kelvin scale in terms of energy:

$$1 \text{ K} = \frac{k_B}{1 \text{ J}} = 1.380649 \times 10^{-23} \text{ energy units} \quad (44)$$

### 6.3 Relation to Fundamental Constants

#### Key Result

##### Boltzmann constant from gas constant:

The Boltzmann constant is defined through the Avogadro number:

$$k_B = \frac{R}{N_A} \quad (45)$$

where:

- $R = 8.314462618 \text{ J}/(\text{mol}\cdot\text{K})$  (ideal gas constant)
- $N_A = 6.02214076 \times 10^{23} \text{ mol}^{-1}$  (Avogadro constant, fixed since 2019)

##### Result:

$$k_B = \frac{8.314462618}{6.02214076 \times 10^{23}} = 1.380649 \times 10^{-23} \text{ J/K} \quad (46)$$

### 6.4 T0 Perspective on Temperature

#### Fundamental Insight

##### Temperature as energy scale in T0-Theory:

In T0-Theory, temperature is naturally expressed as energy:

$$T_{\text{natural}} = k_B T_{\text{Kelvin}} \quad (47)$$

For example the CMB temperature:

$$T_{\text{CMB}} = 2.725 \text{ K} \quad (48)$$

$$T_{\text{CMB}}^{\text{natural}} = k_B \times 2.725 \text{ K} = 2.35 \times 10^{-4} \text{ eV} \quad (49)$$

**Core statement:**  $k_B$  is not derived from  $\xi$  because it represents a historical convention for temperature measurement, not a physical property of spacetime geometry.

## 7 The Interwoven Network of Constants

### 7.1 The Fundamental Formula Network

#### Derivation

**The SI constants are mathematically linked:**

Since the SI reform 2019, all fundamental constants are connected by exact mathematical relationships:

$$\alpha = \frac{e^2}{4\pi\epsilon_0\hbar c} \quad (\text{exact definition}) \quad (50)$$

$$\epsilon_0 = \frac{e^2}{2\alpha\hbar c} \quad (\text{derived from above}) \quad (51)$$

$$\mu_0 = \frac{2\alpha\hbar}{e^2 c} \quad (\text{via } \epsilon_0\mu_0 c^2 = 1) \quad (52)$$

$$k_B = \frac{R}{N_A} \quad (\text{definition of Boltzmann constant}) \quad (53)$$

### 7.2 The Geometric Boundary Condition

#### Fundamental Insight

**T0-Theory reveals why these specific values are geometrically necessary:**

$$\alpha = \xi \cdot E_0^2 = \frac{1}{137.036} \quad (\text{geometric derivation}) \quad (54)$$

This fundamental relationship forces the specific numerical values of the interwoven constants:

$$\frac{e^2}{4\pi\epsilon_0\hbar c} = \frac{1}{137.036} \quad (\text{geometric boundary condition}) \quad (55)$$

## 8 The Nature of Physical Constants

### 8.1 Translation Conventions vs. Physical Quantities

#### Key Result

Constants fall into three categories:

1. **The single fundamental parameter:**  $\xi = \frac{4}{3} \times 10^{-4}$
2. **Geometric quantities derivable from  $\xi$ :**
  - Particle masses (electron, muon, tau, quarks)
  - Coupling constants ( $\alpha, \alpha_s, \alpha_w$ )
  - Gravitational constant  $G$
  - Planck length  $l_P$
  - Scaling factor  $S_{T0} = 1 \text{ MeV}/c^2$
  - **Speed of light**  $c = 299,792,458 \text{ m/s}$  (geometric prediction)
3. **Pure translation conventions (SI unit definitions):**
  - $\hbar$  (defines energy-time relationship)
  - $e$  (defines charge scale)
  - $k_B$  (defines temperature-energy relationship)

#### Important Note

**Critical clarification about the speed of light:**

The speed of light occupies a unique position in this classification:

- **In natural units** ( $c = 1$ ):  $c$  is merely a convention that specifies how we relate length and time
- **In SI units:** The numerical value  $c = 299,792,458 \text{ m/s}$  is **geometrically determined by  $\xi$**  through:

$$c = \frac{l_P^{T0}}{t_P^{T0}} = \frac{\xi/(2\sqrt{m_e})}{\xi/(2\sqrt{m_e})} = 1 \quad (\text{natural units}) \quad (56)$$

The SI value follows from the conversion:

$$c^{\text{SI}} = \frac{l_P^{\text{SI}}}{t_P^{\text{SI}}} = \frac{1.616 \times 10^{-35} \text{ m}}{5.391 \times 10^{-44} \text{ s}} = 299,792,458 \text{ m/s} \quad (57)$$

**The profound implication:** While we *define* the meter using  $c$  (SI 2019), the *relationship* between time and space intervals is geometrically fixed by  $\xi$ . The specific numerical value of  $c$  in SI units emerges from  $\xi$ -geometry, not human convention.

## 8.2 The SI Reform 2019: Geometric Calibration Realized

The 2019 redefinition fixed constants by definition:

$$c = 299,792,458 \text{ m/s} \quad (58)$$

$$\hbar = 1.054571817... \times 10^{-34} \text{ J} \cdot \text{s} \quad (59)$$

$$e = 1.602176634 \times 10^{-19} \text{ C} \quad (60)$$

$$k_B = 1.380649 \times 10^{-23} \text{ J/K} \quad (61)$$

### Fundamental Insight

This fixation implements the unique calibration that is consistent with  $\xi$ -geometry. The apparent arbitrariness conceals geometric necessity.

## 9 The Mathematical Necessity

### 9.1 Why Constants Must Have Their Specific Values

#### Derivation

**The interlocking system:**

Given the fixed values and their mathematical relationships:

$$h = 2\pi\hbar = 6.62607015 \times 10^{-34} \text{ J} \cdot \text{s} \quad (62)$$

$$\alpha = \frac{e^2}{4\pi\epsilon_0\hbar c} = \frac{1}{137.035999084} \quad (63)$$

$$\epsilon_0 = \frac{e^2}{2\alpha\hbar c} = 8.8541878128 \times 10^{-12} \text{ F/m} \quad (64)$$

$$\mu_0 = \frac{2\alpha\hbar}{e^2 c} = 1.25663706212 \times 10^{-6} \text{ N/A}^2 \quad (65)$$

These are not independent choices, but mathematically enforced relationships.

### 9.2 The Geometric Explanation

#### Historical Context

##### Sommerfeld's unknowing geometric calibration

Arnold Sommerfeld's 1916 calibration to  $\alpha \approx 1/137$  established the SI system on geometric foundations. T0-Theory reveals that this was not coincidental, but reflected the fundamental value  $\alpha = 1/137.036$  derived from  $\xi$ .

## 10 Conclusion: Geometric Unity

### Key Result

#### Complete parameter freedom achieved:

- **Single input:**  $\xi = \frac{4}{3} \times 10^{-4}$
- **Everything derivable from  $\xi$  alone:**
  - **First:** All particle masses including electron:  $m_e = f_e^2 / \xi^2 \cdot S_{T0}$
  - **Then:** Gravitational constant:  $G = \xi^2 / (4m_e) \times$  (conversion factors)
  - **Then:** Planck length:  $l_P = \sqrt{G} = \xi / (2\sqrt{m_e})$
  - **Also:** Speed of light:  $c = l_P / t_P$  (geometrically determined)
  - **Also:** Characteristic T0 length:  $L_0 = \xi \cdot l_P$  (spacetime granulation)
  - Coupling constants:  $\alpha, \alpha_s, \alpha_w$
  - Scaling factor:  $S_{T0} = 1 \text{ MeV}/c^2$  (prediction, not convention)
- **Translation conventions (not derived, define units):**
  - $\hbar$  defines energy-time relationship in SI units
  - $e$  defines charge scale in SI units
  - $k_B$  defines temperature-energy conversion (historical)
- **Mathematical necessity:** Constants interwoven by exact formulas
- **Geometric foundation:** SI 2019 unknowingly implements  $\xi$ -geometry

**Final insight:** The universe is pure geometry, encoded in  $\xi$ . The complete derivation chain is:

$$\xi \rightarrow \{m_e, m_\mu, m_\tau, \dots\} \rightarrow G \rightarrow l_P \rightarrow c$$

with  $L_0 = \xi \cdot l_P$  expressing the fundamental sub-Planck scale of spacetime granulation.

**The profound mystery solved:** Why does the Planck length derived purely from  $\xi$ -geometry exactly match the Planck length calculated from experimentally measured  $G$ ? Because *both describe the same geometric reality*. The SI reform 2019 unknowingly calibrated human measurement units to the fundamental  $\xi$ -geometry of the universe.

This is not coincidence – it is geometric necessity. Only  $\xi$  is fundamental; everything else follows either from geometry or defines how we measure this geometry.