

CSCI 3104 PS6b

Jonathan Phouminh

TOTAL POINTS

33.5 / 40

QUESTION 1

19 pts

1.1 12 / 12

- ✓ + **1.5 pts** Correct Max Flow
- ✓ + **1.75 pts** Correct round 1 complete for the path chosen by the student.
- ✓ + **1.75 pts** Correct round 2 complete for the path chosen by the student.
- ✓ + **1.75 pts** Correct round 3 complete for the path chosen by the student.
- ✓ + **1.75 pts** Correct round 4 complete for the path chosen by the student.
- ✓ + **1.75 pts** Correct round 5 complete for the path chosen by the student.
- ✓ + **1.75 pts** Correct round 6 complete for the path chosen by the student.
 - + **1.5 pts** Missing one of the components out of four in round 1. Please refer to the solution file
 - + **1.5 pts** Missing one of the components out of four in round 2 Please refer to the solution file
 - + **1.5 pts** Missing one of the components out of four in round 3. Please refer to the solution file
 - + **1.5 pts** Missing one of the components out of four in round 4. Please refer to the solution file
 - + **1.5 pts** Missing one of the components out of four in round 5. Please refer to the solution file
 - + **1.5 pts** Missing one of the components out of four in round 6. Please refer to the solution file
 - + **1 pts** Missing two of the components out of four in round 1. Please refer to the solution file
 - + **1 pts** Missing two of the components out of four in round 2. Please refer to the solution file
 - + **1 pts** Missing two of the components out of four in round 3. Please refer to the solution file
 - + **1 pts** Missing two of the components out of four in

round 4. Please refer to the solution file

+ **1 pts** Missing two of the components out of four in

round 5 Please refer to the solution file

+ **1 pts** Missing two of the components out of four in

round 6. Please refer to the solution file

+ **0.5 pts** Missing three of the components out of

four in round 1. Please refer to the solution file

+ **0.5 pts** Missing three of the components out of

four in round 2. Please refer to the solution file

+ **0.5 pts** Missing three of the components out of

four in round 3. Please refer to the solution file

+ **0.5 pts** Missing three of the components out of

four in round 4. Please refer to the solution file

+ **0.5 pts** Missing three of the components out of

four in round 5. Please refer to the solution file

+ **0.5 pts** Missing three of the components out of

four in round 6. Please refer to the solution file

+ **0 pts** Missing solution to one or more rounds.

1.2 3 / 3

- ✓ + **3 pts** Correct
- + **0 pts** Incorrect
- + **2 pts** Minor errors

1.3 4 / 4

- ✓ + **1.5 pts** Got the correct cut
- ✓ + **1 pts** Got the correct edges
- ✓ + **1.5 pts** Correctly verified that the max flow = min cut
- + **0 pts** Incorrect. Please refer to the solution file

QUESTION 2

10 pts

2.1 0 / 5

- + **3.5 pts** Demonstrates that flow out of source =

flow out of X and flow into source = flow into X

+ **1.5 pts** Makes use of flow conservation property

to aid proof - i.e net flow(v) = 0 for $v \neq s$ and $v \neq t$

+ **1.5 pts** Uses valid alternate fact to help aid proof

+ **5 pts** Uses a valid proof by induction technique to achieve the solution

+ **2 pts** Flow conservation property stated incorrectly. Attempts to prove the solution using this incorrect flow conservation property.

+ **2 pts** Uses an example to prove the solution. You have to use a formal method as proof, not examples.

+ **0 pts** (Non-scored rubric item) You are supposed to prove that the net flow across the cut = $\sum_{e \text{ out of } X} a(e) - \sum_{e \text{ in to } X} a(e)$. But you have proven flow conservation property.

- **1 pts** Definition of flow a is incorrect.

✓ + **0 pts** Incorrect

+ **0 pts** No answer

+ **0 pts** Assumes that the cut given is a min-cut and tries to use the fact that it is equal to the max-flow of the graph.

+ **2 pts** In the right direction, but proof not explained and concluded clearly.

- **1 pts** Incorrectly assumes that flow into s is equal to zero.

- **1 pts** Not considering edges going from Y to X in the proof.

💬 You are not proving what has been asked for.
See the solution.

2.2 3.5 / 5

+ **2.5 pts** Identifies that flow into X need not be considered in the proof: i.e. flow out of X is \geq the net flow across XY

✓ + **2.5 pts** Shows or identifies that flow is always \leq capacity

+ **2.5 pts** Uses a valid fact to prove that the value of flow is always less than the capacity of the cut except for min-cut.

+ **5 pts** Uses proof by contradiction to prove that value of flow $a \leq$ capacity of the cut (X,Y)

+ **0 pts** Incorrect

+ **0 pts** No answer

✓ + **1 pts** Proof not explained and not concluded precisely.

+ **2 pts** The statement is proved but uses an example as proof. You need to prove it formally.

- **1 pts** Incorrect capacity of the cut definition

+ **2.5 pts** Incomplete proof. You need to prove that the flow of the cut will be less than the capacity of the cut when flow \neq max-flow, rather than just stating it.

QUESTION 3

11 pts

3.1 6 / 6

✓ + **6 pts** Correct!

+ **2 pts** Representing the graph where nodes represent students and companies and edges indicating the company's interest in the student.

+ **2 pts** For adding the source vertex and the sink vertex and realizing that this is a max flow problem.

+ **1 pts** Correct capacity values

+ **1 pts** Edge directions and labeling of vertices (applicable if the capacity values are correct)

+ **0 pts** Incorrect please refer to posted solution

+ **0 pts** Not Attempted

3.2 5 / 5

✓ + **5 pts** Correct!

+ **1 pts** Running Ford-Fulkerson on the graph with the correct source and sink

+ **2 pts** Understanding that setting of the edge capacities equal to 1 leads to matching one student to only one company and vice-versa

+ **2 pts** Arriving at the matching by selecting the edges with flow as 1

+ **0 pts** Incorrect please refer to the solution posted.

+ **0 pts** Not attempted

Name: Jonathan Phouminh

ID: 106054641

CSCI 3104, Algorithms
Problem Set 6b (40 points)

Profs. Hoenigman & Agrawal
Fall 2019, CU-Boulder

Instructions for submitting your solution:

- The solutions **should be typed** and we cannot accept hand-written solutions. Here's a short intro to Latex.
- You should submit your work through **Gradescope** only.
- If you don't have an account on it, sign up for one using your CU email. You should have gotten an email to sign up. If your name based CU email doesn't work, try the identikey@colorado.edu version.
- Gradescope will only accept **.pdf** files (except for code files that should be submitted separately on Gradescope if a problem set has them) and **try to fit your work in the box provided**.
- You cannot submit a pdf which has less pages than what we provided you as Gradescope won't allow it.
- Verbal reasoning is typically insufficient for full credit. Instead, write a logical argument, in the style of a mathematical proof.
- For every problem in this class, you must justify your answer: show how you arrived at it and why it is correct. If there are assumptions you need to make along the way, state those clearly.
- You may work with other students. However, **all solutions must be written independently and in your own words**. Referencing solutions of any sort is strictly prohibited. You must explicitly cite any sources, as well as any collaborators.

Name: Jonathan Phouminh

ID: 106054641

CSCI 3104, Algorithms
Problem Set 6b (40 points)

Profs. Hoenigman & Agrawal
Fall 2019, CU-Boulder

1. (19 pts) Based on the following network and the given edge capacities answer the following.

PS6/Flow_6b.jpeg

- (a) (12 pts) Suppose we start the Ford-Fulkerson algorithm and **select the path $s \rightarrow a \rightarrow c \rightarrow d \rightarrow t$ in the first iteration (Do not chose the first s-t path on your own)**. Complete all the iterations of Ford-Fulkerson to find the Max-Flow (including the first round that is incomplete). Clearly show each round with

- i. The path that you are selecting in that round.
- ii. The bottleneck edge on this path.
- iii. The additional flow that you push from the source by augmenting (pushing maximum allowed flow along) this selected augmenting path.
- iv. The residual graph with the residual capacities (on both the forward and backward) edges.


Also, report the Max-Flow after the algorithm terminates. <https://www.overleaf.com/project/5c>

Name: Jonathan Phouminh

ID: 106054641

CSCI 3104, Algorithms
Problem Set 6b (40 points)

Profs. Hoenigman & Agrawal
Fall 2019, CU-Boulder




Solution.

Name: Jonathan Phouminh

ID: 106054641

CSCI 3104, Algorithms
Problem Set 6b (40 points)

Prof. Hoenigman & Agrawal
Fall 2019, CU-Boulder



(more space to solve Q1a)


Name: Jonathan Phouminh

ID: 106054641

CSCI 3104, Algorithms
Problem Set 6b (40 points)

Prof. Hoenigman & Agrawal
Fall 2019, CU-Boulder

- (b) (3 pts) Show the final flow $f(e)$ for the edges of the original graph when the Ford-Fulkerson algorithm terminates.



Solution.

- (c) (4 pts) Find the minimum capacity cut with respect to the capacities on the original graph. Is this minimum capacity equal to the Max-Flow that you earlier identified? Justify your answer in a sentence. Also, report the crossing edges in this cut that are saturated (can't carry any more flow).

Solution. Minimum capacity cut would be if we create cuts $A = [S, C]$ and $B = [A, B, D, T]$ where the crossing edges are (S, A) and (C, D) which are both saturated. Yes this minimum cut capacity is equal to the max flow we found earlier because if we sum all outward edges from set A, it is equal to the max flow that we have found.

Name: Jonathan Phouminh

ID: 106054641

CSCI 3104, Algorithms
Problem Set 6b (40 points)

Profs. Hoenigman & Agrawal
Fall 2019, CU-Boulder

2. (10 pts) Let (X, Y) be any s-t cut in the network G and a be any flow.

- (a) (5 pts) Prove that the value of the flow a equals the **net** flow that crosses the cut (X, Y) .

$$\text{i.e. } \text{value}(a) = \sum_{e \text{ out of } X} a(e) - \sum_{e \text{ in to } X} a(e)$$

You should use the flow conservation property to complete the proof.

Hint : Recollect the definition of a flow a .

$$\text{value}(a) = \sum_{e \text{ out of } s} a(e) - \sum_{e \text{ in to } s} a(e) \text{ where } s \text{ is the source.}$$

Solution. Assume flow ' a ' across cut (X, Y) is not equal to the net flow that crosses cut (X, Y) . This implies that there is either more or less flow that is coming out of X into Y . Thus there is remaining flow in X moving out or more flow out of X that was initially there. This is a contradiction, by the flow conservation property, the flow into X must be equivalent to the flow coming out of X . Therefore, the value of flow is equal to the net flow that crosses $\text{cut}(X, Y)$.

- (b) (5 pts) Use the above proof (from part Q3a) to prove that the value of the flow $a \leq \text{Capacity of the cut } (X, Y)$.

Solution. From 2a we know that the flow of A is equal to the net flow of all edges going in and out. We want to show that value flow of A is less than or equal to the capacity $\text{cut}(x, y)$. Assume that the flow of A is not less than or equal to the capacity cut. This implies that from 2a that the net flow of A doesn't hold and more flow is going out then coming in. This also implies that there exists an incoming flow in $\text{cut}(x, y)$ that isn't being accounted for. Therefore by contradiction flow a is less than or equal to the capacity $\text{cut}(x, y)$.

Name: Jonathan Phouminh

ID: 106054641

CSCI 3104, Algorithms
Problem Set 6b (40 points)

Profs. Hoenigman & Agrawal
Fall 2019, CU-Boulder

3. (11 pts) CU is organising a spot job fair where many companies participate and take tests to select students. After their final round of interviews, they all find a preference list of candidates that they would like to hire. All the companies just want to hire one student (because recession). All the companies sat together and they realised that if they extend offers to the same students, only one of them would get the student so they decide to run an algorithm to hire the maximum number of students they can together.

Example - Following is one such preference of each company after the final round of interviews. If they all give the offer to just their first preference only 3 students will get hired. But a better offer is Apple - Alice, Google - Dave, Facebook - Carol, Amazon - Eliza, Uber - Frank, Netflix - Bob and this gets 6 students hired.

Help them come up with an algorithm to find an offer set that gets the maximum students the job using Ford-Fulkerson.



PS6/Job.png


- (a) (6 pts) Draw a network G to represent this problem as a flow maximisation problem for the example given above. Clearly indicate the source, the edge directions, the sink and the capacities and label the vertices.

Name: Jonathan Phouminh

ID: 106054641

CSCI 3104, Algorithms
Problem Set 6b (40 points)

Profs. Hoenigman & Agrawal
Fall 2019, CU-Boulder



Solution.

- (b) (5 pts) Assume that you have access to Ford-Fulkerson sub-routine called **Ford-Fulkerson**(G) that takes a network and gives out max-flow in terms of $f(e)$ for

Name: Jonathan Phouminh

ID: 106054641

CSCI 3104, Algorithms
Problem Set 6b (40 points)

Profs. Hoenigman & Agrawal
Fall 2019, CU-Boulder

all the edges. How will you use this sub-routine to find the offer set that employs the maximum number of students. Clearly explain your solution.

Solution. First we will get the Ford-Fulkerson algorithm to give us the max flow network. We then look at the crossing edges from least to greatest and offer the person whose edge is the minimal out of all of them a job first. Once this person is offered a job, subtract the flow of the job from all others who received that job offer as it no longer exists anymore. Repeat this process until all remaining jobs have given an offer. In general, this algorithm is essentially giving jobs out to the people who received the least amount of job offers first to maximize amount of jobs being given out.

Collaborated with: Marvin Nguyen, zach chommala, bao nguyen

Name: Jonathan Phouminh

ID: 106054641

CSCI 3104, Algorithms
Problem Set 6b (40 points)

Profs. Hoenigman & Agrawal
Fall 2019, CU-Boulder

(Space to solve Q3)