

Software Requirements Specifications
for
Project “BookExpress”

Marc A. Harnos
mharnos@gmail.com

Joscha Rapp
jraxxo@gmail.com

Christian Schulz
crs.s@gmx.net

October 2012

Contents

1	Product Purpose	4
1.1	Obligatory Requirements (“must have”)	4
1.1.1	Book Store	4
1.2	Optional Requirements (“nice to have”)	4
1.3	Non-Requirements (“need to have”)	4
2	Product Environment	5
2.1	Application Area	5
2.2	User Groups	5
2.3	Operating Conditions	5
3	Product Overview	6
4	Product Functions	7
4.1	Internal	7
4.1.1	Employees of “BookExpress”	7
4.2	External	15
4.2.1	Book Stores and Publishers	15
4.2.2	Book Stores (“Clients”)	16
4.2.3	Publishers	19
5	Product Data	20
5.1	Customer Data	20
5.1.1	Book Stores	20
5.1.2	Publishers	20
5.2	Order Data	20
5.3	Internal Data	20
6	Product Performance	21
7	Quality Requirements	22

8	User Interface	23
8.1	Client Application (for clerks)	23
8.2	Web Interface (for customers)	23
9	Non-Functional Requirements	24
10	Technical Product Environment	25
10.1	Software	25
10.2	Hardware	25
10.3	Orgware	25
10.4	Interfaces (product)	25
11	Special Requirements for the Development Environment	26
11.1	Software	26
11.2	Hardware	26
11.3	Orgware	26
11.4	Interfaces (development)	26
12	Subproducts and Subsystems	27
12.1	Server	27
12.2	Web Interface / Web Service	27
12.3	Client Application	27
13	Additional Specifications and Stipulations	28
14	Appendices	29

Document History

Editor(s)	Date	Purpose of Editing	Version
Harnos, Rapp, Schulz	2012-10-01	Initial Document Creation	v0.01

Chapter 1

Product Purpose

To handle the addition of new books and the distribution in a better way, "BookExpress" asked us to develop an IT solution to optimize the idle time and labour usage by getting rid of the current, deprecated system. Furthermore one important goal of the software solution is to be very user friendly and easy to use; also there should be remote access implemented, so several customers can access the software at once and distribution partners can access and keep their book stock up to date.

1.1 Obligatory Requirements (“must have”)

1.1.1 Book Store

BLABLABLABLA Personal Identification Number (PIN) BLUB! light-emitting diode (LED)

1.2 Optional Requirements (“nice to have”)

1.3 Non-Requirements (“need to have”)

Chapter 2

Product Environment

The Product takes the orders from the book stores and files them into the system, so that they can be prepared for shipping. For different sized book stores there should be several account types with separate functionality and different options for packaging and ordering. The targeting groups of the software solution are the book store owners, our consumers, the assistants of "BookExpress" and the distribution partners.

2.1 Application Area

2.2 User Groups

2.3 Operating Conditions

Chapter 3

Product Overview

The products environmental diagram.




Figure 3.1: The environmental view of the product

Chapter 4

Product Functions

4.1 Internal

4.1.1 Employees of “BookExpress”

/PF/	Process	Register Publisher or Book Shop
	Actor(s)	BookExpress employee
	Category	
	Description	A Book Express employee creates an account for a book shop or publisher after both business partners have signed a contract handling the business relations.
	Goal	The contract partner should have an account to log into the Software. After registration through the Book Express employee, the contract partner will be send a verification and its account information via email.
	Preconditions	Contract signed
	Postcondition success	Successfully created account
	Postcondition failure	Unsuccessful in creating an account
	Trigger	Menu option "register new client" (Software)
	Sequence	Input relevant data and contractor details into the managements system Save the signed contract on the server Register a new client by creating a new ClientID in the database Send verification and account information to the contractor

/PF/	Process	Update account information
	Actor(s)	BookExpress employee
	Category	
	Description	The clients data is outdated and needs to be updated
	Goal	Client data is updated
	Preconditions	Client exists in database
	Postcondition success	Client data is updated and a notification mail is sent to the client.
	Postcondition failure	Client data is not updated but rolled back to the previous state. Notification with problem report is shown to the employee.
	Trigger	Menu option "Update client information" (Software)
	Sequence	<div>Edit specific data</div> <div>System checks correctness of data (e.g. mail format etc.)</div> <div>Submit edited data to the server</div>
/PF/	Process	Delete client
	Actor(s)	BookExpress Employee
	Category	
	Description	Client gets deleted due to resignation of the contract
	Goal	Delete client from the system
	Preconditions	<div>Client exists in database</div> <div>Contract is being resigned by one of the contractors</div>
	Postcondition success	Client is deleted from the system
	Postcondition failure	Client could not be deleted because of existing orders
	Trigger	Menu option "delete client" (Software)
	Sequence	<div>Choose client</div> <div>Check if client is deletable (i.e. no existing orders)</div> <div>Send notification mail to client</div> <div>Delete client</div>

/PF/	Process Category Actor(s) Description Goal Preconditions Postcondition success Postcondition failure Trigger Sequence	Client places order (via telephone) BookExpress employee, client A client orders book via telephone Order is placed in an order queue Client exists in database Client is authorized Order is placed in an order queue - Client initiates order process by calling an BookExpress employee BookExpress employee triggers manual order process BookExpress employee selects client in Software BookExpress employee enters ordered book into the system Order is placed in order queue Order notification containing detailed report is sent to client
/PF/	Process Category Actor(s) Description Goal Preconditions Postcondition success Postcondition failure Trigger Sequence	Validate order System Order is checked for validation The software checks every order for validation and confirms it to the client. BookExpress knows about every orders validation status. Order is in order queue Client receives a confirmation email Client receives a problem report about invalid order Order was placed and exists in order queue System gathers details and checks whether order is valid or not System sends mail to client

/PF/	Process Category Actor(s) Description Goal Preconditions Postcondition success Postcondition failure Trigger Sequence	Stock Update System/BookExpress employee The employee in charge of the stock checks the availability of all books and updates the stock accordingly. Check succeeds Order is placed or BookExpress employee initiates check Books which are nearly out of stock get displayed as a list - Stock check is initiated Check if a book is available in an sufficient amount Make a list of all books which need to be ordered Submit list to system
/PF/	Process Category Actor(s) Description Goal Preconditions Postcondition success Postcondition failure Trigger Sequence	Forward order to Logistics System A validated order gets forwarded to Logistics Logistics proceeds processing the order Order is valid Logistics processes delivery Order could not be forwarded to Logistics Order is validated Send order information/details to Logistics

/PF/	Process	Deliver order
	Actor(s)	System
	Category	
	Description	The order is send to the book store
	Goal	Deliver ordered books
	Preconditions	Order is valid Books are available in stock
	Postcondition success	Order is marked as sent
	Postcondition failure	Order could not be marked as sent
	Trigger	Forward order to Logistics
	Sequence	Check if books are in stock
		Receive book store information Sent order to book store Mark order as sent
/PF/	Process	Confirm delivery
	Actor(s)	Employee (Logistics)
	Category	
	Description	Logistics confirms the correct delivery of an order
	Goal	Delivery is successful
	Preconditions	Order is marked as sent
	Postcondition success	Order is marked as delivered
	Postcondition failure	Order could not be marked as delivered
	Trigger	Deliver order
	Sequence	Get delivery status
		Mark order as delivered if delivery status is "successfully delivered"

/PF/	Process	BookExpress Order
	Actor(s)	BookExpress employee
	Category	
	Description	The Employee orders a number of books from the publisher
	Goal	Order books from a publisher
	Preconditions	need for new books
	Postcondition success	Books are ordered and publisher gets an notification mail
	Postcondition failure	-
	Trigger	BookExpress employee initates an order
	Sequence	Select books from list or search TODO /PF/ Submit list to publisher
/PF/	Process	Create an invoice
	Actor(s)	System
	Category	
	Description	The system creates an invoice after TODO /PF/ order is valid
	Goal	Documenting order and deliver it with invoice
	Preconditions	Order is valid
	Postcondition success	Invoice successfully created
	Postcondition failure	Invoice could not be created
	Trigger	Check information about order
	Sequence	Order is valid TODO /PF/ Create an entry in database List the ordered books with price List tax to invoice

/PF/	Process	Send invoice
	Actor(s)	System
	Category	
	Description	The invoice is send to the book store via mail
	Goal	Inform the book shop
	Preconditions	Successful created invoice
	Postcondition success	Book store receives a notification mail
	Postcondition failure	-
	Trigger	Creation of an invoice
	Sequence	Get invoice
		Send invoice to book store
/PF/	Process	Backup
	Actor(s)	System
	Category	
	Description	A backup of the complete databases must be done. This should happen periodically and save all data on a server.
	Goal	In case of a crash, every data must be saves as a preventative backup
	Preconditions	Server for the backup
	Postcondition success	Successful backup in periodical intervals
	Postcondition failure	A notification will be send to the administrator of the system
	Trigger	Configured time to start a backup
	Sequence	Start Backup
		Place backup on the backup server

4.2 External

4.2.1 Book Stores and Publishers

/PF/	Process	Login
	Actor(s)	Book store/publisher
	Category	
	Description	The user logs on with his PIN and password
	Goal	Provide a fully functional system to the user
	Preconditions	Existing account
	Postcondition	Successful login
	success	
	Postcondition	Unsuccessful login caused by a wrong PIN or
	failure	password
	Trigger	Menu Option "Login"
	Sequence	Enter PIN
		Enter password
		Validity of data is checked by the System
		Login successful or display an error message in case of unsuccessful login
/PF/	Process	Update account information
	Actor(s)	Book store/publisher
	Category	
	Description	The user is able to edit/update its account information (e.g. address, correspondent etc.)
	Goal	User is able to update changes
	Preconditions	User is logged on
	Postcondition	Updating the account succeeded
	success	
	Postcondition	Updating the account failed
	failure	
	Trigger	Menu option "edit"
	Sequence	Edit
		specific data
		System checks correctness of data (e.g. email format etc.)
		Submit edited data to the server

/PF/	Process	Logout
	Actor(s)	Book store/publisher
	Category	
	Description	User logs out
	Goal	User is logged out
	Preconditions	User is logged in
	Postcondition success	Successful logout
	Postcondition failure	Unsuccessful logout caused by an abort of the user
	Trigger	Menu option "Logout"
	Sequence	User confirms to log out The system terminates the current session

4.2.2 Book Stores ("Clients")

/PF/	Process	Search for a book
	Category	
	Actor(s)	Client
	Description	Client searches for a book to add it to his order
	Goal	Searching for a book succeeded
	Preconditions	Client is logged into the system
	Postcondition success	Book is being found
	Postcondition failure	Display items and options Book could not be found
	Trigger	Display notification
	Sequence	Menu option "find books" (Software) Enter ISBN/title/author/genre in search bar Hit the "Search"-Button Choose book from list to add it to the order

/PF/	Process	Book Store Order
	Category	
	Actor(s)	Book Store Employee
	Description	The Book Store orders a book from BookExpress. This can either happen through a constant connection where every order is individually processed or the store can choose to collect orders internally and send them as one big order every day.
	Goal	Order is placed
	Preconditions	Client is successfully logged into the web interface Connection to BookExpress server is established
	Postcondition success	Order is delivered to BookExpress and added to the order queue
	Postcondition failure	Order is saved as draft and client gets a notification
	Trigger	Menu Option "create new order" (Web interface)
	Sequence	Client adds books to order (via book search or ISBN) Client specifies amount for every book Client submits order to server Order is in the order queue

/PF/	Process	Change order
	Actor(s)	Book store
	Category	
	Description	As long as the order is not validated, the user can change information
	Goal	User can correct an order
	Preconditions	Order exists and user is logged in
	Postcondition success	Order information successfully changed
	Postcondition failure	Order information could not be changed because the order is already being validated
	Trigger	Menu option "Change order"
	Sequence	Select order to be changed System checks validity status of the order If not validated, user can change order information Submit changes to the System User receives a confirmation mail
/PF/	Process	Cancel Order
	Actor(s)	Book Store Employee
	Category	
	Description	The employee at the book store can cancel the order if it hasn't been shipped yet
	Goal	Current orders can be cancelled
	Preconditions	Order exists
	Postcondition success	Order successfully cancelled. Book Store receives a confirmation mail
	Postcondition failure	Book Store receives a problem report
	Trigger	Menu option "cancel order"
	Sequence	Select order to cancel Check whether order isn't shipped yet Cancel order

/PF/	Process	Tracking System
	Actor(s)	Book Store Employee
	Category	
	Description	The employee at the book store can look up at which stage his order is right now, e.g. processing or shipping to BookExpress/the book store.
	Goal	Look up order information/status
	Preconditions	Order exists
	Postcondition success	Employee receives information/status of order
	Postcondition failure	-
	Trigger	Menu option "tracking system"
	Sequence	Select order to track

4.2.3 Publishers

/PF/	Process	Inventory maintenance
	Actor(s)	Publisher
	Category	
	Description	Publishers can update their inventory list (i.e. the list of available books) either via mail or using the direct connection over the web-based interface.
	Goal	Updated inventory list
	Preconditions	Publisher exists
	Postcondition success	Send success mail to publisher
	Postcondition failure	Send problem report to publisher
	Trigger	Menu option "inventory maintenance" (Software) or via mail
	Sequence	Edit inventory list (i.e with TODO book search) Submit list to server

Chapter 5

Product Data

5.1 Customer Data

5.1.1 Book Stores

5.1.2 Publishers

5.2 Order Data

5.3 Internal Data

Chapter 6

Product Performance

Chapter 7

Quality Requirements

Quality	very good	good	normal	irrelevant
Functionality	X			
Reliability	X			
Usability			X	
Efficiency		X		
Modifiability			X	
Portability				X

Chapter 8

User Interface

8.1 Client Application (for clerks)

8.2 Web Interface (for customers)

Chapter 9

Non-Functional Requirements

Chapter 10

Technical Product Environment

10.1 Software

10.2 Hardware

10.3 Orgware

10.4 Interfaces (product)

Chapter 11

Special Requirements for the Development Environment

11.1 Software

11.2 Hardware

11.3 Orgware

11.4 Interfaces (development)

Chapter 12

Subproducts and Subsystems

12.1 Server

12.2 Web Interface / Web Service

12.3 Client Application

Chapter 13

Additional Specifications and Stipulations

Chapter 14

Appendices