Topic Overview

While content for this test will be focused on the newer material, everything is building in this class, so still expect to see some concepts from the first test present. Major new topics though include:

\Box Ch	apter 6		
	Using joins to get information from multiple tables		
	Understanding the different types of joins		
	Utilizing self joins and understanding when they should be used		
□ Ch	□ Chapter 7		
	Understanding when double quotes are needed in identifiers		
	Creating primary and foreign keys		
	Creating other constraints with conditionals, null checks, or uniqueness checks		
	Understanding when and why you might define an index on a column		
	Creating an index on a column		
□ Ch	apter 8		
	Understanding the GROUP BY keywords		
	• How to select entries from a grouped table		
	• When you would want to use GROUP BY		
	Understanding the HAVING keyword		
\Box Ch	apter 9		
	Modifying tables using ALTER TABLE		
	• Adding columns		
	• Changing column types		
	Adding primary or foreign keys		
	Removing columns		
_	Renaming columns		
	Modifying table contents using UPDATE		
	Deleting content from tables		

Question Types

The style of the test questions will follow that of Test 1 fairly closely, with a mix of:

Qualitative: In general, these wouldn't deal with direct values in a table, but are more conceptual in understanding what a particular piece of SQL is doing.


- Given a general table and query, describe what the output would look like, or what properties it might have.
- Given a desired output, what properties might the query or initial table have needed to possess?
- Given a table and desired output, what would the query need to look like?

Quantitative: These will deal more directly with sample data in a table.

• For this particular query with this tabular data, what would the output be? (These will naturally be with small and simple tables, as you won't have a computer to aid you.)

Example Questions

1. Considering the below table layout, write out queries to accomplish each of the following tasks.



(a) A table showing just names of students that are the same age as another student. They don't need to be paired up. Just a list of all the names that are the same age as someone else in the class.

(b) A table showing the student and assignment name for all assignments in which a student scored a 100%.

(c) A table containing only students with missing assignments which lists the student names and missing assignments.

2. Using the below table (named tab), determine by hand what the output of the following queries would be.

col1 text	col2 int	col3 int
Type A	3	9
Type B	4	4
Type A	10	3
Type A	1	2
Type B	2	8
Type C	8	6

(a) What would be the output of the following query?

```
SELECT col1, SUM(col3)
FROM tab
WHERE col2 > 2
GROUP BY col1
ORDER BY col1;
```

(b) What would be the output of the following query?

```
SELECT t1.col2 + t2.col2 as result

FROM tab as t1

JOIN tab as t2

ON t1.col2 > t2.col3

WHERE t1.col1 = 'Type A';
```

(c) What would be the final output after running the below sequence of commands?

```
ALTER TABLE tab ADD COLUMN col4 INT;

UPDATE tab
SET col4 = col2 - col3
WHERE col3 > 5;

DELETE FROM tab
WHERE col4 IS NULL;

SELECT col1, -col2*col4 as tot
FROM tab;
```

3. Considering the following table definitions and initial contents, would the below SQL commands result in an error? If so, specifically what is causing the error?

```
CREATE TABLE tab1 (
                                                       col1
                                                             col2
                                                                   col3
  col1 INT PRIMARY KEY,
                                                                     2
                                                        1
                                                             red
  col2 TEXT NOT NULL,
                                                        2
                                                             blue
                                                                   NULL
  col3 INT
                                                        4
                                                             green
                                                                     6
                                                        5
                                                                     6
                                                             green
                                                        6
                                                                     10
                                                              red
);
```

```
CREATE TABLE tab2 (
                                                           col1
                                                                  col2
                                                                           col3
                                                                                    col4
  col1 INT,
                                                            1
                                                                   5
                                                                        2022-10-02
                                                                                      1
  col2 INT,
                                                             2
                                                                                      2
                                                                        2021 \text{-} 08 \text{-} 01
                                                                   4
  col3 DATE NOT NULL,
                                                             3
                                                                                     10
                                                                   3
                                                                        2022-03-01
  col4 INT CHECK (col4 > 0),
                                                             4
                                                                   2
                                                                        2022-01-06
                                                                                      3
  PRIMARY KEY (col1, col2)
                                                            5
                                                                        2022-04-01
                                                                                      4
);
```

```
CREATE TABLE tab3 (
  col1 SERIAL PRIMARY KEY,
                                                    col1
                                                          col2
                                                                col3
                                                                      col4
                                                                           col 5
  col2 INT,
                                                      1
                                                           1
                                                                 5
                                                                             5
                                                                       1
  col3 INT,
                                                      2
                                                           3
                                                                 3
                                                                       1
                                                                             6
  col4 INT REFERENCES tab1,
                                                      3
                                                                 2
                                                           4
                                                                       4
                                                                             5
  col5 INT,
                                                                 2
                                                      4
                                                           4
                                                                       5
                                                                            10
  FOREIGN KEY (col2, col3) REFERENCES tab2,
                                                      5
                                                                 1
                                                                       2
                                                                             8
                                                           5
  CHECK (col5 > col4)
);
```

```
(a) INSERT INTO tab3 (col2, col3, col4, col5) VALUES (2,4,2,4);
```

```
(b) DELETE FROM tab1
WHERE col1 = 6;
```

```
(c) UPDATE tab3
SET col3 = 2
WHERE col1 = 2;
```

```
(d) INSERT INTO tab2 VALUES (6,6, '2022-04-01', 3);
```

```
(e) UPDATE tab3
SET col4 = 6
WHERE col1 = 3;
```

```
(f) INSERT INTO tab1 VALUES
(3, NULL, NULL);
```

```
(g) UPDATE tab2

SET col4 = col1 - col2

WHERE col3 >= '2022-05-10'
```