

CSE 485 Semester Report

Team 1, Friday 10:30am

Connor Alfheim

Ryan Dougherty

David Ganey

Dylan Lusi

Joseph North

Ben Roos

December 2, 2014

Project sponsors: Dr. Judd Bowman and Dr. Danny Jacobs

Project description: A virtual observatory for the Murchison Widefield Array radio telescope.

Contents

| | | |
|-----------|---|-----------|
| 1 | Executive Summary | 4 |
| 2 | Introduction | 4 |
| a | Project description | 4 |
| b | Purpose of project | 4 |
| 3 | Scope | 5 |
| a | Original Definition | 5 |
| b | Change of scope and reason for change | 5 |
| 4 | User Overview | 6 |
| a | Use case diagram | 7 |
| b | Description of actors | 8 |
| c | User stories | 8 |
| 5 | Project Plan | 9 |
| a | First semester | 9 |
| b | Second semester | 10 |
| 6 | Development Approach | 10 |
| 7 | Design Overview and Decisions | 11 |
| a | Modularity | 11 |
| b | Database | 11 |
| 8 | Technology and Tools | 12 |
| a | Programming Languages | 12 |
| b | Other Tools | 12 |
| 9 | Preliminary Results | 12 |
| 10 | Problems and Risks | 14 |

| | | |
|-----------|---------------------------|-----------|
| 11 | Summary of Tasks | 15 |
| a | Connor Alfheim | 15 |
| b | Ryan Dougherty | 16 |
| c | David Ganey | 18 |
| d | Dylan Lusi | 20 |
| e | Joseph North | 21 |
| f | Ben Roos | 22 |
| 12 | Conclusions | 23 |
| a | Success So Far | 23 |
| b | Lessons Learned | 23 |
| c | Future Work | 23 |

1 Executive Summary

The Murchison Widefield Array (MWA) is an enormous radio telescope in Australia used by scientists to monitor hydrogen radiation. This telescope assists scientists interested in learning about the formation of the universe. EoRLive, a website which allows scientists to browse the data collected by the MWA, is in need of additional functionality. This project was formed to enhance the current EoRLive website and to allow the scientists who use it to more efficiently engage with their data.

This semester, we worked with our sponsors to understand the project's requirements and came up with an architecture containing three fundamental layers: a database layer, a logic layer, and a user interface layer. Our primary deliverable for the semester was a prototype that involves all three layers. We developed it to gain an understanding of the technologies and challenges associated with the different components of the project. The prototype is a range-based data browser that enables users to view specific observation data sets. Our plan for the second semester is to implement the project's key features and integrate them into the full site.

2 Introduction

a Project description

This semester, we produced a website that functions as a range-based data browser for the MWA telescope's observations. It has user accounts and offers the user the ability to select a custom date range. The site displays a list of observations made by the telescope in that date range, and an interactive graph that shows the status of the telescope's data pipeline in that date range, from scheduling the observations to transferring the observation data to a database at MIT.

b Purpose of project

The motivation for this project was to make improvements upon the existing site, which lacked some key features the MWA researchers really wanted. They wanted a site that would

allow them to monitor the status of the telescope in real time, annotate and share data sets, create discussions about the data through forum-style discussions, and write custom queries that allow them to see the data they want, all on an intuitive Web platform. Ultimately, the goal for this project was to build a more dynamic, collaborative, and customizable site. This will allow the scientists to focus more on their research and less on the tools which connect them to their data.

3 Scope

a Original Definition

The original plan was to develop a website with the layout which was provided in the document given to us by our project sponsors. The document specified a visual view of the telescope array, user account support, and user interaction functionality. However, the original document did not go into much detail as to the specifics of functionality or implementation. After meeting with our project sponsors, we decided that there will be three different layers that our team will work on.

b Change of scope and reason for change

The main change to our project was to divide it into three distinct “layers.” The lowest layer is the actual telescope data itself. As said by our project sponsors, the main component of the website itself will be displaying the data—our goal for this layer is to pull the telescope data out of the databases in a meaningful way.

The middle layer is the logic layer, which will be the layer in-between the user interface and data layers. There is not a well-defined API for extracting the data from the databases—our team will have to develop an API with demos/documents/plots, and more—so that someone else may want to extend functionality later. Also, the databases are extremely complex, so we need to develop an ORM for modeling the data.

The third layer is the user interface. There are several features that needed to be added—one was user accounts. Users need to be able to register and/or login to the website. Another important feature was comments—we need to have a comments feature on each and any data point, allowing for conversations between users. There will also be a forum that will allow direct communication to various UI elements on the website. The project sponsors also wanted more interactivity in the website, such as manually flagging data streams, seeing which other users are also online (possibly to start a conversation), having a photo of the array itself and having it be interactive, and more.

4 User Overview

The intended users of this website are astrophysicists involved in research which focuses on monitoring hydrogen radiation throughout the universe. The users are already familiar with the Murchison Widefield Array and the science associated with it. Some of the scientists may be familiar with software development (for example, experience with scripting languages like Python), but it is assumed that none of the users have a deep understanding of software development.

a Use case diagram

i Figure 1: User with account



Users who are not logged in are not permitted to edit the data:

ii Figure 2: User without account



b Description of actors

In the figures above, the actors are viewers of the EoRLive website. The users in Figure 1 are all scientists, and must have been approved by a site admin in order to view the website. The actor in Figure 2 encompasses any user, regardless of affiliation with a specific scientific organization.

c User stories

1. User views website

- As a user who is not signed in, I want to see a graphical representation of the Murchison Widefield Array so I can tell whether any of the telescope's nodes are malfunctioning.
- Given that the data stream is valid, when the user loads the page, the page should show a graphic that shows the state of the array.

2. User signs in

- As a user with an account, I want to sign in with my account on the site so I can view the site with my custom settings enabled.

- Given that the user's credentials are valid, the website should allow the user to sign in and should load their personal settings before rendering the page.
- Given that the user's credentials are invalid, the website should refuse to allow the user to sign in but should still show the status of the array.

3. User modifies settings

- As a signed-in user, I want to modify my subscription settings so I can choose which data streams I will be shown.
- Given that the user is signed in, the user should be permitted to modify subscription settings.
- Given that the user is not signed in, the user should not be permitted to see or modify subscription settings.

4. User flags data

- As a signed-in user, I want to leave comments on data streams so I can collaborate with other users and generate discussions about the data.
- Given that the user is signed in, and that the data stream is valid, the user should be permitted to leave comments on a data stream.
- Given that the user is not signed in or that the data stream is not valid, the user should not be permitted to leave comments on that data stream.

5 Project Plan

a First semester

For the first semester, one goal of the project was to identify and refine the most useful features which could realistically be implemented by the end of year in order to establish the requirements for a successful product. The goal was to develop a prototype of the website to demonstrate several of the features that would be implemented more fully in the second semester. For example, the ability to select a range of dates to restrict the data that would

be displayed in a graph and the ability to associate information with a user profile, such as comments and saved graphs. The goal was also to familiarize ourselves with the development tools that we would be using so that the prototype could progress more quickly on subsequent work.

b Second semester

For the second semester, the goal of the project is to port the improvements made to the prototype to the full site. Additional features will be added to create version three of the EoRLive website. User communication functionality will help the scientists collaborate more effectively and discuss data in new ways. For example, the ability to generate hyperlinks to specific date ranges will allow for quick sharing of information. Additionally, the team will work to maintain extensibility on the website by providing an API through which scientists can create additional plots and views for new types of data streams. These three new features (user forum style communication, hyperlinks to data ranges, and extended plotting capabilities) define the backbone of the second semester development effort, though additional functionality may be added as well if time permits.

6 Development Approach

While the team spent longer in the requirements and design phase than the normal agile process, we used agile development methods to create our prototype. During the first few weeks of the semester, our team fell into the same trap that occurs to many waterfall projects: we were overly focused on documentation and gathering of requirements at the expense of producing usable software. During this time, each new idea from us or our sponsor changed our potential design. After multiple weeks of working through design decisions and restructuring the design of our product, we moved to an agile methodology to produce a usable product.

Once we adopted agile development, our focus changed from producing a fully functional website to creating a core site with extensible code that can be later changed to add additional features. Our reasoning for adopting an agile process is to quickly produce a usable

site that our sponsors can use and provide feedback. From our core site, the sponsors and our team were able to identify the current features that need refinement and the next set of features that need to be implemented.

7 Design Overview and Decisions

a Modularity

For the prototype, each feature was programmed to be a separate module from the other features. This design allows for highly reusable code as the same item on different pages does not become duplicated code. For instance, our header at the top of the page is located in one file that is used throughout the site. Our team only needs to modify one file in order to change the behavior of the site. In addition, this design can aid in the implementation of subscription feeds later. The users could customize which views of the data they have through subscribing to different modules.

b Database

Our prototype database is hosted through SQLite and contains a mock version of the database we will use for the main site. This database contains all of the custom site information like user information, comments, and data feeds that users make.

In addition to the site specific data, the database stores consolidated information from the many outside databases that contain the data feeds for this project. The data from the telescope are stored in multiple different remote databases. The data germane to this project is a small subset of the total data and needs to be combined from the multiple databases. A query to select and join the relevant data from the many databases has too long of a response time for a positive user experience. To fix this slow consolidation of data, a script runs that imports the new data every few minutes. Once the data is processed and stored locally, the site can deliver the proper content quickly.

8 Technology and Tools

a Programming Languages

The development for this website uses many of the standard web-development languages. Front-end design is accomplished using HTML and CSS. Some client-side code is run with JavaScript, though this is minimal. The primary server-side language used is Python, in conjunction with a framework called Flask. We also have some scripts that run regularly to pull data from the MIT databases using PostgreSQL, and we use SQLite for the data we store locally on our server.

b Other Tools

The development environment used by the team is managed by Vagrant. Vagrant is a tool which allows teams to create specific virtual machines, allowing everyone to develop on their own machine but in environments with identical configurations. This allows the team to focus on the code and not on solving issues related to their specific configuration, which can be an issue with web development when users must simulate web servers on their workstations.


The version control tool chosen to manage our codebase is Git, with GitHub as a host and collaborative tool. Comments and issues on GitHub allow the team to communicate directly on the code. Slack, a team communication tool, was used to keep the development team connected. Standard email communication was used in conjunction with meetings to communicate with the sponsors.

9 Preliminary Results

Our primary deliverable for this semester is a small Web site that allows the user to browse data based on date ranges. It includes support for user accounts, which are added via the command line on the server. The user logs in with their username and password and is taken to the main screen that contains "Start" and "End" datetime selectors that are filled in with reasonable default values (the end time is the current UTC time and the start time is 24

hours prior). Clicking the "Get observations" button loads a table below that displays a list of observations that occurred in that range. Specifically, each entry in the table includes the observation's ID, name, and who scheduled the observation. Below this table is a graph that displays the status of the telescope's data pipeline during that range. This graph is a line graph that shows the total observation hours scheduled for the telescope versus how many hours have actually been observed, and how many hours' worth of observation data have been transferred from the telescope to databases at MIT. The graph is interactive; the user can toggle the data sets in the legend to choose which ones are shown in the graph.

The login page.



The data browsing page.

10 Problems and Risks

One potential problem our sponsor pointed out to us early on is that the queries we would need to make on the MIT database have the potential to place an enormous load on the server. We needed to consider these performance concerns when designing our application. Our sponsor pointed us to a RESTful API maintained by the team that takes care of the database which places a smaller load on the server but only offers certain queries. We've had to figure out how to design our application using these Web services as much as possible so we can avoid using direct database queries.

11 Summary of Tasks

a Connor Alfheim

i Team Presentation

Connor prepared and presented on the Design Overview content of the team presentation. He also offered suggestions for the lessons learned and tools section of the presentation during a mock team presentation.

ii Report

Connor was the primary contributor to the Development Approach and the Design Overview section of the report. He also helped edit and proofread the rest of the report.

iii Product

Connor aided in the design of the database for the prototype. He helped identify and narrow down the key elements of the site to be first implemented. He also actively participated in the initial development of the design and structure of the prototype.

iv Initialization Document

Connor helped proofread the Initialization Document and offered content suggestions.

v Team Management

Connor helped with team management by steering team meetings to the appropriate subjects and keeping the meetings on track. Connor made sure the proper topics at each meeting were addressed concisely and adequately.

b Ryan Dougherty

i Team Presentation

Ryan created the shareable Google Drive link for the presentation. Also, in addition to filling out my slides for the section in which he presented, Ryan also gave some feedback to the rest of the team on their slides. Also, when the entire team met to test how much time our presentation took in total, Ryan took account of time for each individual, such as who needed to talk more, who needed to talk less, and other suggestions.

ii Report

Ryan created the initial document that was shared among our group. He also contributed some ideas among the group as to what to include in the final report, such as how much detail was needed to include in sections of the report. Also, he helped review some of the sections that were written by the other group members, by fixing grammar errors, including more details, and fixing flow between paragraphs and separate sections. In addition, Ryan also wrote Sections #9 and #10.

iii Product

Ryan was mainly the “tester” of the group. As soon as a commit was made to the code repository, Ryan would pull the changes down from it and start up the virtual machine. If there were any problems with regard to features/usability that was seen in that pull, Ryan would create an issue/feature request on our repository on Github. After that, Ryan would then communicate with the rest of the team as to specifics of the issue/feature.

iv Initialization Document

Ryan, like in the team presentation, gave feedback on each other’s work in the initialization document.

v Team Management

Ryan helped team management by being helpful to the team in terms of being able to understand what is needed to move forward in the project, particularly in testing each version of (and commit to) the shared code repository.

c David Ganey

i Team Presentation

David contributed to the team presentation by completing the relevant slides. Additionally, he contributed to discussion in a team meeting before the presentation date. David was able to present his material succinctly within the unexpected time constraint at the end of the presentation, while maintaining clarity and making our goals for the next semester clear.

ii Report

David contributed much of the content to the final report. He set up the L^AT_EX skeleton (including the sections and table of contents) before beginning to write the executive summary, user stories, and use-case sections. He was also the primary contributor to the lessons learned, future work, and second semester components.

iii Product

David contributed to the development of the product in several ways. By taking detailed notes and asking questions at meetings with sponsors, he was able to identify a list of defined requirements to be implemented. He also assisted with troubleshooting the initial setup of the development environment. David also made a significant effort to review all code pushed, and to monitor the status of the repository to prevent issues with the version control.

iv Initialization Document

David contributed significantly to the initialization document. He created and added the use-case diagrams to the L^AT_EX document. He also edited the introduction, description, and milestones sections. He rewrote the user stories for resubmission of the document. Additionally, David promoted the feature-branch workflow by setting up a git branch for the initialization document. He made other miscellaneous fixes to tables and formatting as necessary.

v Team Management

David helped manage the team by being a point of contact between the team and the project sponsors. He frequently sent emails to the entire group to set up meetings and keep track of progress. As mentioned above, David also assisted with source code management by defining the git workflow.

d Dylan Lusi

i Team Presentation

Dylan contributed to the team presentation by completing the technology decisions and rationale slides. Also, he was able to effectively and clearly present the material before the class within two minutes by memorizing a script he had written.

ii Report

iii Product

Dylan contributed to the product by paying careful attention to the requirements of the sponsors during meetings and reviewing code in the github repo for potential errors.

iv Initialization Document

Dylan contributed by reviewing the rough draft for potential errors, and giving feedback.

v Team Management

Dylan deferred to the superior management of his teammates. He facilitated their management by attending, on time, every group meeting.

e Joseph North

i Team Presentation

Joseph contributed to the team presentation by producing and presenting the content in the Results section, including the video demonstrating the team's progress.

ii Report

iii Product

Joseph implemented the prototype, the primary project deliverable for the semester. He implemented the Vagrant virtual machine configuration, databases, and the backend and frontend layers of the site. Additionally, he produced documentation explaining the prototype's structure and how to get it up and running.

iv Initialization Document

Joseph wrote the introduction and conclusion sections of the project initialization document, and assisted in reformatting the user stories into the correct format prior to the document's resubmission.

v Team Management

Joseph improved the team's communication by recognizing that Facebook was lacking as a collaboration tool and getting the team set up on Slack. He managed the prototype development by putting together a requirements document and getting feedback on it from the project sponsors. Additionally, he kept the team up-to-date by writing up the weekly meeting summaries and action items and posting them to the team's website.

- f Ben Roos
- i Team Presentation
- ii Report
- iii Product
- iv Initialization Document
- v Team Management

12 Conclusions

a Success So Far

Our work on the project thus far has culminated in a prototype of the EoRLive website in which users can select a date range to restrict the data displayed in a graph, users can leave comments that are visible to other users, and users can save graphs before or after restricting the date range. This prototype demonstrates many of the features that we set out to implement in our first semester and will act as a template with which we can add features to version 3 of the EoRLive website.

b Lessons Learned

One of the primary lessons we learned was the difficulty of getting a project of this magnitude off the ground. While we consider ourselves a talented development team, it took a significant amount of time to identify the requirements, set up our development tools, and finally begin to create the product. We learned how difficult gathering requirements can be, in particular when gathering those requirements from users. Our sponsor suggested beginning with a prototype, which was very helpful. This allowed us to begin working quickly, without all the necessary pieces in place. In addition to learning the difficulty of beginning work, we learned how successful a prototype can be in jump-starting a development effort.

c Future Work

As seen above, we have big plans for the second-semester development effort. The goal of the team is to create a fully re-engineered version three of the website (currently on its second iteration). By adding these features to the full website, the team hopes to enhance the scientists' research capabilities and leave the door open for easy modification of the website in the future.