

# LCA data modeling Seth-Josh


## 1. Loading, setting up

## 2. Preparing data with a few teacher and student variables

None of the unit-specific variables included.


## 3. Choosing the number of classes/profiles

Using latent class analysis through the **poLCA** R package.



Based on this fit statistic—the Bayesian Information Criteria, which is just a transformation of the log-likelihood, and is usually recommended along with the AIC as one criterion for model selection—it looks like 3 and especially 4 or 5 class solutions seem reasonable.

#### 4. Examining 3, 4, and 5 class solutions




```
## Conditional item response (column) probabilities,
## by outcome variable, for each class (row)
##
## $sInvented
##      Pr(1) Pr(2)
## class 1: 0.8345 0.1655
## class 2: 0.7292 0.2708
## class 3: 0.0366 0.9634
##
## $sProcedural
##      Pr(1) Pr(2)
## class 1: 0.6037 0.3963
## class 2: 0.6160 0.3840
## class 3: 0.2835 0.7165
##
## $sConceptual
##      Pr(1) Pr(2)
## class 1: 0.1600 0.8400
## class 2: 0.9097 0.0903
## class 3: 0.2729 0.7271
##
## $tInitSelect
##      Pr(1) Pr(2)
```

```

## class 1: 0.9930 0.0070
## class 2: 0.9511 0.0489
## class 3: 0.5817 0.4183
##
## $tCompare
##           Pr(1) Pr(2)
## class 1: 0.8868 0.1132
## class 2: 0.9793 0.0207
## class 3: 0.5643 0.4357
##
## $tDiscussQ
##           Pr(1) Pr(2)
## class 1: 0.0046 0.9954
## class 2: 0.6341 0.3659
## class 3: 0.0478 0.9522
##
## $tConnectBigIdeas
##           Pr(1) Pr(2)
## class 1: 0.8126 0.1874
## class 2: 0.9951 0.0049
## class 3: 0.6765 0.3235
##
## $tConnectOthers
##           Pr(1) Pr(2)
## class 1: 0.9601 0.0399
## class 2: 0.9947 0.0053
## class 3: 0.8586 0.1414
##
## $tPressExplain
##           Pr(1) Pr(2)
## class 1: 0.3065 0.6935
## class 2: 0.9937 0.0063
## class 3: 0.2956 0.7044
##
## Estimated class population shares
## 0.3418 0.2668 0.3913
##
## Predicted class memberships (by modal posterior prob.)
## 0.3228 0.273 0.4042
##
## =====
## Fit for 3 latent classes:
## =====
## number of observations: 2813
## number of estimated parameters: 29
## residual degrees of freedom: 482
## maximum log-likelihood: -12400.05
##
## AIC(3): 24858.1
## BIC(3): 25030.41
## G^2(3): 973.5587 (Likelihood ratio/deviance statistic)
## X^2(3): 2279.987 (Chi-square goodness of fit)
##

```




```
## Conditional item response (column) probabilities,
## by outcome variable, for each class (row)
##
## $sInvented
##      Pr(1) Pr(2)
## class 1: 0.0259 0.9741
## class 2: 0.0528 0.9472
## class 3: 0.8365 0.1635
## class 4: 0.7772 0.2228
##
## $sProcedural
##      Pr(1) Pr(2)
## class 1: 0.5140 0.4860
## class 2: 0.2098 0.7902
## class 3: 0.6201 0.3799
## class 4: 0.6498 0.3502
##
## $sConceptual
##      Pr(1) Pr(2)
## class 1: 0.0951 0.9049
## class 2: 0.3518 0.6482
## class 3: 0.1507 0.8493
## class 4: 0.9259 0.0741
##
## $tInitSelect
##      Pr(1) Pr(2)
```

```

## class 1: 0.4704 0.5296
## class 2: 0.6232 0.3768
## class 3: 0.9938 0.0062
## class 4: 0.9670 0.0330
##
## $tCompare
##           Pr(1) Pr(2)
## class 1: 0.1027 0.8973
## class 2: 0.7076 0.2924
## class 3: 0.8829 0.1171
## class 4: 0.9820 0.0180
##
## $tDiscussQ
##           Pr(1) Pr(2)
## class 1: 0.0000 1.0000
## class 2: 0.0806 0.9194
## class 3: 0.0039 0.9961
## class 4: 0.6550 0.3450
##
## $tConnectBigIdeas
##           Pr(1) Pr(2)
## class 1: 0.2109 0.7891
## class 2: 0.8224 0.1776
## class 3: 0.8006 0.1994
## class 4: 0.9961 0.0039
##
## $tConnectOthers
##           Pr(1) Pr(2)
## class 1: 0.5536 0.4464
## class 2: 0.9446 0.0554
## class 3: 0.9575 0.0425
## class 4: 0.9952 0.0048
##
## $tPressExplain
##           Pr(1) Pr(2)
## class 1: 0.1073 0.8927
## class 2: 0.3858 0.6142
## class 3: 0.3013 0.6987
## class 4: 0.9995 0.0005
##
## Estimated class population shares
## 0.0813 0.3341 0.3384 0.2461
##
## Predicted class memberships (by modal posterior prob.)
## 0.075 0.3466 0.3374 0.241
##
## =====
## Fit for 4 latent classes:
## =====
## number of observations: 2813
## number of estimated parameters: 39
## residual degrees of freedom: 472
## maximum log-likelihood: -12241.13
##

```

```
## AIC(4): 24560.26
## BIC(4): 24792
## G^2(4): 655.7218 (Likelihood ratio/deviance statistic)
## X^2(4): 959.092 (Chi-square goodness of fit)
##
```



```
## Conditional item response (column) probabilities,
## by outcome variable, for each class (row)
##
## $sInvented
##      Pr(1) Pr(2)
## class 1: 0.0366 0.9634
## class 2: 0.1246 0.8754
## class 3: 0.9436 0.0564
## class 4: 0.8732 0.1268
## class 5: 0.0141 0.9859
##
## $sProcedural
##      Pr(1) Pr(2)
## class 1: 0.2614 0.7386
## class 2: 0.2635 0.7365
## class 3: 0.7358 0.2642
## class 4: 0.6157 0.3843
## class 5: 0.7570 0.2430
##
## $sConceptual
```

```


##           Pr(1) Pr(2)
## class 1:  0.2486 0.7514
## class 2:  0.7499 0.2501
## class 3:  0.9445 0.0555
## class 4:  0.1590 0.8410
## class 5:  0.0597 0.9403
##
## $tInitSelect
##           Pr(1) Pr(2)
## class 1:  0.6360 0.3640
## class 2:  0.7365 0.2635
## class 3:  0.9920 0.0080
## class 4:  0.9913 0.0087
## class 5:  0.2043 0.7957
##
## $tCompare
##           Pr(1) Pr(2)
## class 1:  0.5838 0.4162
## class 2:  0.9429 0.0571
## class 3:  0.9861 0.0139
## class 4:  0.8845 0.1155
## class 5:  0.0000 1.0000
##
## $tDiscussQ
##           Pr(1) Pr(2)
## class 1:  0.0251 0.9749
## class 2:  0.4783 0.5217
## class 3:  0.6520 0.3480
## class 4:  0.0055 0.9945
## class 5:  0.0000 1.0000
##
## $tConnectBigIdeas
##           Pr(1) Pr(2)
## class 1:  0.6948 0.3052
## class 2:  0.9839 0.0161
## class 3:  0.9984 0.0016
## class 4:  0.8097 0.1903
## class 5:  0.1034 0.8966
##
## $tConnectOthers
##           Pr(1) Pr(2)
## class 1:  0.9290 0.0710
## class 2:  0.9550 0.0450
## class 3:  0.9993 0.0007
## class 4:  0.9563 0.0437
## class 5:  0.0000 1.0000
##
## $tPressExplain
##           Pr(1) Pr(2)
## class 1:  0.2681 0.7319
## class 2:  0.8770 0.1230
## class 3:  1.0000 0.0000
## class 4:  0.3124 0.6876
## class 5:  0.0214 0.9786

```


```


##
## Estimated class population shares
## 0.3382 0.1157 0.1899 0.3295 0.0266
##
## Predicted class memberships (by modal posterior prob.)
## 0.3726 0.1013 0.1927 0.3057 0.0277
##
## =====
## Fit for 5 latent classes:
## =====
## number of observations: 2813
## number of estimated parameters: 49
## residual degrees of freedom: 462
## maximum log-likelihood: -12169.39
##
## AIC(5): 24436.79
## BIC(5): 24727.95
## G^2(5): 512.2494 (Likelihood ratio/deviance statistic)
## X^2(5): 761.12 (Chi-square goodness of fit)
##


```













```
## $title
## [1] "3 class/profile solution"
##
## $subtitle
## NULL
##
## attr("class")
## [1] "labels"
```



```
## $title
## [1] "4 class/profile solution"
##
## $subtitle
## NULL
##
## attr("class")
## [1] "labels"
```



```
## $title
## [1] "5 class/profile solution"
##
## $subtitle
## NULL
##
## attr("class")
## [1] "labels"
```