

# Adobe CC Presenter

## Description

A screencasting software targeted towards the learning professionals and trainers. In addition to recording one's computer desktop and speech, it also provides the option to add quizzes and track performance by integrating with learning management systems.

Package Notes/Comments – Copy to all **Notes/Comments** sections in SCCM creating package. Enterprise license package. Creative Cloud Enterprise license key included with installer.

Note: Requires Microsoft Office 2010 Professional Plus to be present on the system as it needs the 32-bit version of PowerPoint to install.

Source file location:

\\server\share\ccPackages\win\ccPresenter

Copy source files to:

\\server\share\Sources\Software Vault\Adobe Creative Cloud\ccPresenter

Import *Presenter.msi* into SCCM Client Applications as a *Script Installer*.

Create a PowerShell script, *AdobeCC\_Presenter\_Uninstall.ps1*, to uninstall Presenter.

## **Installation program:**

msiexec /i "Presenter.msi" /qn

## **Uninstall program:**

Powershell.exe –executionpolicy Bypass –file "AdobeCC\_Presenter\_Uninstall.ps1"

**Detection Method:** Registry key exists.

Registry hive: HKLM

Registry key: SOFTWARE\Wow6432Node\Microsoft\Windows\CurrentVersion\Uninstall\{AABAC03B-D6A3-11E2-B4B8-922E8DCBB854}

## **User Experience:**

Behavior: Install for system

Logon: Whether or not a user is logged on

Visibility: Hidden

Enforce: No specific action

**Dependencies** (list redistributables, runtime, etc., available for install with SCCM):

Microsoft Office 2010 Pro Plus

## Notes

GUID: {AABAC03B-D6A3-11E2-B4B8-922E8DCBB854} (32-bit)

Registry key or file path (used to check if application is installed):

HKEY\_LOCAL\_MACHINE\SOFTWARE\Wow6432Node\Microsoft\Windows\CurrentVersion\Uninstall\{AABAC03B-D6A3-11E2-B4B8-922E8DCBB854}

UninstallString (determines uninstall method to use):

C:\Program Files (x86)\Common Files\Adobe\OOBE\PDApp\core\PDApp.exe --appletID="DWA\_UI" --appletVersion="2.0" --mode="Uninstall" --mediaSignature="{AABAC03B-D6A3-11E2-B4B8-922E8DCBB854}"

DisplayName: Adobe Presenter 9.0

DisplayVersion: 9.0.2

Manufacturer: Adobe Systems Incorporated

### AdobeCC\_Presenter\_Uninstall.ps1

```
<#
.SYNOPSIS
    SCCM Uninstall program for Adobe Presenter Creative Cloud

.DESCRIPTION
    Remove the following component(s) from window 7 x64 systems:
    - Adobe Presenter 9.0

.NOTES
    FileName: AdobeCC_Presenter_Uninstall.ps1
    Author: Jerry Senff
    Updated: 02/26/2019
    Comments: Powershell.exe -executionpolicy bypass -file
    "AdobeCC_Presenter_Uninstall.ps1"
#>

# Error file
$startLocation = Get-Location
$err=@()
$errorpath = '\ErrorLogs\AdobeCC_Presenter_Uninstall.txt'
$errFileLocation = ${env:SystemDrive} + $errorpath

# Uninstall variables - Adobe Presenter Creative Cloud
$AdobeUninstaller = ('' + ${env:ProgramFiles(x86)} + '\Common
Files\Adobe\OOBE\PDApp\core\PDApp.exe')
$ccPresenterParams = '--appletID="DWA_UI" --appletVersion="2.0" --mode="Uninstall" --
mediaSignature="{AABAC03B-D6A3-11E2-B4B8-922E8DCBB854}"'
$ccPresenterRegkey =
'HKLM:SOFTWARE\Wow6432Node\Microsoft\Windows\CurrentVersion\Uninstall\{AABAC03B-D6A3-
11E2-B4B8-922E8DCBB854}'

Write-Host ""
Write-Host "***** Adobe ccPresenter Uninstaller
*****"
Write-Host ""
Write-Host "Purpose: Uninstall Adobe ccPresenter"
Write-Host ""

# Uninstalls Adobe ccPresenter
set-location $startLocation
Write-Host
*****
Write-Host ""
Write-Host "Checking for Adobe ccPresenter installation...*"
Write-Host ""

If ((Test-Path -Path $ccPresenterRegkey) -eq 'True')
```

```
{
    Write-Host "      Adobe ccPresenter is installed."
    Write-Host ""
    Write-Host "Uninstalling Adobe ccPresenter..."
    Write-Host ""
    Write-Host "Command: " $AdobeUninstaller $ccPresenterParams
    Write-Host ""
    Start-Process -FilePath $AdobeUninstaller -ArgumentList $ccPresenterParams -
ErrorVariable +err -Verb Open -Wait
    Write-Host ""
    Write-Host "      Adobe ccPresenter uninstall complete."
    Write-Host ""
}
Else
{
    Write-Host "      Adobe ccPresenter not installed."
    Write-Host ""
}

Start-Sleep 5

$err | Out-File $errFileLocation
Write-Host "*** Log file location = " $errFileLocation " ***"

Start-Sleep 5
```