

# Geocomputation

## Cartography and Visualisation



# Where are we at?

## *Part I: Foundational Concepts*

W1 Geocomputation: An Introduction


W2 GIScience and GIS Software

W3 **Cartography and Visualisation**



QGIS

W4 Programming for Data Analysis




R

W5 Programming for Spatial Analysis

This week

**BRACE YOURSELF**



**A LOT OF INFORMATION IS  
COMING**

memegenerator.net

# This week

## *Part I: Positioning the map*


- Coordinate Reference Systems and Projectionsd

## *Part II: Making maps*

- Types of maps, specifically the choropleth map
- Map conventions

# *Part I: Positioning the map*

# Positioning the map



Source: GAO.

# Positioning the map


- Spatial data includes numerical information that allows you to position it on earth.
- These numbers are part of a coordinate system that provides a frame of reference for your data, to locate features on the surface of the earth, to align your data relative to other data, to perform spatially accurate analysis, and to create maps.
- How does this work?

# Positioning the map

To be able to locate, integrate and visualise spatial data accurately within a GIS system or digital map, spatial data needs to have two things:

- Coordinate Reference System (CRS) / Geographic Coordinate System (GCS)
- Map Projection / Projected Coordinate System (PCS)

# Representing the globe




# Representing the globe

- Representing the earth's true shape, the geoid, as a mathematical model is crucial for a GIS environment.
- The earth is not a perfect sphere (although this makes calculations much easier), but more closely resembles an **ellipsoid**.
- In GIS we use a reference ellipsoid as an approximation of the surface of the earth. A reference ellipsoid is a mathematically-defined surface that roughly matches the model of the earth when its topographical features are removed.


# Representing the globe

- Once we have the reference ellipsoid, we can try to align the geoid with the reference ellipsoid representation of the earth and to map the earth's surface features onto the reference ellipsoid.
- Because a reference ellipsoid is an approximation, there are locations where an ellipsoid exactly matches the geoid and there are locations where an ellipsoid is way off.

# Aligning the geoid with the reference ellipsoid



# Aligning the geoid with the reference ellipsoid




# Geographic Coordinate Systems

- The alignment can be local where the ellipsoid surface is closely fit to the geoid at a particular location on the earth's surface or geocentric where the ellipsoid is aligned with the center of the earth.
- How one chooses to align the ellipsoid to the geoid defines a **datum**.
- The combination of a geoid, reference ellipsoid and the way these two are aligned (the datum) is called a Geographic Coordinate System (GCS).
- A Geographic Coordinate System (GCS) defines **where** the data is located on the earth's surface using latitudes and longitudes.

# Projected Coordinate Systems

- Where a Geographic Coordinate System (GCS) defines where the data is located on the earth's surface, a Projected Coordinate System (PCS) defines how to draw the data on a flat surface.
- A GCS is round, and so records locations in angular units (usually degrees). A PCS is flat, so it records locations in linear units (usually meters) on a cartesian plane.


# Projected Coordinate Systems



# Projected Coordinate Systems

- A PCS is a reference system for identifying locations and measuring features on a flat (map) surface.
- Going from a GCS to a PCS requires mathematical transformations.
- Many ways of doing this, but there are three groups: planar, conical, and cylindrical.

# Projected Coordinate Systems




# Projected Coordinate Systems

- All projections distort real-world geographic features in terms of shape, area, distance, or direction.
- Each map projection is good at preserving only one or two of the four spatial properties.

# Projected Coordinate Systems


- Probably the most in(famous) projection to represent the world on a flat surface is the **Mercator projection**. Often used on the web.
- However: it exaggerates the size of countries near the poles, while downplaying the size of those near the equator.

# Projected Coordinate Systems



Grafonaut  
[youtu.be/CPQZ7NcQ6YQ](https://youtu.be/CPQZ7NcQ6YQ)  
[/u/alooofloofah](https://www.reddit.com/r/MapPorn/comments/1000000/)

# Projected Coordinate Systems



Alasdair Rae. <https://automaticknowledge.co.uk/>

# Projected Coordinate Systems



Alasdair Rae. <https://automaticknowledge.co.uk/>

# Projected Coordinate Systems

Effective visualisation of the effects of the Mercator projection on individual countries:

<https://thetruesize.com/>

# Working with GCS and PCS

- World Geodetic System 1984 (WGS 1984) is designed as a one-size-fits-all GCS, good for mapping global data. But may not be the best option locally. Uses latitude and longitude.
- British National Grid PCS is based on UTM (Universal Transverse Mercator); one of the advantages of the U.K. national grid over the global UTM coordinate system is that it eliminates the boundary between different UTM zones.
- For large countries or areas, different regions may need different projections.
- Existing data sources will typically already have a GCS and projection assigned; make sure that when combining different sources, the projections are the same.

# Working with GCS and PCS


- Details of projection are often contained in an **EPSG Code**. The EPSG registry is a public registry of geodetic datums, spatial reference systems, Earth ellipsoids, coordinate transformations and related units of measurement.
- EPSG: 4326            WGS84 (often used for GPS coordinates)
- EPSG: 27000            British National Grid
- Spatial datasets can be transformed from one GCS or PCS to another: “reprojected”

## *Part II: Making maps*


# Types of maps

- Topographic maps: indicate features of the land's surface (e.g. mountains, hills, valleys, rivers).
- Thematic maps: graphical outputs that typically show geographic patterns of a particular theme in a geographic area.


# Topographic maps



# Classification of Urban Morphology



# Index of Multiple Deprivation in England




# Choropleth maps

- A choropleth map is a thematic map in which areas are shaded or patterned in proportion to the measurement of the statistical variable being displayed on the map.
- Pretty much the most common style of map you will encounter or produce.
- Shows two types of data: categorical or continuous


# Mapping categorical data

- 'Individual' colours for unique values in the data, no gradient!
- Descriptive legends to help interpret colours.
- Colours can be ordered to infer rank for ordinal data.

# Mapping categorical data




# Mapping categorical data



# Mapping continuous data

- Continuous values divided into classes – spatial equivalent of a histogram.
- Number of classes dependent on data (number of bins).
- Utilise data distribution (via histogram) to determine best classification approach (how to bin) and breaks.
- Approach to classification will be determined by distribution of data (how to bin?).
- Always a trade-off between information loss and readability / simplicity.


# Mapping continuous data




# Equal interval

- Take the range of the data values to represent and split it into equal intervals.
- Splits are based on the numerical value.
- If distribution is skewed: more weight to outliers.

# Equal interval




# Equal interval




# Natural breaks

- Based on minimisation of each class's average deviation from the class mean and maximisation of each class's deviation from the means of the other classes.
- Splits are based on data clustering.
- If distribution is skewed: outliers in own class (although dependent on number of classes).

# Natural breaks




# Natural breaks




# Quantiles

- Split the distribution keeping the same number of values in each bin.
- Splits are based on the rank of the value.
- If distribution is skewed: very different values can be binned together.

# Quantiles




# Quantiles




# Pretty

- Split the distribution using a series of rounded values.
- Splits are not based on data or distribution.
- If distribution is skewed: bins with a low number of values.





# Pretty



# Pretty




# Different classifications, different maps




# Standardisation

- Plotting raw numbers in choropleth maps should be avoided (almost all of the time).
- Standardisation can be achieved by dividing the variable of interest (numerator) by some standardising variable (denominator) – e.g. total population, area etc.

# Standardisation



# Standardisation



# Map conventions


All maps should have a:

- Title
- Legend
- Scale bar / scale text
- North arrow
- And: attribution and data sources

Optional:

- Text and labels – sometimes important for context, sometimes distracting!

# Map conventions



# Effective data visualisation is hard

- Requires the combination of good analysis and good visualisation. **GIGO.**
- What is the map trying to accomplish?
- Is the map suited to the audience?
- Have you included sufficient attribution information for data sources etc.?
- What are the likely impressions of the map?
- Are the data appropriate for the map's purpose?
- Does the symbolisation reflect the character of the phenomenon?
- Is the level of generalisation appropriate?

# Conclusion

## *Part I*

- GCS and PCS are essential for GIS as they determine how spatial layers are linked to the earth.

## *Part II*

- To design a good map, lots of choices have to be made: type of map, type of classification, standardisation, colours.
- Good maps adhere to the map conventions: elements that should all be present on a map such as title, legend, scale bar.

# Questions

Justin van Dijk

j.t.vandijk@ucl.ac.uk

