


# Data, Politics and Society

## W5 – Data and the Environment



# Where we at?

W1

W2

W3


Data: The Good, The Bad, The Ugly

W4

W5

Societal and environmental impacts of data and technology

# Algorithms of oppression



Safiya Noble 2020

# Today

- Climate crisis
- Role of data and technology
- Responsible data science

# Climate crisis

Toxic air pollution particles found in lungs and brains of unborn babies

Particles breathed by mothers pass to their vulnerable foetuses, with potentially lifelong consequences



Researchers found that tiny particles of air pollution, such as from smog in London, have been found to cross the blood-brain barrier. Photograph: Nicholas T Ansell/PA

Toxic air pollution particles have been found in the lungs, livers and brains of unborn babies, long before they have taken their first breath. Researchers said their "groundbreaking" discovery was "very worrying", as the gestation period of foetuses is the most vulnerable stage of human development.

Thousands of black carbon particles were found in each cubic millimetre of tissue, which were breathed in by the mother during pregnancy and then passed through the bloodstream and placenta to the foetus.

# Climate crisis

Climate crisis made summer drought 20 times more likely, scientists find

Record northern hemisphere drought in 2022 hit crops and power stations, worsening food and energy crises




Cracked soil at Alto Rabagao dam in northern Portugal. The dry conditions caused water shortages and wildfires across North America, Europe and Asia. Photograph: Jose Coelho/EPA

The climate crisis made the record drought across the northern hemisphere this summer at least 20 times more likely, scientists have calculated. Without human-caused global heating, the event would have been expected only once every four centuries.

The drought hit crop production and power supplies, exacerbating the food and energy crises already sparked by Russia's war in Ukraine. Droughts will become even more severe and more frequent unless the burning of fossil fuels is phased out, the research found.

# Climate crisis



# Climate crisis



# Climate crisis

Climate crisis makes extreme Indian heatwaves 100 times more likely - study

Latest analysis adds to evidence that the impacts of human-caused global heating are already damaging many lives around the world



New Delhi, India, experiences record-high temperatures. Photograph: Anushree Fadnavis/Reuters

Record-breaking heatwaves in north-west India and [Pakistan](#) have been made 100 times more likely by the climate crisis, according to scientists. The analysis means scorching weather once expected every three centuries is now likely to happen every three years.

The region is currently suffering intense heat, with the Indian capital New [record on Sunday above 49C](#) and the peak temperature in

Waiting for securepubads.g.doubleclick.net...

# Climate crisis

G South Africa's April floods made twice as likely by climate crisis, scientists say

the guardian.com/environment/2022/may/13/south-africa-floods-climate-crisis-global-heating

Climate crisis

This article is more than 4 months old

## South Africa's April floods made twice as likely by climate crisis, scientists say

Brutal heatwave in India and Pakistan also certain to have been exacerbated by global heating, scientists say

Damian Carrington  
Environment editor  
@dparrington  
Fri 13 May 2022 12.01 BST

f t e



A temple in Chatsworth, outside Durban, was severely damaged by the flooding in April.  
Photograph: AP

The massive and deadly floods that struck **South Africa** in April were made twice as likely and more intense by global heating, scientists have calculated. The research demonstrates that the climate emergency is resulting in devastation.

Catastrophic **floods and landslides** hit the South African provinces of KwaZulu-Natal and Eastern Cape on 11 April following exceptionally heavy

# Climate crisis



# Climate crisis

G 'I'm not very well and I need heat' x +  
the guardian.com/uk-news/2022/oct/26/warm-banks-open-wolverhampton-cost-of-living-crisis

**Wolverhampton**

**'I'm not very well and I need heat': at the warm bank in Wolverhampton**

Warm spaces open amid cost of living crisis in area with country's highest rate of fuel poverty



People at one of 38 warm banks opening across Wolverhampton. Photograph: Graeme Robertson/The Guardian

A big poster outside the Bob Jones Community Hub in **Wolverhampton** proclaims "I'm a warm space" and offers people free hot drinks, phone charging points and place to keep warm for as long as they like.

It is one of 38 [warm banks](#), branded as Warm Spaces, opening across the city this week in preparation for a cold winter amid the cost of living crisis, in a local authority with the highest rate of fuel poverty in the country.

"I'm proud but embarrassed to be doing this," said Ian Brookfield, the Labour

# Climate crisis

G Climate crisis: UN finds 'no credible pathway to 1.5C in place'

the guardian.com/environment/2022/oct/27/climate-crisis-un-pathway-1-5-c

## Climate crisis

### Climate crisis: UN finds 'no credible pathway to 1.5C in place'

Failure to cut carbon emissions means 'rapid transformation of societies' is only option to limit impacts, report says




A firefighter sets fire to land in an attempt to prevent wildfires from spreading in Gironde, south-west France. A rise in global temperature of 1C to date has already contributed to climate disasters. Photograph: Thibaud Moritz/AFP/Getty Images

There is "no credible pathway to 1.5C in place", the UN's environment agency has said, and the failure to reduce carbon emissions means the only way to limit the worst impacts of the climate crisis is a "rapid transformation of societies".

The [UN environment report](#) analysed the gap between the CO<sub>2</sub> cuts pledged by countries and the cuts needed to limit any rise in global temperature to 1.5C, the internationally agreed target. Progress has been "woefully inadequate" it concluded.

Current pledges for action by 2030, if delivered in full, would mean a rise in global heating of about 2.5C and catastrophic extreme weather around the

# Climate crisis



showyourstripes.info, created by Ed Hawkins

# Local resistance

Low-traffic schemes are driving congestion and pollution

**Hilary Walker, Simon Jones and Lois Keith** on how low-traffic neighbourhoods are blighting the lives of many residents. Plus a letter from **Alun Gordon** on how LTNs have helped his east London community



A low-traffic zone in Hackney, east London. Photograph: Graeme Robertson/The Guardian

George Monbiot overplays the delights of the community effect of low-traffic neighbourhoods in Oxford and underplays their disadvantages ([Ignore the culture warriors - low traffic neighbourhoods don't close streets, they liberate them, 3 August](#)). Those living in the arterial roads, which now contain higher volumes of traffic often at a standstill, are experiencing high levels of pollution. The air quality in Hackney is among the worst in the country.

# Local resistance

G Spat at, abused and run off the road...  
theguardian.com/lifeandstyle/2022/aug/30/why-do-some-people-hate-cyclists-so-much

Cycling



Helen Pidd


Tue 30 Aug 2022 05.57 BST

f t e


**Spat at, abused and run off the road:  
why do some people hate cyclists so  
much?**

Why do drivers not thank us? ... Helen Pidd cycling in Manchester city centre. Photograph: Christopher Thomond/The Guardian

# Climate crisis?



# Climate crisis?




# Data and technology

Although the transport sector is still one of the larger contributors to greenhouse gas emissions, the climate impact of information and communication technologies has been rapidly increasing.

# Data and technology

The computer chip industry has a dirty climate secret

As demand for chips surges, the semiconductor industry is trying to grapple with its huge carbon foot print



A TSMC chip wafer. The semiconductor industry is starting to reckon with its big climate footprint. Photograph: Taiwan Semiconductor Manufacturing Company

**T**he semiconductor industry has a problem. Demand is booming for silicon chips, which are embedded in everything from smartphones and televisions to wind turbines, but it comes at a big cost: a huge carbon footprint.

The industry presents a paradox. Meeting global climate goals will, in part, rely on semiconductors. They're integral to electric vehicles, solar arrays and wind turbines. But chip manufacturing also contributes to the climate crisis.

# Data and technology

The screenshot shows a web browser displaying an article from the journal *Scientific Reports*. The article title is "Economic estimation of Bitcoin mining's climate damages demonstrates closer resemblance to digital crude than digital gold". It is authored by Benjamin A. Jones, Andrew L. Goodkind, and Robert P. Berrens, published in *Scientific Reports* 12, Article number: 14512 (2022). The abstract discusses economic estimates of climate damages from Bitcoin mining, noting that damages are increasing, exceed the price of each coin created, and are comparable to those from beef production and crude oil burning.

**Abstract**

This paper provides economic estimates of the energy-related climate damages of mining Bitcoin (BTC), the dominant proof-of-work cryptocurrency. We provide three sustainability criteria for signaling when the climate damages may be unsustainable. BTC mining fails all three. We find that for 2016–2021: (i) per coin climate damages from BTC were increasing, rather than decreasing with industry maturation; (ii) during certain time periods, BTC climate damages exceed the price of each coin created; (iii) on average, each \$1 in BTC market value created was responsible for \$0.35 in global climate damages, which as a share of market value is in the range between beef production and crude oil burned as gasoline, and an order-

Download PDF

Sections Figures References

Abstract Introduction Results Discussion Methods Data availability References Acknowledgements Author information Ethics declarations Additional information Supplementary Information

# Data and technology

- Natural resources
- Data centres responsible for data storage and processing

# Natural resources

A collage of electronic waste, including broken smartphones and circuit boards, illustrating the environmental impact of manufacturing.


# Data centres



# Data centres

- Siddik *et al.* 2021
- Data are stored in large data centers.
- Large amounts of energy required: 1.8% of electricity use in the US.
- Large amounts of greenhouse gas emissions: 0.5% of total emissions in US.
- Energy demand is between 15-100 times as large as those of typical commercial buildings.

# Data centres



# Data centres

Siddik *et al.* 2021:

"Though the amount of data center computing workloads has increased nearly 550% between 2010 and 2018, data center electricity consumption has only risen by 6% due to dramatic improvements in energy efficiency and storage-drive density across the industry. However, it is unclear whether energy efficiency improvements can continue to offset the energy demand of data centers as the industry is expected to continue its rapid expansion over the next decade."

# Data centres

- Current estimate that the tech sector contribute around 3% of global greenhouse, of which around 45% can be attributed to data centers.
- At the same time: lack of transparency on the share of green and dirty energy being used.
- Some estimated that the wider tech industry's carbon footprint could increase to 14% of global emissions by 2040; think crypto currency, energy intensive 5G networks, autonomous vehicles, Internet of Things.

# Data centres

But it is not only the storage and access of data; data processing with **data hungry** and computationally intensive models is having a growing influence.

# Data centres

- Strübel *et al.* 2019
- Training a state-of-the-art model now requires substantial computational resources which demand considerable energy.
- Research and development of new models multiplies these costs by thousands of times by requiring **retraining to experiment** with model architectures and hyperparameters.
- Estimated carbon footprint from training a large Natural Language Processing model: 300,000 kilograms.

# Data centres

| <b>Consumption</b>              | <b>CO<sub>2</sub>e (lbs)</b> |
|---------------------------------|------------------------------|
| Air travel, 1 passenger, NY↔SF  | 1984                         |
| Human life, avg, 1 year         | 11,023                       |
| American life, avg, 1 year      | 36,156                       |
| Car, avg incl. fuel, 1 lifetime | 126,000                      |
| <b>Training one model (GPU)</b> |                              |
| NLP pipeline (parsing, SRL)     | 39                           |
| w/ tuning & experimentation     | 78,468                       |
| Transformer (big)               | 192                          |
| w/ neural architecture search   | 626,155                      |

Table 1: Estimated CO<sub>2</sub> emissions from training common NLP models, compared to familiar consumption.<sup>1</sup>

# Data centres


| Consumer      | Renew. | Gas | Coal | Nuc. |
|---------------|--------|-----|------|------|
| China         | 22%    | 3%  | 65%  | 4%   |
| Germany       | 40%    | 7%  | 38%  | 13%  |
| United States | 17%    | 35% | 27%  | 19%  |
| Amazon-AWS    | 17%    | 24% | 30%  | 26%  |
| Google        | 56%    | 14% | 15%  | 10%  |
| Microsoft     | 32%    | 23% | 31%  | 10%  |

Table 2: Percent energy sourced from: Renewable (e.g. hydro, solar, wind), natural gas, coal and nuclear for the top 3 cloud compute providers (Cook et al., 2017), compared to the United States,<sup>4</sup> China<sup>5</sup> and Germany (Burger, 2019).

# Data processing tools

- Increased accessibility in terms of using cloud-distributed computing and move away from laptop/desktop-based calculations.
- Lots of tools are part of a typical data science workflow.


# Data processing tools



A screenshot of a GitHub repository page for 'jtvdnijk / GEOG0163'. The repository is public and contains one file, 'index.html'. The file has 475 lines (419 sloc) and is 28.6 KB in size. The code is displayed in a monospaced font, showing HTML and CSS. The commit history shows a single commit from 'jtvdnijk' adding an optional article w05, with a timestamp of 34 minutes ago.

```
1 <!DOCTYPE html>
2 <html lang="en">
3
4 <head>
5
6 <meta charset="utf-8">
7 <meta content="width=device-width, initial-scale=1.0" name="viewport">
8
9 <title>Data, Politics and Society</title>
10
11 <!-- google fonts -->
12 <link href="https://fonts.googleapis.com/css?family=Open+Sans:300,300i,400,400i,600,600i,700,700i|Raleway:300,300i,400,400i,500,500i,600,600i,700,700i|Poppins" rel="stylesheet">
13
14 <!-- css -->
15 <link href="assets/vendor/bootstrap/css/bootstrap.min.css" rel="stylesheet">
16 <link href="assets/vendor/aos/aos.css" rel="stylesheet">
17 <link href="assets/css/style.css" rel="stylesheet">
18
19 </head>
20
21 <body>
22
23 <!-- landing -->
```

# Data processing tools



A screenshot of a macOS terminal window titled "justinvandijk — justin@localhost: ~ — ssh justin@mappingdutchman.com — 80x24". The window shows system status and upgrade information.

```
Usage of /:           43.6% of 24.06GB
Memory usage:        27%
Swap usage:          36%
Processes:           139
Users logged in:    0
IPv4 address for eth0: 178.79.153.239
IPv6 address for eth0: 2a01:7e00::f03c:92ff:fea1:fbcf

* Super-optimized for small spaces - read how we shrank the memory
  footprint of MicroK8s to make it the smallest full K8s around.

https://ubuntu.com/blog/microk8s-memory-optimisation

34 updates can be applied immediately.
33 of these updates are standard security updates.
To see these additional updates run: apt list --upgradable

New release '22.04.1 LTS' available.
Run 'do-release-upgrade' to upgrade to it.

*** System restart required ***
Last login: Fri Oct 21 12:21:40 2022 from 128.40.199.69
justin@localhost:~$
```

# Data processing tools

The screenshot shows a Jupyter Notebook interface titled "arch.ipynb" running on Google Colab. The notebook content is as follows:

- GPU Architecture**: A section containing text about GPU performance, architecture comparison, and a note about the Tesla T4 GPU.
- Terminal Output**: A command-line interface showing the output of the command `!nvidia-smi -q -i 0 | grep "Product Name"`, which returns "Product Name : Tesla T4".
- Streaming Multiprocessor**: A diagram illustrating the internal structure of an SM. It shows four identical blocks, each containing:
  - A "Fetch / Decoder" unit.
  - Four "FP32" units labeled "x16".
  - Two "Tensor Core" units labeled "x2".
  - "Registers" at the bottom.Below these blocks is a horizontal bar labeled "(GKGD)".

# What can we do?

What else can we do in a research context to reduce our environmental impact?


# What can we do?

- Strübel *et al.* 2019
- Authors should report training time and sensitivity to hyperparameters.
- Academic researchers need equitable access to computation resources.
- Researchers should prioritize computationally efficient hardware and algorithms.

# What can we do?

- Improvements in the field of AI: object recognition, game playing, speech recognition, and machine translation.
- The computational costs of state-of-the art AI research has increased 300,000x recent years: prioritising accuracy over efficiency. **Red AI.**


# What can we do?



Schwartz *et al.* 2020

# What can we do?

**Figure 2. AI papers tend to target accuracy rather than efficiency. The figure shows the proportion of papers that target accuracy, efficiency, both or other from a random sample of 60 papers from top AI conferences.**



Schwartz *et al.* 2020

# What can we do?

The screenshot shows the AI2 Leaderboards by Allen website. The top section features the "HellaSwag: Can a Machine Really Finish Your Sentence?" challenge, which is a featured DARPA leaderboard. It includes a brief description of the dataset, a "View submissions" button, and statistics: 37 Submissions, Top score: 0.9594, Updated: 10/19/2022. To the right is a decorative graphic of colored geometric shapes. Below this are two more challenges: "iTHOR 1-Phase Rearrangement Challenge (2021)" and "iTHOR 1-Phase Rearrangement Challenge (2022)". Each challenge has a small diagram illustrating the task, a brief description, and submission statistics.

**HellaSwag: Can a Machine Really Finish Your Sentence?**

HellaSWAG is a dataset for studying grounded commonsense inference. It consists of 70k multiple choice questions about grounded situations: each question comes from one of two domains -- activitynet or wikihow -- with four answer choices about what might happen next in the scene. The correct answer is the (real) sentence for the next event; the three incorrect answers are adversarially generated and human verified, so as to fool machines but not humans.

[View submissions](#) • 37 Submissions • Top score: 0.9594 • Updated: 10/19/2022

**iTHOR 1-Phase Rearrangement Challenge (2021)**

Welcome to the 2021 AI2-THOR Rearrangement Challenge hosted at the CVPR'21 Embodied-AI Workshop. The goal of this challenge is to build a model/agent that, given input RGB and depth images, rearranges objects within the simulated AI2-THOR environment in order to restore them to an initial configuration. There are two versions of this challenge, a 1-phase variant and a 2-phase variant. This leaderboard is associated with the (easier) 1-phase variant.

7 Submissions  
Top score: 0.1725  
Updated: 11/12/2021

**iTHOR 1-Phase Rearrangement Challenge (2022)**

Welcome to the 2022 AI2-THOR Rearrangement Challenge hosted at the CVPR'22 Embodied-AI Workshop. The goal of this challenge is to build a model/agent that, given input RGB and depth images, rearranges objects within the

4 Submissions  
Top score: 0.2417

# What can we do?

- Transfer learning
- Efficiency of coding language
- Be aware of diminishing returns
- Together: Green AI?

# How to measure efficiency?

- Carbon emissions
- Electricity usage
- Elapsed real time
- Number of parameters
- Reporting on number of floating-point operations
- Workflow?

# What can we do?


## Task

- For each Output Area in Great Britain, calculate the average accessibility by unit postcode to the nearest supermarkets or vegetable shops with fresh foods.


## Data

- 2.5 million postcodes in Great Britain
- 3.7 million individual road segments in Great Britain

# What can we do?



# What can we do?



# What can we do?

Take 3 minutes to discuss with your neighbour how you would approach this with the idea of efficiency in mind.

What can we do?

What can we do?

# Conclusion

- The climate crisis is real and it is here.
- Massive impact of the "information society" not only in terms of natural resources needed for chips and infrastructure, but also in terms of electricity and water required for data storage and processing.
- Responsibility as a data scientist / researcher to maximise efficiency of analytical work; even at small scale simple strategies can be employed.

# Recap

- Part I: Data and its role in Society.
  - Mainly: raised issues and concerns, “taking stock”.
  - Fundamental question: what are data?
- 
- Part II: Mitigating the risks of working with large-scale datasets.
  - Mainly: what are “we” currently doing to address some of these issues and concerns.
  - Fundamental question: is what “we are doing” enough?

# Seminar preparation

- This week we will be holding a formal debate. A formal debate involves two sides: one supporting a resolution and one opposing it.
- This week you will be debating the resolution: There is no such thing as Green Data.
- One half of the Seminar group will be in support of this resolution, the other half will be opposing this. Each of you has been assigned to either one of the sides; Excel spreadsheet available on GitHub.

# Seminar preparation

- You are asked, as a group, to prepare arguments in advance.
- Divide and conquer with your team mates - e.g. divide different domains and have individuals focus on different parts of the resolution.
- Think about statistics, case studies, and examples that you can use to support your argument or that you can use to counteract the other team's arguments.

# How are we going to do it?

- Both teams start with 10 minutes each to finalise their arguments and plan for the debate.
- The first speaker on the supporting team presents arguments in support of the resolution (3 mins). *Opening statements, definitions.*
- The first speaker on the opposing team presents arguments opposing the resolution (3 mins). *Opening statements.*

# How are we going to do it?

- The second speaker on the supporting team presents further arguments in support of the resolution, identifies areas of conflict, and answers questions that may have been raised by the opposition speaker (3 mins). *Arguments and evidence.*
- The second speaker on the opposing team presents further arguments against the resolution, identifies further areas. of conflict, and answers questions that may have been raised by the previous supporting speaker (3 mins). *Arguments and evidence.*

# How are we going to do it?

- Both team have 5 minutes to prepare for the rebuttal.
- The opposing team begins with the rebuttal, attempting to defend the opposing arguments and to defeat the supporting arguments without adding any new information (3 mins).
- The supporting team follows with their rebuttal, attempting to defend the supporting arguments and to defeat the opposing arguments without adding any new information (3 mins).
- Each team gets a second rebuttal for closing statements with the supporting team having the last opportunity to speak (2 mins each).


# How are we going to do it?

- All speakers are timed by the Seminar leader, you are not allowed to run over time and will be cut off if you do.
- The first two rounds is when you lay out your arguments and introduce your evidence in favour or against the resolution; no new information or evidence should be introduced in the final two rounds.
- There cannot be any interruptions. Speakers must wait their turns.
- Every speaker may only speak once.
- Have a little fun at the last class before reading week

# Questions

Justin van Dijk

j.t.vandijk@ucl.ac.uk



Enjoy reading week

