

Modeling Graphical Communication

Judith Fan, Robert Hawkins, & Justine Kao

June 30, 2015

I Motivation

I.1 Why graphical communication?

Drawing is a powerful tool for communication — with just a few strokes it is possible to convey the identity of a face (Bergmann, Dale, & Lupyán, 2013) or express an intention to act (Galantucci, 2005). Moreover, drawn images predate the historical record, are pervasive in human culture, and are often produced prolifically in childhood.

Examining graphical communication provides a window into how meaningful tokens emerge from individual experience and social interactions, especially when conventionalized carriers of meaning are not available (e.g., words). Over the long-term, integrating insights across studies of linguistic and graphical modes of communication may yield general principles that govern how people negotiate shared meanings.

I.2 How drawing influences object representations

In ongoing work, Fan, Yamins, and Turk-Browne (2015) are investigating the basis for the ability to communicate an idea by drawing, by evaluating the premise that our ability to recognize objects and produce recognizable drawings of objects are linked by a common internal substrate — a generalized object representation. It was discovered that a convolutional neural network whose architecture mirrors that of the ventral visual stream we was optimized to handle natural image variation in photographs (Yamins et al., 2014) was able to generalize to simple sketches of objects, without having to posit new specialized mechanisms. This suggests that the capacity for visual abstraction may be rooted in the functional architecture of the visual system.

Moreover, this result allows us to use this model as a tool to probe representational change: how does learning to draw objects influences the representation of object categories in the mind? Insofar as practice drawing allows one to learn the diagnostic features that better communicate the identity of an object (e.g., horse), they hypothesized that such practice might improve people’s ability to make recognizable drawings of other, visually similar objects (e.g., sheep, cow). To test this, they designed a training paradigm in which

participants repeatedly sketched some objects, while the model guessed the identity of the sketched object, providing trial-by-trial feedback. They found that repeatedly sketched objects were better recognized after training, while sketches of unpracticed but similar objects worsened. These results show that visual production can reshape the representational space for objects in various ways: by differentiating trained objects and merging other nearby objects in the space.

1.3 How do communicative interactions establish shared knowledge?

How does social context constrain how ideas are expressed in drawings? That is, in addition to capturing physical properties of objects, successful drawings may depend on accurately representing the knowledge state of the viewer, coordinating on communicative intentions, and knowing what knowledge is shared in common ground. Such shared knowledge may derive from conventional knowledge, or may be established *de novo* in the course of interactions between communication partners.

From Brennan and Clark (1996) and others, we know that a individual's choice of label for an object is sensitive to the shared history of interactions with their interlocutor. Abstract objects are more accurately identified using descriptions written by the participant's own friends than by strangers (Fussell & Krauss, 1989). Sometimes this results in the use of labels that might not be maximally efficient/distinctive in a given circumstance, but match the label previously used to refer to that same object (a "conceptual pact" about the object-label pairing). Furthermore, alignment in phonemic, syntactic, and lexical choice is shown to correlate with performance on dyadic problem-solving tasks (Fusaroli et al., 2012).

Additionally, prior work on graphical dialogue suggests that pairs of individuals who have interacted before tend to produce drawings that are more 'abstract' and similar to one another than individuals who have had just as much experience with the drawing task, but previously interacted with other individuals (Healey, Swoboda, Umata, & King, 2007). Moreover, pairs that are able to 'mutually-modify' each other's drawings in real time (as opposed to taking turns) also end up producing drawings with similar styles and are more abstract.

Using a similar paradigm with word cues, (Fay, Garrod, Roberts, & Swoboda, 2010) tracked pairs as they played several rounds of 'Pictionary' with the same set of target items reappearing from round to round (e.g., 'soap opera,' 'parliament'). People initially produced detailed drawings that directly resembled their referents; however, over successive rounds, fewer strokes were necessary to convey the same meaning, and the drawings became progressively more iconic/symbolic (Garrod, Fay, Lee, Oberlander, & MacLeod, 2007). Drawings produced by members of the same pair to refer to a given target became more similar to one another, whereas drawings of a given target were highly variable across pairs, suggesting that the resulting conventions depend on the specific history of interactions between communication partners (Fay et al., 2010).

Taken together, these studies provide converging evidence that rich social feedback plays a crucial role in refining graphical representations over repeated interactions; in the absence of this feedback, drawings can actually become more complex over time (Garrod et al., 2007; Hupet & Chantraine, 1992). The main goals of the present studies are to: systematically document major behavioral effects in this domain through a series of interrelated experiments, and build a quantitatively predictive model that captures how social

interactions shape the representational content of communicative drawings, towards explaining how such experiences can lead to both efficient and expressive communication (Kirby, Tamariz, Cornish, & Smith, 2015).

2 Proposal

2.1 How does interaction history guide graphical communication?


How do two people who interact repeatedly negotiate shared graphical conventions for expressing their ideas? Moreover, does sharing a history of interactions help when needing to express some new idea (or interpret a new meaning expressed by a familiar conversation partner)?

To accomplish this, we plan to develop a graphical-dialogue paradigm in which one participant (Artist) has the goal of producing drawings of objects that the other participant (Viewer) will be able to identify. To investigate the importance of interaction history, we will manipulate how much and what kinds of objects they practice drawing/identifying before they are tested on a set of novel objects.

2.2 Stimuli

Objects will be sampled from a set of four real-world object categories defined at the basic level: dogs, birds, cars, and airplanes. Each category will contain eight exemplars.

Images of these objects will serve as cues in the drawing task, as well as alternatives in the identification task. These images will be rendered from 3D mesh models, permitting fine control over low-level visual properties of these images, including size, viewpoint, and illumination.



2.3 General Procedure

Adopting a similar approach to Fan et al. (2015), we plan to employ an experimental design that assesses generalization by contrasting test performance on untrained objects that belong to the same category as trained objects with performance on untrained objects that belong to a different category.

For each session, we will recruit two naive participants. During an initial practice phase, each participant will take turns as Artist and Viewer, alternating roles on each trial. They will practice on the same subset of objects (4 of 8) sampled from half of the categories (2 of 4). Each participant will draw each object twice, resulting in 64 total learning trials, comprising 16 drawing trials and 16 guessing trials for each participant. These trials may be blocked by category, such that all the trials in the same block involve objects from the same category (4 blocks, 2 per category).

On each trial of this practice phase, the Artist will be cued with an image of one of these objects (target) and prompted to produce a quick sketch of it (approx. 30s). This sketch will then be revealed to the Viewer, whereupon he/she will guess which object the sketch corresponds to by selecting among all 8 alternatives from the target category. These alternatives will be displayed as images depicting each of the trained objects from identical viewpoints. After the Viewer makes a guess, the pair will receive feedback indicating whether the choice was correct or not; if incorrect, the Viewer will be shown which object was the target.

The test phase will immediately follow the practice phase. During this phase, participants will attempt to communicate the remaining objects in the trained categories (8 total, 4 from each category, ‘Near’), as well as a subset of objects (4 of 8) sampled from the held-out categories (2 of 4, ‘Far’). At test, participants will not be interacting on a trial-by-trial basis. Instead, each will first complete an Artist block in which they draw a series of novel objects without feedback, then a Viewer block in which they identify the object in the test sketches produced by their communication partner. Each participant will draw every object once, resulting in 16 drawing trials and 16 guessing trials.

2.4 General Predictions

2.4.1 Training

Because both participants encounter each object in the Artist and Viewer roles once before doing so a second time in the practice phase, we can analyze the first and second halves of the practice phase separately in order to examine the consequences of the first complete graphical exchange. If this exchange leads to greater coordination of graphical tokens used to evoke objects, we would predict higher identification accuracy, as well as higher feature similarity between their drawings (based on top-layer model output from the CNN described in Yamins et al., 2014) on the second repetition of the practice phase relative to the first. The degree of improvement could be contrasted with a non-interactive control condition in which participants first drew all trained objects twice, then made guesses about their partner’s drawings after the fact.


2.4.2 Effect of History

Insofar as interaction history meaningfully influences how people communicate, people with the same amount of experience drawing and guessing but who did not previously interact with each other may be at a disadvantage. To test this, we could compare test performance between pairs trained in the manner described above with that of a control group in which pairs do not interact prior to being tested (but instead trained either with a different partner or no partner).

2.4.3 Generalization

Does interacting extensively with someone have more general consequences, affecting how other, related ideas are expressed (and understood)? If learning how to make drawings that convey the identity of objects belonging to the same category (e.g., poodle, dalmatian) depends on coordinating graphical conventions for capturing their distinguishing features within this category, the members of this pair may be able to generalize to other members of the same category (e.g., schnauzer). Such findings would resonate with the notion that signs expressing similar meanings in communication systems are also similar (i.e., they are *systematic*, cf. Theisen, Oberlander, & Kirby, 2010).

2.5 Specific Manipulations



2.5.1 Pragmatic considerations

How does an Artist's knowledge of the Viewer's belief state influence how they draw? For example, if the Artist knew ahead of time the space of alternatives that the Viewer was considering (operationalized as options presented in the forced-choice task), how would this affect which features he/she included? A major goal of this study is to understand how the 'conceptual context' in which a communicative exchange occurs influences how the Artist depicts an object, and how the Viewer interprets a drawing.

In the basic design described above, the list of alternatives presented are exhaustive directories of the exemplars belonging to a single basic-level category. This might promote selection of feature(s) that are most diagnostic of the identity of the target relative to the other exemplars within the same category. On the other hand, if the list of alternatives included objects belonging to different categories, this might promote the selection of other features, perhaps those diagnostic of the basic-level category containing the target, but not uniquely possessed by it.

One basic way to examine the influence of conceptual context on graphical communication would be to manipulate the scope of the set of alternatives provided to the pair across different phases of the experiment (modeled on Brennan & Clark, 1996). Specifically, in an initial phase, targets would be sampled from a list containing objects that belong to different basic-level categories. In the second phase, however, the list would contain only exemplars belonging to one of the basic-level categories from the first phase. In a final, third phase, targets would again be sampled from the list used in the first phase.

Insofar as the Artist aims to be informative, without expending excessive ink, when depicting each object, the scope of the first list promotes more schematic sketches that express generic features common to members of the basic-level category containing the target. In the second list, however, we may expect to see that Artists, sensitive to the change in scope of the space of alternatives, will produce more detailed sketches that contain distinctive features of the target, relative to other objects in the same basic-level category. When some of the objects from the second phase are presented again as unique representatives of their basic-level category in the third phase, the Artist may persevere in their more detailed depiction of the object, even though this depiction may be more informative about exemplar-unique properties than necessary to distinguish it from the distractors in the current list.


Such an experiment would provide a conceptual replication of the findings of Brennan and Clark (1996) in the graphical domain, and provide a basis for making novel predictions about the sensitivity of communication partners to conceptual context, shared knowledge, or privileged knowledge (see next section) when selecting visual features to include in a drawing, or when interpreting the meaning of a drawing.

2.5.2 Knowledge asymmetries

In many real-world scenarios, there are knowledge asymmetries between communication partners (e.g. that between a teacher and a student). Such asymmetries can sometimes be a source of confusion, when the more-knowledgeable individual uses terms or conventions that the less-knowledgeable individual is unfamiliar with. What kinds of strategies can the pair adopt in order to cope with such asymmetries, and still communicate effectively?

In our paradigm, inducing an asymmetry in experience could be accomplished by pre-training one member of the pair on several more objects (without social feedback) prior to beginning to interact with the other participant (similar to ‘director’ in Wu & Keysar, 2007). Insofar as this pre-training promoted greater abstraction in this participant’s drawings, this might initially hinder communication with a naive Viewer, who may not share the same visual abstractions. How do the dynamics of interaction under these conditions compare with those of the symmetric case? Does this pre-training make it easier (or more

difficult) to interpret the drawings of the naive participant? Are the conventions eventually adopted by the pair biased towards those initially proposed by the pre-trained participant, or the naive one?



2.6 Another future direction: emergence of novel graphical conventions

In some cases, verbal and visual conventions for referring to objects may not be well established (e.g., music drawing task from Healey et al., 2007), or not available at all (cf. coordination game in Galantucci, 2005). For instance, auditory textures (McDermott, Schemitsch, & Simoncelli, 2013) lack the rhythmic and pitch information that are captured in standard musical notation, and may be hard to describe. Thus, someone who wants to visually convey which auditory texture they are listening to must innovate a graphical scheme for capturing its identifying physical features. While the initial selection of encoding schemes may be highly underdetermined, how do repeated interactions between communication partners induce convergence upon a consistent way of referring to these shared experiences?

References

- Bergmann, T., Dale, R., & Lupyan, G. (2013). The Impact of Communicative Constraints on the Emergence of a Graphical Communication System. In *Proceedings of the 35th annual conference of the cognitive science society* (pp. 1887–1992).
- Brennan, S. E., & Clark, H. H. (1996). Conceptual pacts and lexical choice in conversation. *Journal of Experimental Psychology: Learning, Memory, and Cognition*, 22(6), 1482.
- Fan, J., Yamins, D., & Turk-Browne, N. (2015). Common object representations for visual recognition and production. In *Proceedings of the 37th annual conference of the cognitive science society*.
- Fay, N., Garrod, S., Roberts, L., & Swoboda, N. (2010, April). The Interactive Evolution of Human Communication Systems. *Cognitive science*, 34(3), 351–386.
- Fusaroli, R., Bahrami, B., Olsen, K., Roepstorff, A., Rees, G., Frith, C., & Tylén, K. (2012). Coming to terms quantifying the benefits of linguistic coordination. *Psychological science*, 23, 931–939.

- Fussell, S. R., & Krauss, R. M. (1989). Understanding friends and strangers: The effects of audience design on message comprehension. *European Journal of Social Psychology*, 19(6), 509–525.
- Galantucci, B. (2005). An experimental study of the emergence of human communication systems. *Cognitive science*, 29(5), 737–767.
- Garrod, S., Fay, N., Lee, J., Oberlander, J., & MacLeod, T. (2007). Foundations of representation: where might graphical symbol systems come from? *Cognitive science*, 31(6), 961–987.
- Healey, P., Swoboda, N., Umata, I., & King, J. (2007). Graphical language games: Interactional constraints on representational form. *Cognitive science*.
- Hupet, M., & Chantraine, Y. (1992). Changes in repeated references: Collaboration or repetition effects? *Journal of psycholinguistic research*, 21(6), 485–496.
- Kirby, S., Tamariz, M., Cornish, H., & Smith, K. (2015, August). Compression and communication in the cultural evolution of linguistic structure. *Cognition*, 141, 87–102.
- McDermott, J. H., Schemitsch, M., & Simoncelli, E. P. (2013, February). Summary statistics in auditory perception. *Nature Publishing Group*, 16(4), 493–498.
- Theisen, C. A., Oberlander, J., & Kirby, S. (2010). Systematicity and arbitrariness in novel communication systems. *Interaction Studies*, 11(1), 14–32.
- Wu, S., & Keysar, B. (2007). The effect of information overlap on communication effectiveness. *Cognitive science*, 31(1), 169–181.
- Yamins, D. L. K., Hong, H., Cadieu, C. F., Solomon, E. A., Seibert, D., & DiCarlo, J. J. (2014, June). Performance-optimized hierarchical models predict neural responses in higher visual cortex. *Proceedings of the National Academy of Sciences of the United States of America*, 111(23), 8619–8624.