

All Quiet on the Pipeline Spill Front? When Learning Does Not Solve the Problem

Julian Barg

barg.julian@gmail.com

Ivey Business School

Abstract

Pipeline spills are both frequent and serious pollution events. Since the 1990s, the industry has made great strides in developing computerized equipment to prevent and control leaks. Yet, pipeline spills today are almost as prevalent as they were in the 1980s, raising the question of why technology does not allow us to overcome the problem of normal accidents, even in simple systems. This paper juxtaposes learning in the pipeline industry on the incident and population level. The results indicate that broad, sweeping technological changes can miss the mark. Social processes, including the regulator that is supposed to act as a watchdog, can function to mask this problem by promoting the technological "solution".

All Quiet on the Pipeline Spill Front? When Learning Does Not Solve the Problem

Organizational learning comes down to choices. Firms can either invest in improving existing technology, or develop new technology (March 1991). Investing in the "wrong" technology can lead to technological lock-ins (Levinthal & March 1993). The actors in the pipeline industry have selected a number of technological solutions to resolve their most pressing issue. When a pipeline spill occurs, the oil quickly infiltrates the soil and seeps into the groundwater.¹ The environmental degradation caused by oil affects the local environment, and the local populace, too: a 2019 sibling comparison study on oil spills in Nigeria found that in localities that are affected by oil spills, for every 1,000 live births, an additional 38.3 neonatal deaths occur (Bruederle & Hodler 2019).

In their fight against pipeline spills, pipeline operators employ a variety of technologies, such as smart pigs, leak detection systems, and SCADA systems. Smart pigs, while traveling through the pipes, utilize electromagnetic flux or ultrasonic probing to assess corrosion or mechanical damages to the pipe (Singh 2017). Internal leak detection systems measure the flow of oil at two points A and B to detect any loss in between those points. External leak detection systems detect signs of escaping hydrocarbons, and include acoustic, hydrocarbon, and temperature sensors, etc. (Shaw et al. 2012). SCADA systems are systems that allow an operator remotely monitor and operate lines. The operator typically sees on his screen charts of the flow at different points, can open and close valves, and startup or shutdown delivery of oil. Alarms from leak detection systems of the line are also displayed to the SCADA operator.²

The high technology character of leak detection stands in contrast to the experienced reality of pipeline spills. A 2012 study commissioned by the Pipeline and Hazardous Materials Safety Administration (PHMSA) of onshore pipeline spills that occurred over a 19 month period, SCADA systems assisted in less than 25% of cases with the detection and confirmation of the spill (Shaw et al. 2012, p. 3-33). In only 17% of cases was the operator or SCADA system listed as the initial identifier of the leak, while the public or emergency responders identified 30% of leaks (Shaw et al. 2012, p. 3-39). Why do the great learning efforts by pipeline operators fail to deliver the safety improvements that one would expect to see? A 2012 report prepared by the National Transportation Safety Board (NTSB) on the Kalamazoo River oil spill provides a good starting point for understanding the problem. A regional manager of Enbridge is quoted as saying: "...I'm not convinced [that there is a problem]. We haven't had any phone calls. I mean it's perfect weather out here—if it's a rupture someone's going to notice that, you know and smell it" (NTSB 2012, p. 100).

¹ The infiltration depth in sand is assumed to be over 10m in the first day alone (Bonvicini, Antonioni, Morra, & Cozzani 2015).

² Larger pipeline companies operate control centers where all lines in a region are managed. Operators usually operate multiple SCADA systems at once, and more experienced employees supervise the operators. Control centers are operated in formal hierarchy, where for certain operations (such as clearing an alarm), a SCADA operator will require the go-ahead from a supervisor. See NTSB (2012) for an in-depth description of an Enbridge control center in Edmonton as of 2012.

Existing research has provided us with many insights on the mechanisms of organizational learning. Learning is generally regarded as a function of experience, which builds knowledge, "embedded in a variety of repositories, including individuals, routines, and transactive memory systems" (Argote & Miron-Spektor 2011, p. 1124). For instance, an organization may notice that a routine fails under specific circumstances, and subsequently change its employee manual. An involved employees may also make a mental note of how to respond to the problem and whom to contact. Or an engineer might observe a method of speeding up production, and make a corresponding change to the production process. This knowledge-based approach to learning generally seeks to identify the factors that promote or hold back learning in an organization (e.g., Argote 2013, p. 2).

In terms of repositories, routines, and transactive memory systems, the pipeline industry has made great strides over our qualitative observation period. But our quantitative results do not indicate corresponding outcomes in safety improvements. The problem does not lie in a dearth of experience, or a general failure to translate "lessons" into knowledge. Our quantitative results indicate that when a specific problem occurs, the industry or individual actors are generally capable of addressing it. The coexistence of specific progress and overall stagnation is indicative of another problem.

Our qualitative analysis reveals that pipeline spills have all the hallmarks of normal accidents in complex systems (Perrow 1984). Almost no two serious spills are alike, and the causes are as complex as the diverse political and physical environments that is the United States. Here, organizational learning is at an impasse. When efforts is made, and learning takes place, why do we not observe corresponding results? Levitt and March (1988) propose that there are limitations to learning by doing. In those cases, learning cannot be disaggregated into its components. Instead, we need to look at the technological choices and determine whether an organization or industry has ended up in a competency trap (Levitt & March 1988). An important factor for diagnosing this issue are feedback mechanisms: at the population level, is the problem diagnosed, or not? If in an industry the lack of learning goes unnoticed or is not addressed on a population level, even if learning takes place on a case-by-case basis, aggregate learning may not take place MarchOlsen.

With this article, we provide an additional perspective to the learning literature. Our interpretation of the data puts into question the notion of aggregate improvements through incremental, smaller scale learning. Instead, there are more substantive, technological improvements to be made, that sometimes cannot be attained through regular learning mechanisms. In those cases, a big picture perspective on the problem or goal is necessary to made a difference.

References

- Argote, L. (2013). Organizational Learning Curves: An Overview. In *Organizational learning* (2nd ed., pp. 1–29). Boston, MA: Springer US. Retrieved from http://link.springer.com/10.1007/978-1-4614-5251-5_1 doi: 10.1007/978-1-4614-5251-5_1
- Argote, L., & Miron-Spektor, E. (2011). Organizational Learning: From Experience to Knowledge. *Organization Science*, 22(5), 1123–1137. Retrieved from <http://pubsonline.informs.org/doi/abs/10.1287/orsc.1100.0621> doi: 10.1287/orsc.1100.0621
- Bonvicini, S., Antonioni, G., Morra, P., & Cozzani, V. (2015). Quantitative assessment of environmental risk due to accidental spills from onshore pipelines. *Process Safety and Environmental Protection*, 93, 31–49. Retrieved from <https://linkinghub.elsevier.com/retrieve/pii/S0957582014000536> doi: 10.1016/j.psep.2014.04.007
- Bruederle, A., & Hodler, R. (2019). Effect of oil spills on infant mortality in Nigeria. *Proceedings of the National Academy of Sciences*, 116(12), 5467–5471. Retrieved from <http://www.pnas.org/lookup/doi/10.1073/pnas.1818303116> doi: 10.1073/pnas.1818303116
- Levinthal, D. A., & March, J. G. (1993). The Myopia of Learning. *Strategic Management Journal*, 14(S2), 95–112. Retrieved from <http://doi.wiley.com/10.1002/smj.4250141009> doi: 10.1002/smj.4250141009
- Levitt, B., & March, J. G. (1988). Organizational Learning. *Annual Review of Sociology*, 14(1), 319–338. Retrieved from <http://www.annualreviews.org/doi/10.1146/annurev.so.14.080188.001535> doi: 10.1146/annurev.so.14.080188.001535
- March, J. G. (1991). Exploration and Exploitation in Organizational Learning. *Organization Science*, 2(1), 71–87. Retrieved from <http://pubsonline.informs.org/doi/abs/10.1287/orsc.2.1.71> doi: 10.1287/orsc.2.1.71
- March, J. G., & Olsen, J. P. (1975). The Uncertainty of the Past: Organizational Learning under Ambiguity. *European Journal of Political Research*, 3(2), 147–171. Retrieved from <http://doi.wiley.com/10.1111/j.1475-6765.1975.tb00521.x> doi: 10.1111/j.1475-6765.1975.tb00521.x
- NTSB. (2012). Enbridge Incorporated Hazardous Liquid Pipeline Rupture and Release Marshall, Michigan July 25, 2010. , 164. Retrieved from <https://www.nts.gov/investigations/AccidentReports/Reports/PAR1201.pdf>
- Perrow, C. (1984). *Normal Accidents: Living with High-Risk Technologies*. Basic Books.
- Shaw, D., Phillips, M., Baker, R., Munoz, E., Rehman, H., Gibson, C., & Mayernik, C. (2012). *Leak Detection Study* (Tech. Rep.). Worthington, OH: Kiefner & Associates. Retrieved from <http://www.documentcloud.org/documents/809308-leak-detection-study-dtph56-11-d-000001-final-12.html>
- Singh, R. (2017). Liquid Hydrocarbon Pipeline Risk Management. In *Pipeline integrity. management and risk evaluation* (pp. 95–125). Cambridge, MA: Gulf Professional

Publishing.