

Boring but important disclaimers:

- ▶ If you are not getting this from the GitHub repository or the associated Canvas page (e.g. CourseHero, Chegg etc.), you are probably getting the substandard version of these slides Don't pay money for those, because you can get the most updated version for free at

<https://github.com/julianmak/academic-notes>

The repository principally contains the compiled products rather than the source for size reasons.

- ▶ Associated Python code (as Jupyter notebooks mostly) will be held on the same repository. The source data however might be big, so I am going to be naughty and possibly just refer you to where you might get the data if that is the case (e.g. JRA-55 data). I know I should make properly reproducible binders etc., but I didn't...
- ▶ I do not claim the compiled products and/or code are completely mistake free (e.g. I know I don't write Pythonic code). Use the material however you like, but use it at your own risk.
- ▶ As said on the repository, I have tried to honestly use content that is self made, open source or explicitly open for fair use, and citations should be there. If however you are the copyright holder and you want the material taken down, please flag up the issue accordingly and I will happily try and swap out the relevant material.

OCES 2003 : Descriptive Physical Oceanography

(a.k.a. physical oceanography by drawing pictures)

Lecture 3: *not* oceans (seas, shelves, lakes etc.)



Outline

- ▶ the not oceans + terminology
 - seas, shelves, and the rest of it
- ▶ some interesting facts and cases
 - Mediterranean + Labrador + Weddell Sea (**overturning circulation**)
 - Black sea (**anoxia**)
 - South China Sea (**ecology**)
 - **Eastern Boundary Upwelling Systems (EBUS)**
 - dynamics more complicated (waves, tides, 3d turbulence...)

Key terms: seas, shelves, estuary, anoxia, ecology

Recap: oceans vs. not oceans

Seas, shelves, estuaries etc.

- ▶ smaller L , slightly smaller H (usually < 1200 m),
 H/L small-ish except near coasts (consequences for dynamics)




Figure: Figure based on Figure 2.2 of Pickard & Emery (1990), 5th edn.

Seas




Figure: Figure based on Figure 2.2 of Pickard & Emery (1990), 5th edn.

Smaller bodies of **salty** water connected to another sea or ocean

- ▶ no hard-and-fast definition, sometimes used interchangeably with ocean in US English
 - hence why I refer to oceans and **not**-oceans
- ▶ generally shallower than oceans
 - e.g. South China Sea can get quite deep (see later)

Seas

The following are not technically (?) seas but **lakes**:

- ▶ **Sea of Galilee** (of the biblical fame)
→ freshwater, sometimes called **Lake Tiberias**
- ▶ **Dead Sea** (of the cosmetics fame?)
→ a *salt* lake
- ▶ **Caspian Sea** (of the caviar fame)
→ a salty lake, fed by the Volga river



Figure: (Top) Sea of Galilee in 2020 at higher water levels; image from Times of Israel. (bottom left) Lowest point on land near the Dead Sea; taken by either myself or Kevin Adebawale Data of USAID. (bottom right) Beluga sturgeon of the Caspian Sea; image from the Royal caviar club.

Shelf seas

- ▶ the sea region over the continental shelf
 - not very deep, $O(100\text{ m})$
- ▶ on the side of continental plate, separated by a shelf break
 - large slope gradients (steep)
- ▶ most of world's fisheries on shelves




Figure: Figure based on Figure 2.2 of Pickard & Emery (1990), 5th edn.

Shelf seas




Figure: Locations of shelf seas denoted by the cyan colour. Taken from Wikipedia (https://en.wikipedia.org/wiki/Continental_shelf) made from NOAA data.

Shelf seas

shelf seas are relatively shallow, so

- ▶ drastic change in H/L , different dynamics (see assignments?)
 - tides, waves, Ekman upwelling, rivers etc.
 - nutrients

Shelf seas

shelf seas are relatively shallow, so

- ▶ drastic change in H/L , different dynamics (see assignments?)
 - tides, waves, Ekman upwelling, rivers etc.
 - nutrients
- ▶ sunlight can reach a reasonable portion of water column
 - light + nutrients = primary productivity
 - physics + biogeochemistry and ecology
 - $\approx 8\%$ of global area, 15 – 20% of primary productivity
- ▶ role in carbon cycle + economy? (see assignments?; see OCES 4001)

Marginal/semi-enclosed seas

Sea region that is somewhat shielded from the oceans by land features

- ▶ loose definition, degree of “shielding” variable
 - e.g. **North sea** is fairly connected
 - e.g. **Black sea** is not really connected to the ocean (it is to the **Med sea**)
(see later)
 - e.g. Arctic sometimes seen as a sea for the Atlantic

- ▶ some examples later



Figure: (top) the North Sea, connected to the Atlantic. (bot) The Black Sea, connected to some seas (including the Mediterranean sea) which is then to the Atlantic. Pictures from NASA.

Marginal/semi-enclosed seas

- ▶ seas and oceans sometimes connected through **straits** (or **channels**)
- ▶ straits normally have a **sill**
 - **sill depth** restricts water movements/exchanges (see later and Lec. 13 + 14)
 - flow over sills lead to **internal waves** (see Lec. 15, 16, 18)
- ▶ **Strait of Gibraltar** here, details/importance differ for others
 - e.g. **Strait of Malacca** + shipping, mean depth ≈ 25 m




Figure: Strait and sill, using the Strait of Gibraltar as an example.

Estuaries

- ▶ estuaries are coastal regions of water
 - normally fed by rivers (freshwater) and affected by tidal flow from the sea (salty water)
- ▶ shallow and smaller
 - 3d dynamics, fresh/salty water mixing, waves, tides, and Coriolis effect not entirely negligible...
- ▶ classification + characteristics much later (see assignments?)



Figure: (left) Estuary in the Amazon; from Science Photo Library. (right) Pearl River Delta showing Humen bridge; from Wikipedia, user Tung Wu.

Other bodies of water

- ▶ **fjords** are inlets with steep sides carved by **glaciers**
 - from the Norse word *ferd* for “lake-like”
 - normally has salty water (some in the Great Lakes in N. America don't)
 - only really in higher latitudes (why?)
- ▶ some ambiguity with use of the word (like seas), regional variations




Figure: Geiranger fjord in Norway; notice the steep sides. Taken from Wikipedia.

Other bodies of water

- **lakes** lie on **land**
 - most (!) lakes are freshwater (notable exceptions in the Great Salt Lake, Dead Sea)



Figure: What lake am I? Pictures originally from Royal Caribbean website and TopPNG.

- e.g. lagoon, sounds, gulf, cove, ... (see more at Wikipedia)

Features of interest: Med Sea




Figure: Geographical map of Mediterranean Sea and Black Sea. From Google maps.

- ▶ connected to Atlantic through the **Strait of Gibraltar** (see four slides ago)
- ▶ important for climate, food and trade for the surrounding countries (see e.g. OCES 4001)

Features of interest: Med Sea

(more in Lec. 5, 13 + 14)




Figure: Strait and sill, using the Strait of Gibraltar as an example.

- ▶ cool surface water comes in from ocean and rivers, but region is warm so large evaporation
→ salty denser water
- ▶ occasional cold bursts from atmosphere from land
→ cold + saline = very dense! water sinks, fills bottom, flows out eventually
- ▶ sill holding some water back, more time for watermass transformation

Features of interest: Lab Sea (more in Lec. 5, 13 + 14)



Figure: Geographical map of the Labrador Sea. From Google maps.

- ▶ connected to North Atlantic
 - recall Atlantic surface currents seem to converge mass northwards, so where does it go? (see last Lec, and Lec 13 + 14)

Features of interest: Lab Sea

(more in Lec. 5, 13 + 14)




Figure: Schematic of North Atlantic Circulation. Taken from Wikipedia, image from Jack Cook at WHOI.

- ▶ return water gets very cold, dense, and sinks in the region
 - deep convection, cabelling etc. (see Lec. 5, 6, 17)
- ▶ mass returns southwards at depth, identifiable as the **NADW** (North Atlantic Deep Water)
 - more on watermass properties later (see Lec. 5 + 6)

- ▶ important part of the (A)MOC (see Lec. 13 + 14)

Features of interest: Weddell Sea

(more in Lec. 5, 13 + 14)




Figure: Features in the Southern Ocean. Modified Figure 7.45 from Pickard & Emery (1990), 5th edn. According to historian Thomas R. Henry, “The Weddell Sea is, according to the testimony of all who have sailed through its berg-filled waters, the most treacherous and dismal region on earth. The Ross Sea is relatively peaceful, predictable, and safe.” (from Wikipedia)

- ▶ East of Drake passage
(the bit between Antarctic and S. America)
 - just downstream of the ACC, fairly turbulent region (see quote in the figure caption)
- ▶ it's very cold here!
 - sills etc. allow very cold but fresh water to form
 - spills over as overflows forming AABW (Antarctic Bottom Water)

Features of interest: MOC (more in Lec. 5, 13 + 14)





Figure: (left) Meridional sections using salinity as data, over WOCE section A16 and A23. (right) Schematic of branches of MOC. Figure 9.17a and 14.11c of Talley *et al.* (2011), 6th edn.

- more on **watermass properties, MOC and related dynamics** later in the course (Lec. 5, 6, 13, 14, 17 particularly)

Features of interest: Black Sea

- ▶ classic example for **anoxia** (no oxygen in water)
- ▶ fed by rivers (fresh) + exchange with Med sea water (salty)
 - **strongly stratified**
 - limited **mixing** (see Lec. 10, 15 - 18) + exchange of water




Figure: Black sea schematics water property schematic.

Features of interest: Black Sea

- ▶ life only in shallow region, oxygen doesn't reach the deep
→ sulfides producing organisms in deep (cf. rotten eggs)
- ▶ little decomposing of stuff (because no oxygen)
→ reason for black sea being "black"?




Figure: Black sea schematics water property schematic.

Features of interest: South China Sea




Figure: South China Sea and related straits. Finite element mesh for a recent HKRGC GRF submission, courtesy of Chinmayee Mallick.

Features of interest: South China Sea




Figure: (top) SCS bathymetry, with shallow regions (< 200 m) in pink. From Liu and Dittert (2010). (bot) Fisherman taking stock of their haul in the South China Sea. Image from Reuters.

- ▶ SCS has shelf and deep regions
 - deep regions can go down to 4000 m like oceans
- ▶ important for shipping and fisheries
 - fisheries tend to be on shelf, coincide with nutrient rich water
 - monsoon + Ekman upwelling (see Lec. 9)
 - river forcing (see Lec. 5, assignments?)

Features of interest: South China Sea




Figure: Schematic of cyclonic-anticyclonic-cyclonic circulation in the SCS, with numerical simulation data. From Gan *et al.* (2016), *J. Phys. Oceanogr.*.

► what drives the **sandwich circulation?**

→ wind (see Lec. 9), eddies (baroclinic instability? see Lec. 17), upwelling (see Lec. 13, 16, 17), in/outflow in Luzon, others.? (ongoing research question)

Features of interest: Peru system (see also OCES 4001)

- ▶ Peru system is a prime example of a Eastern Boundary Upwelling System
 - wind driven Ekman upwelling (Lec 9)
 - upwelling of nutrients, feeding fisheries
 - interaction with ENSO
- (see OCES 4001)

- ▶ contributors to global food supplies and local contributions to economy




Figure: Image from Kämpf & Chapman (2016), Fig. 5.1. Showing bathymetry (back) and satellite derived Chl-*a* (see Lec 20 for the latter).

Summary

- ▶ touched on features occurring in seas that we want to explain
 - straits + sills, and their influence
 - touched on watermass properties (T , S , oxygen)
 - influence and role in MOC (Med, Lab, Weddell sea)
 - shelf seas and the role in human activity (SCS)
- ▶ more on related dynamics in *not* ocean regions later because it is “harder” (or, really, “less clean”) (see assignments?)
 - H/L not that small and L smaller makes a lot of difference...

Outlooks

- ▶ have now highlighted some seemingly disparate features of interest, subsequent lectures to link them through **dynamics**

- 1. forces: thermodynamic (Lec. 5 + 6) and mechanical (Lec. 7 - 10)
- 2. large things: gyres + WBCs (Lec. 11 + 12), MOC (Lec. 13 + 14)
 - “easy”(!?)/cleaner because **geostrophic** constraint
 - focus on large scales \rightleftharpoons small scales
- 3. smaller things: waves (including tides, Lec. 15 - 18)
- 4. observations of large and small (Lec. 19 - 20)
- ✗ dynamics in *not* oceans
 - hard/messy because **geostrophic** constraint weaker

Mostly by drawing pictures!