

# Financial Mathematics 1 – Exam 3

Junwoo Yang

June 18, 2020

- Let  $T > 0$ . Consider the market model with bank account  $(G_t)_{0 \leq t \leq T} = (e^{rt})_{0 \leq t \leq T}$  and risky asset  $(S_t)_{0 \leq t \leq T}$  given by SDE

$$dS_t = \mu(t, S_t)S_t dt + \sigma(t, S_t)S_t dB_t.$$

Assume that this SDE has a unique solution.

- Consider an European option with payoff  $g(S_T)$  for a Borel function  $g$  having polynomial growth. Use the heuristic argument to derive the Black-Scholes PDE: Let  $f(t, x)$  be the function such that the time- $t$  price of option is  $f(t, S_t)$ . Then

$$f_t + rx f_x(t, x) + \frac{1}{2} \sigma^2(t, x) x^2 f_{xx}(t, x) - r f(t, x) = 0$$

with the terminal condition  $f(T, x) = g(x)$ .

- Apply the Feynman-Kac formula and express  $f(t, x)$  as an expectation form.
- Consider the following market model with bank account  $G = (G_t)_{t \geq 0}$  and risky asset  $S = (S_t)_{t \geq 0}$  given by

$$dG_t = rtG_t dt$$

$$dS_t = \mu S_t dt + \sigma S_t dB_t$$

for positive constants  $r, \mu, \sigma$ . Let  $T > 0$ .

- Find a risk-neutral measure.
  - Calculate the time-0 price of an option whose payoff is  $\log S_T$  at maturity  $T$ .
- Fix  $T > 0$ . Consider the market  $(\Omega, \mathcal{F}, (\mathcal{F}_t)_{0 \leq t \leq T}, \mathbb{P})$  with bank account  $G \equiv 1$  and two stocks  $S^{(1)}, S^{(2)}$  given as

$$\frac{dS_t^{(1)}}{S_t^{(1)}} = \mu^{(1)} dt + v^{(1)} dB_t^{(1)}$$

$$\frac{dS_t^{(2)}}{S_t^{(2)}} = \mu^{(2)} dt + \sigma^{(1)} dB_t^{(1)} + \sigma^{(2)} dB_t^{(2)}$$

for  $\mu^{(1)}, \mu^{(2)}, \sigma^{(1)} \in \mathbb{R}$  and  $v^{(1)}, \sigma^{(2)} \neq 0$ .

- Find the time- $t$  price of the option with payoff

$$S_T^{(1)} S_T^{(2)} \mathbb{I}_{S_T^{(1)} > K}$$

for  $K > 0$  and maturity  $T$ . Use the cumulative distribution function  $N(x) = \frac{1}{\sqrt{2\pi}} \int_{-\infty}^x e^{-\frac{1}{2}z^2} dz$ .

- Find the hedging portfolio.
- Let  $X$  be the solution of the SDE

$$dX_t = -\theta X_t dt + \sigma dB_t$$

for  $\theta \neq 0, \sigma > 0$  and  $X_0 \in \mathbb{R}$ . Calculate

$$\mathbb{R}(e^{X_T}(e^{X_T} - K)_+ | \mathcal{F}_t^X)$$

for  $0 \leq t \leq T$ .