

```

REGRESSION
/MISSING LISTWISE
/STATISTICS COEFF OUTS R ANOVA
/CRITERIA=PIN(.05) POUT(.10)
/NOORIGIN
/DEPENDENT Psf
/METHOD=ENTER T.

```

Regression

Notes

Output Created		31-JUL-2013 09:53:58
Comments		
Input	Data	C:\Users\NBTC\Desktop\Data importance\01 - Energy Analysis\01 - Energy Analysis\001 SPSS - Energy for 1 Rule\regesive.sav
	Active Dataset	DataSet1
	Filter	<none>
	Weight	<none>
	Split File	<none>
	N of Rows in Working Data File	5
Missing Value Handling	Definition of Missing	User-defined missing values are treated as missing.
	Cases Used	Statistics are based on cases with no missing values for any variable used.
Syntax		<pre> REGRESSION /MISSING LISTWISE /STATISTICS COEFF OUTS R ANOVA /CRITERIA=PIN(.05) POUT(.10) /NOORIGIN /DEPENDENT Psf /METHOD=ENTER T. </pre>
Resources	Processor Time	00:00:00.02
	Elapsed Time	00:00:00.02
	Memory Required	1460 bytes
	Additional Memory Required for Residual Plots	0 bytes

[DataSet1] C:\Users\NBTC\Desktop\Data importance\01 - Energy Analysis\01 - Energy Analysis\001 SPSS - Energy for 1 Rule\regesive.sav

Variables Entered/Removed^a

Model	Variables Entered	Variables Removed	Method
1	T ^b	.	Enter

a. Dependent Variable: Psf

b. All requested variables entered.

Model Summary

Model	R	R Square	Adjusted R Square	Std. Error of the Estimate
1	1.000 ^a	.999	.999	.638465

a. Predictors: (Constant), T

ANOVA^a

Model		Sum of Squares	df	Mean Square	F	Sig.
1	Regression	1947.545	1	1947.545	4777.637	.000 ^b
	Residual	1.223	3	.408		
	Total	1948.767	4			

a. Dependent Variable: Psf

b. Predictors: (Constant), T

Coefficients^a

Model		Unstandardized Coefficients		Standardized Coefficients	t	Sig.
		B	Std. Error	Beta		
1	(Constant)	2.150	.515		4.174	.025
	T	2.905	.042	1.000	69.120	.000

a. Dependent Variable: Psf