UNIVERSITY OF CAMBRIDGE INTERNATIONAL EXAMINATIONS

General Certificate of Education

Advanced Subsidiary Level and Advanced Level

CHEMISTRY

Paper 2 Structured Questions AS Core



9701/02

May/June 2005

1 hour 15 minutes

Candidates answer on the Question Paper. Additional Materials: Data Booklet

Candidate Name							
Centre Number				Candidate Number			

READ THESE INSTRUCTIONS FIRST

Write your name, Centre number and candidate number in the spaces at the top of this page. Write in dark blue or black pen in the spaces provided on the Question Paper.

You may use a pencil for any diagrams, graphs, or rough working.

Do not use staples, paper clips, highlighters, glue or correction fluid.

Answer all questions.

The number of marks is given in brackets [] at the end of each question or part question.

You may lose marks if you do not show your working or if you do not use appropriate units.

A Data Booklet is provided.

You may use a calculator.

DO NOT WRITE IN THE BARCODE.

DO NOT WRITE IN THE GREY AREAS BETWEEN THE PAGES.

For Exam	iner's Use
1	
2	
3	
4	
5	
TOTAL	

Answer **all** the questions in the space provided.

For
For Examiner's Use
Use

The most common is is ⁵⁹ Co.						
Use the <i>Data Bookle</i> and of ⁵⁹ Co.	t to comple	ete the t	able below to	show the	atomic stru	ucture of ⁵⁶
			number of			
isotope	protoi	ns	neutrons	el	ectrons	
⁵⁶ Fe						
⁵⁹ Co						
					s.	
	<u> </u>					
(i) Define the term	relative ato	mic ma	ss.			
	is ⁵⁹ Co. Use the <i>Data Bookle</i> and of ⁵⁹ Co. isotope 56Fe 59Co A sample of iron has isoto	is ⁵⁹ Co. Use the <i>Data Booklet</i> to complet and of ⁵⁹ Co. isotope proto 56Fe 59Co A sample of iron has the following isotope mass % by mass	is ⁵⁹ Co. Use the <i>Data Booklet</i> to complete the trand of ⁵⁹ Co. isotope protons 56Fe 59Co A sample of iron has the following isoto isotope mass 54 % by mass 5.84	Use the Data Booklet to complete the table below to and of ⁵⁹ Co.	Use the Data Booklet to complete the table below to show the and of ⁵⁹ Co.	Use the Data Booklet to complete the table below to show the atomic struand of ⁵⁹ Co.

[5]

[Total: 10]

BLANK PAGE

Sulphur and its compounds are found in volcanoes, in organic matter and in minerals.

2

Sulphuric acid, an important industrial chemical, is manufactured from sulphur by the Contact process. There are three consecutive reactions in the Contact process which are essential. (a) Write a balanced equation (using \rightleftharpoons where appropriate) for **each** of these reactions in the correct sequence. **(b)** What catalyst is used? Hydrogen sulphide, H₂S, is a foul-smelling compound found in the gases from volcanoes. Hydrogen sulphide is covalent, melting at -85 °C and boiling at -60 °C. (i) Draw a 'dot-and-cross' diagram to show the structure of the H₂S molecule. (ii) Predict the shape of the H₂S molecule. (iii) Oxygen and sulphur are both in Group VI of the Periodic Table. Suggest why the melting and boiling points of water, H₂O, are much higher than those of H_2S .

© UCLES 2005 9701/02/M/J/05

For Examiner's Use

For Examiner's Use


-	lroge wate	n sulphide burns with a blue flame in an excess of oxygen to form sulphur dioxide er.
(d)	(i)	Write a balanced equation for the complete combustion of $\mathrm{H}_2\mathrm{S}$.
	(ii)	What is the change in the oxidation number of sulphur in this reaction?
		from to
	(iii)	What volume of oxygen, measured at room temperature and pressure, is required for the complete combustion of 8.65 g of $\rm H_2S$? Give your answer to two decimal places.
		[5]
	lroge S ^{2–} i	n sulphide is a weak diprotic (dibasic) acid. Its solution in water contains HS ⁻ and a ons.
(e)	(i)	What is meant by the term weak acid?
	(ii)	Write an equation, with state symbols, for the ${\it first}$ ionisation of ${\rm H_2S}$ when it dissolves in water.
		[3]
		[Total: 17]

3 Magnesium is the eighth most common element in the Earth's crust.

For Examiner's Use

The metal is widely used in alloys which are light and strong.

Some reactions of magnesium and its compounds are shown in the reaction scheme below.



(a) Identify, by name or formula, compounds A to F.

Α	
В	
С	
D	
Ε	
F	

[6]

© UCLES 2005 9701/02/M/J/05

(b)	(i)	Construct balanced equations for the following reactions. magnesium to compound A	For Examiner's Use
		compound C to compound D	
		compound C to compound D	
		compound F to compound D	
	(ii)	Suggest a balanced equation for the effect of heat on compound E .	
		[4]	
		[Total: 10]	

4 Compound **G**, in which R- represents the rest of the molecule, was made for use as a tear gas in World War 2.

For Examiner's Use

compound **G**

Compound ${\bf G}$ was made by the following sequence of reactions.

$$\textbf{R-CH}_{3} \xrightarrow{\hspace*{0.5cm} \textbf{stage II}} \textbf{R-CH}_{2}\textbf{C}l \xrightarrow{\hspace*{0.5cm} \textbf{stage III}} \textbf{R-CH}_{2}\textbf{CN} \xrightarrow{\hspace*{0.5cm} \textbf{stage III}} \textbf{R-CHBrCN}$$

(a)	(i)	For stage I and for stage II, state the reagent(s) and condition(s) used to carry out
		each change.

stage I	reagent(s)
	condition(s)
stage II	reagent(s)
	condition(s)

(ii)	Suggest the	reagent(s) and	condition(s)	necessary to	carry ou	t stage III.
------	-------------	----------------	--------------	--------------	----------	--------------

reagent(s)	
condition(s)	
	[6]

© UCLES 2005

Compound **G** was not actually used in World War 2 and stocks of it had to be destroyed safely. The following sequence of reactions was used in this process.

For Examiner's Use

$$R-CHBrCN \xrightarrow{\text{stage IV}} R-CHBrCO_2H \xrightarrow{\text{stage V}} R-CH(OH)CO_2H$$

$$\downarrow \text{stage VI}$$

$$\downarrow \text{R-CH}_2CO_2H$$

stages I to VI which you consider to be chiral.

			R-CH ₂ CO ₂ H
(b)		_	e IV and for stage V state the reagent(s) and condition(s) necessary to bring ch reaction.
	stag	e IV	reagent(s)
			condition(s)
	stag	e V	reagent(s)
			condition(s) [4]
(c)	The cent		sequence of stages I to VI involves some compounds which contain chiral
	(i)	Expl	ain what is meant by the term chiral centre.
	(ii)	Drav	displayed formulae for the isomers of one compound in the full sequence of

[3]

[Total: 13]

5 A student obtained the following results when analysing an organic compound, H.

For Examiner's Use

[2]

test		observation
test 1	relative molecular mass	72
test 2	% composition by mass	C, 66.7%; H, 11.1%; O, 22.2%
test 3	reactions with Br ₂ (aq)	Br ₂ decolourised
test 4	reaction with Na(s)	H ₂ (g) evolved
test 5	reaction with warm Cr ₂ O ₇ ²⁻ /H ⁺	green colour observed

The student allowed test 5 to go to completion and then investigated the **product** of test 5 with the following result.

test 6	reaction with 2,4-dinitrophenylhydrazine	no reaction
--------	--	-------------

(a) Calculate the molecular formula of H.

(b)	Wha	at can be deduced about the nature of H by the following tests?	
	(i)	test 3	
	(ii)	test 4	 [2]
(c)	(i)	What functional group would have given a positive result in test 6?	,
	(ii)	What functional group is shown to be present in H by tests 5 and 6?	
			 [2]

© UCLES 2005 9701/02/M/J/05

(d)	On testing a sample of H , the student found that it was not chiral.	For			
	H did, however, show <i>cis-trans</i> isomerism.	Examiner's Use			
	How does cis-trans isomerism arise in an organic molecule?				
	[2]				
(e)	Use all of the information above to draw labelled, displayed formulae of the stereoisomers of compound ${\bf H}.$				

[2]

[Total: 10]

© UCLES 2005

BLANK PAGE

Permission to reproduce items where third-party owned material protected by copyright is included has been sought and cleared where possible. Every reasonable effort has been made by the publisher (UCLES) to trace copyright holders, but if any items requiring clearance have unwittingly been included, the publisher will be pleased to make amends at the earliest possible opportunity.

University of Cambridge International Examinations is part of the University of Cambridge Local Examinations Syndicate (UCLES), which is itself a department of the University of Cambridge.