



Cambridge International Examinations

Cambridge International Advanced Subsidiary and Advanced Level

CANDIDATE NAME					
CENTRE NUMBER			CANDIDATE NUMBER		

CHEMISTRY 9701/21

Paper 2 Structured Questions AS Core

May/June 2015

1 hour 15 minutes

Candidates answer on the Question Paper.

Additional Materials: Data Booklet

READ THESE INSTRUCTIONS FIRST

Write your Centre number, candidate number and name on all the work you hand in.

Write in dark blue or black pen.

You may use an HB pencil for any diagrams or graphs.

Do not use staples, paper clips, glue or correction fluid.

DO NOT WRITE IN ANY BARCODES.

Answer **all** questions.

Electronic calculators may be used.

You may lose marks if you do not show your working or if you do not use appropriate units.

A Data Booklet is provided.

At the end of the examination, fasten all your work securely together.

The number of marks is given in brackets [] at the end of each question or part question.





This document consists of 11 printed pages and 1 blank page.

© UCLES 2015

Answer **all** the questions in the spaces provided.

1 (a) Chemists recognise that atoms are made of three types of particle.


Complete the following table with their names and properties.

name of particle	relative mass	relative charge
		0
	1/1836	

[3]

(b) The relative atomic mass of an element can be determined using data from its mass spectrum.

The mass spectrum of element **X** is shown, with the percentage abundance of each isotope labelled.



(i) Define the terms *relative atomic mass* and *isotope*.

relative atomic mass	 	
isotope	 	

[3]


	(ii)	Use the data in the mass spectrum to calculate the relative atomic mass, A_r , of X . Give your answer to two decimal places and suggest the identity of X .
		A_{r} of X
		identity of X [2]
(c)		e element tellurium, Te, reacts with chlorine to form a single solid product, with a relative nula mass of 270. The product contains 52.6% chlorine by mass.
	(i)	Calculate the molecular formula of this chloride.
		molecular formula [3]
	(ii)	This chloride melts at 224 °C and reacts vigorously with water.
		State the type of bonding and structure present in this chloride and explain your reasoning.
		[2]
	(iii)	Suggest an equation for the reaction of this chloride with water.

(d) Sodium and silicon also react directly with chlorine to produce the chlorides shown.

chloride	melting point/°C	difference between the electronegativities of the elements		
NaC1	801	2.2		
SiCl ₄	-69	1.3		

(i)	Describe what you would see during the reaction between sodium and chlorine.
	[2]
(ii)	Explain the differences between the melting points of these two chlorides in terms of their structure and bonding. You should refer to the difference between the electronegativities of the elements in your answer.
	NaC1 structure and bonding
	$\operatorname{SiC} l_4$ structure and bonding
	explanation
	[4]
	[Total: 20]

- The relationship pV = nRT can be derived from the laws of mechanics by assuming ideal behaviour for gases.
 - (a) The graph represents the relationship between pV and p for a real gas at three different temperatures, T_1 , T_2 and T_3 .



- (i) Draw **one** line on the graph to show what the relationship should be for the same amount of an **ideal** gas. [1]
- (ii) State and explain, with reference to the graph, which of T₁, T₂ or T₃ is the lowest temperature.
- (iii) Explain your answer to (ii) with reference to intermolecular forces.
- (iv) State and explain the effect of pressure on the extent to which a gas deviates from ideal behaviour.

(b)	A flask with a volume of 100 cm ³ was first weighed with air filling the flask, and then with another gas, Y , filling the flask. The results, measured at 26 °C and 1.00 × 10 ⁵ Pa, are shown.			
	Mass of flask containing air	= 47.930 g		
	Mass of flask containing Y	= 47.989 g		
	Density of air	$= 0.00118 \mathrm{gcm^{-3}}$		
	Calculate the relative molecular m	eass, M_{r} , of Y .		
		$M_{\rm r}$ of $\mathbf{Y} = \dots $ [4]		
(c)	Although nitrogen gas makes up compounds.	about 79% of the atmosphere it does not easily form		
	(i) Explain why nitrogen is so un	reactive.		
		[1]		
	(ii) Explain why the conditions in	a car engine lead to the production of oxides of nitrogen.		
		[1]		
(on involved in the removal of nitrogen monoxide, NO, from a		
((iii) Give an equation for a reaction	on involved in the removal of nitrogen monoxide, NO, from a		

One of the main reasons for reducing the amounts of oxides of nitrogen in the atmosphere is their contribution to the formation of acid rain.


(iv)	Write an equation for the formation of nitric acid from nitrogen dioxide, NO ₂ , in the atmosphere.
	[1]
(v)	Write equations showing the catalytic role of nitrogen monoxide, NO, in the oxidation of atmospheric sulfur dioxide, SO_2 .
	[2]
	[Total: 15]

3	Eth	anal reacts with hydrogen cyanide, in the presence of a small amount of NaCN, as shown.
		CH ₃ CHO + HCN → CH ₃ CH(OH)CN
	(a)	Use bond energies from the <i>Data Booklet</i> to calculate the enthalpy change for this reaction. Include a sign with your answer.
		enthalpy change =kJ mol ⁻¹ [3]
	(b)	The product of this reaction shows stereoisomerism as it contains a chiral centre. This reaction produces an equimolar mixture of two optical isomers.
		(i) Explain the meanings of the terms stereoisomerism and chiral centre.
		stereoisomerism
		chiral centre

(ii) Suggest why the two optical isomers are produced in equal amounts by this reaction.

[2]

(c) (i) Complete the diagram to show the mechanism of this reaction. Include all necessary charges, partial charges, lone pairs and curly arrows and show the structure of the intermediate.



(ii)	With reference to your mechanism in (i), explain the role of the NaCN in this reaction.
	[1


[Total: 12]

There are four alcohols, **A**, **B**, **C** and **D**, which are structural isomers with the molecular formula $C_4H_{10}O$.

Alcohol **A** does not react with acidified potassium dichromate(VI) solution but **B**, **C** and **D** do.

All four alcohols react with hot, concentrated sulfuric acid to form products with the molecular formula C_4H_8 . **A**, **C** and **D** each give a single product in this reaction. **B** gives a mixture of two structural isomers, one of which shows stereoisomerism.

(a) Give the **skeletal** formula for each of the four alcohols and complete the diagram with the names of the types of structural isomerism shown by each linked pair of compounds.



b) (i)	Give the names of the two structura concentrated sulfuric acid	Il isomers produced by the reaction of B with hot,
		[2]
(ii)	State which of these two isomers she capable of showing stereoisomerism.	ows stereoisomerism. Explain why this molecule is
		[2]
(iii)	Draw displayed formulae to show the	e two stereoisomers.
	stereoisomer 1	stereoisomer 2
		[2]

[Total: 13]

BLANK PAGE

Permission to reproduce items where third-party owned material protected by copyright is included has been sought and cleared where possible. Every reasonable effort has been made by the publisher (UCLES) to trace copyright holders, but if any items requiring clearance have unwittingly been included, the publisher will be pleased to make amends at the earliest possible opportunity.

To avoid the issue of disclosure of answer-related information to candidates, all copyright acknowledgements are reproduced online in the Cambridge International Examinations Copyright Acknowledgements Booklet. This is produced for each series of examinations and is freely available to download at www.cie.org.uk after the live examination series.

Cambridge International Examinations is part of the Cambridge Assessment Group. Cambridge Assessment is the brand name of University of Cambridge Local Examinations Syndicate (UCLES), which is itself a department of the University of Cambridge.