

NOVEMBER 2002

**GCE Advanced Level
GCE Advanced Subsidiary Level**

MARK SCHEME

MAXIMUM MARK : 50

SYLLABUS/COMPONENT : 9709 /7, 8719 /7

**MATHEMATICS
(Probability and Statistics 2)**



Page 1	Mark Scheme	Syllabus	Paper
	A & AS Level Examinations – November 2002	9709, 8719	7

1	$512 \pm 2.576 \times \sqrt{\frac{37.4}{120}}$ $49.8 < \mu < 52.6$	M1 B1 A1 3	$\bar{x} \pm z \frac{s}{\sqrt{n}}$ <p>Calculation of correct form Using $z = 2.576$ Or equivalent statement</p>
2	<p>(i) $0.015n = 2.55$ $n = 170$</p> <p>(ii) mean = $210 \times 0.015 (=3.15)$</p> $e^{-3.15} \left(1 + 3.15 + \frac{3.15^2}{2} \right)$ $P(0) + P(1) + P(2) =$ $= 0.390 \text{ or } 0.391$ <p>SR use of Binomial scores B1 for final correct answer 0.389</p>	M1 A1 2 B1 M1 A1 3	<p>For equation linking n, p and mean For correct answer</p> <p>For new mean</p> <p>For evaluating Poisson $P(0) + P(1) + P(2) + [P(3)]$</p> <p>For correct answer</p>
3	<p>(i) $z = \frac{64.3 - 65}{4.9/\sqrt{n}} = -1.807$ $n = 160$</p> <p>(ii) $H_0: \mu = 65$ $H_1: \mu < 65$ Critical Value ± 1.645 Significant growth decrease</p>	M1 M1 A1 3 B1 B1 M1 A1 4	<p>For standardising equation = ± 1.807 with n or \sqrt{n} Solving for n For correct answer CWO.</p> <p>For H_0 and H_1 For ± 1.645 (or ft ± 1.96 for two tail test) Comparing given statistic with their CV Correct conclusion</p>
4	<p>(i) $H_0: \lambda = 4.8$ $H_1: \lambda < 4.8$ Under H_0 $P(0) = e^{-4.8} (=0.00823)$ $P(1) = 0.0395$ $P(2) = 0.0948$ Critical region is $X = 0$ or 1 Not enough evidence to say road sign has decreased accidents</p> <p>SR If M0, M0 allow M1 for stating / showing $P(0) + P(1) < 10\%$</p> <p>(ii) $P(\text{Type I error}) = P(0) + P(1)$ $= 0.0477$</p>	B1 M1 M1 A1 A1 5 M1 A1 2	<p>For both H_0 and H_1 For evaluating $P(0)$ and $P(1)$ and $P(2)$</p> <p>For stating/showing that $P(0) + P(1) + P(2) > 10\%$ For critical region.</p> <p>Correct conclusion</p> <p>For identifying correct outcome For correct answer</p>
5	<p>(i) new mean = 5.6 $P(X+Y > 3) = 1 - \{P(0) + P(1) + P(2) + P(3)\}$</p> $e^{-5.6} \left(1 + 5.6 + \frac{5.6^2}{2!} + \frac{5.6^3}{3!} \right)$ $= 1 -$ $= 0.809$ <p>(ii) $\bar{X} \sim N(2.5, \frac{2.5}{80})$ or equiv. method using totals $N(200, 200)$</p> $P(X < 2.4) = \Phi \left(\frac{2.4 - 2.5}{\sqrt{(2.5/80)}} \right) \text{ or } \Phi \left(\frac{192 - 200}{\sqrt{200}} \right)$ $= \Phi(-0.566)$ $= 1 - 0.7143 = 0.286$	B1 M1 A1 A1 4 M1 A1 M1 A1 4	<p>For new mean For evaluating $1 -$ some Poisson probabilities</p> <p>For correct expression For correct answer</p> <p>For using normal distribution with mean $2.5 / 200$ For correct variance</p> <p>For standardising and using normal tables</p> <p>For correct answer</p>

Page 2	Mark Scheme	Syllabus	Paper
	A & AS Level Examinations – November 2002	9709, 8719	7

<p>6 (i) $k \int_{20}^{28} \frac{1}{x^2} dx = 1$</p> <p>$k \left[\frac{-1}{x} \right]_{20}^{28} = 1$</p> <p>$k \left[\frac{1}{20} - \frac{1}{28} \right] = 1 \Rightarrow k = 70$</p> <p>(ii) $E(X) = k \int_{20}^{28} \frac{1}{x} dx = k[\ln x]$ $= 23.6, 23.5, 70 \ln 1.4, 70 \ln (7/5)$</p> <p>(iii) $P(X < E(X)) = \int_{20}^{23.55} \frac{70}{x^2} dx$ $= 0.528$ (accept 0.534 from 23.6) (0.521 23.5)</p> <p>(iv) Greater Prob in (iii) is > 0.5</p>	M1		For equating to 1 and attempt to integrate
	A1		Correct integration
	A1	3	For given answer correctly obtained (no decimals seen).
	M1		For attempt to evaluate $\int_{20}^{28} \frac{70}{x^2} dx$
	A1	3	For correct integration For correct answer
<p>7 (i) $W \sim N(17.6, 0.133(2))$</p> <p>$\Phi\left(\frac{18-17.6}{\sqrt{0.1332}}\right) (= 0.8633)$</p> <p>$\Phi\left(\frac{17-17.6}{\sqrt{0.1332}}\right) = 1 - 0.9499 (= 0.0501)$</p> <p>$0.8633 - 0.0501 = 0.813$</p> <p>(ii) Wt diff $D \sim N(0, 0.0072)$</p> <p>$1 - \Phi\left(\frac{0.05}{\sqrt{0.0072}}\right) = 1 - \Phi(0.589)$</p> <p>$= 0.278$</p> <p>$P(D < 0.05) = 0.278$</p> <p>$0.278 + 0.278 = 0.556$</p>	M1		For attempt to evaluate $\int_{20}^{23.55} \frac{70}{x^2} dx$ between their limits (< 28)
	A1	2	For correct answer
	B1ft		For correct statement
	B1ft	2	For correct reason. Follow through from (iii) or calculating med. = 23.3
<p>7 (i) $W \sim N(17.6, 0.133(2))$</p> <p>$\Phi\left(\frac{18-17.6}{\sqrt{0.1332}}\right) (= 0.8633)$</p> <p>$\Phi\left(\frac{17-17.6}{\sqrt{0.1332}}\right) = 1 - 0.9499 (= 0.0501)$</p> <p>$0.8633 - 0.0501 = 0.813$</p> <p>(ii) Wt diff $D \sim N(0, 0.0072)$</p> <p>$1 - \Phi\left(\frac{0.05}{\sqrt{0.0072}}\right) = 1 - \Phi(0.589)$</p> <p>$= 0.278$</p> <p>$P(D < 0.05) = 0.278$</p> <p>$0.278 + 0.278 = 0.556$</p>	B1		For correct mean
	B1		For correct variance
	M1		For standardising and using tables
	M1		For standardising and using tables
	A1	5	For correct answer
<p>(ii) Wt diff $D \sim N(0, 0.0072)$</p> <p>$1 - \Phi\left(\frac{0.05}{\sqrt{0.0072}}\right) = 1 - \Phi(0.589)$</p> <p>$= 0.278$</p> <p>$P(D < 0.05) = 0.278$</p> <p>$0.278 + 0.278 = 0.556$</p>	B1		For correct mean and variance
	M1		For standardising and using tables
	A1		For 0.278 (could be implied)
	M1		For finding the other probability
	A1	5	For correct answer