

# Wind: A Flow based Programming Language

Joshua Weinstein

2018



# Contents

0.1	Preface . . . . .	4
0.2	Dedication . . . . .	5
<b>1</b>	<b>Flow-based Programming</b>	<b>7</b>
1.1	Data . . . . .	7

## 0.1 Preface

This book is intended as an overview of the Wind programming language. It discusses the paradigm of flow-based programming, and the principles of it. The book discusses the advantages and disadvantages of flow-based programming, while then proceeding onto the syntax and usage of the Wind language. The book also, in detail, describes the C implementation of the language. The state management, the instructions, the translation of source code, and execution are all covered.

The Wind language is not a fully fledged, general purpose programming language. It is a language with a fundamental set of computation tools and components. Wind was developed with the following goals in mind.

### *Goals*

1. An extremely light-weight language that is highly portable.
2. A programming language which does not use dynamic memory allocation.
3. A fluid, highly dynamically typed runtime.
4. A system that allows efficient transfers of immutable data.

The most unique element of Wind is that it is a "bare bones" language. It has no abstract syntax tree, no tokenizer, parser, or standard library. It reads and executes instructions directly from source code, which transition and alter several internal buffers. From a high level overview, these buffers pass around data to one another allowing the state of the data in the program to change. This choice of design permits the language to focus on manipulating and changing data, instead of managing and allocating resources.

Overall, the hope is for this book to serve as an inspiration or reference for computing and programming in a flow-based manner.

## 0.2 Dedication

This book is dedicated to my mother, Vida, who has guided me and raised me to be an incredible human being I am today. I would not be who I am today without her support.



# Chapter 1

## Flow-based Programming

**Flow-based** programming is a paradigm of programming that deals with the flow of data over one or more destinations. These destinations could in theory be any sort of structure. For this book, and the implementation of *Wind*, they are only considered buffers; fixed sized arrays controlled with pointers and indices.

This chapter will focus on an abstract perspective of flow-based programming. It will describe the fundamental concepts, such as nodes, data, and flows. It will also discuss the arrangements of how data flows can be constructed, and give some respective examples.

This chapter serves as an introduction to flow-based programming, and a preparation for the actual *Wind* language.

### 1.1 Data

In flow-based programming, data is considered any of the values or information that are computed or processed. Numbers, integers, strings, characters, lists, are all examples of data. Nearly all programming languages type the data that they contain and compute. At the raw level, data to a computer is simply sequences of 1's and 0's.

```
1 || int a* = new int [1];
```