

Day 4 — Identifying Pain Points

Activity packet for facilitators and participant triads. Day 4 produces a scored pain-point matrix and a rank-ordered Top 3 per triad.

Prerequisite artifacts (from Day 3)

- Persona Validation Canvas (all 6 boxes complete)
- At least 5 candidate pain points in Box 5
- Parking-lot of open validation questions

Materials for the day

FieldPulse Pain Extraction Packet (distributed at start of day)

Each triad receives a **shuffled subset** of the packet — no two triads get the same full set. Encourages later cross-triad learning.

Contents (total):

1. **14 support tickets** — sanitized, ranging from "app crashes mid-reconcile" to "please add dark mode"
2. **2 ride-along note pages** — one for Maria, one for Trey (observed workarounds)
3. **4 interview excerpts** — multi-paragraph selections from Day 3 interviews
4. **1 analytics screenshot** — funnel showing dispatcher drop-off on the current reconcile flow (65% abandonment at step 4 of 7)

Pain-Point Severity Matrix

Provided as a printable 3x3 grid with color overlay. Severity (high/medium/low) × Frequency (high/medium/low). Each cell large enough to stick sticky notes or names in.

Activity 1 — Extract From the Packet

Format: Triad • 45 min • Block 1

Purpose

Train the eye for real pain hiding in observed behavior, not just stated complaints.

Setup

Each triad receives a shuffled subset of the FieldPulse Pain Extraction Packet — tickets, ride-along notes, interview excerpts, and one analytics screenshot. No two triads should have the same full subset.

Steps

1. **Silent pass (10 min):** Read the packet individually. Flag anything that hints at pain.
2. **Extract (25 min):** As a triad, produce at least **15 candidate pains**. Each must:
 - Be a verb + circumstance + consequence
 - Cite its source (ticket #, interview initials, observation line)
3. **Review (10 min):** Go through each entry and mark:
 - ☐ Verb-based (not a noun category)?
 - ☐ Specific circumstance named?
 - ☐ Measurable or observable consequence?

Anti-patterns to watch for

IF YOU WROTE...	FIX TO...
"Bad UX"	"Dispatchers abandon the reconcile flow at step 4 because..."
"Mobile issues"	"Techs retype tickets at night because the app can't submit on 3G"
"Confusing"	"New dispatchers bounce after screen 5 of onboarding because..."

Deliverable

A raw list of 15+ pain-point candidates, tagged with source.

Facilitation cues

- Walk the room watching for noun-based pains ("UX", "training"). Push triads to rewrite as verb + circumstance + consequence on the spot.
- Workaround mentions in the ride-along notes are gold. If triads skip them, point at the specific line.

Activity 2 — Dig, Sort, Promote

Format: Triad • **50 min** • Block 2

Purpose

Take the raw pain list from Activity 1 and structure it: deepen with 5 Whys, then cluster via silent affinity mapping.

Setup

Each triad has its 15+ raw pains from Activity 1. They need wall space (or a whiteboard tool) for the silent sort.

Steps

Step 1 — 5 Whys on 3 pains (20 min)

Pick the **three surface-most** pains from your list. Run 5 Whys on each (no more than 5 levels; usually 3–4 is enough). Capture:

L1: <surface pain>
Why? <answer>
L2: <new pain>
Why? <answer>
L3: <new pain>
Why? <answer>
→ (if reached) Root cause: <systemic or out-of-scope>

Step 2 — Silent sort (20 min)

Enforce silence. The facilitator should call the room silent for this block.

1. Write each pain on a sticky note (or equivalent in your tool)
2. In silence, each triad member places pains on the wall, grouping by affinity
3. When two members disagree on placement, move the note — don't discuss
4. After 10 minutes of placing, stop. Take 2 minutes of silent look.

Step 3 — Cluster + promote (10 min)

Now speak. For each cluster:

- Name it with a **verb phrase**, not a category (e.g., "closing the day" not "operations")
- Promote 1–2 pains that best represent the cluster

Deliverable

5–8 named clusters, each with 1–2 promoted pains.

Facilitation cues

- If a triad finishes silent-sort fast, they probably skipped disagreement. Walk over and ask: "Were there any placements someone else moved? Good ones to revisit."
- The 5 Whys often stop at L3 because the answer is "we don't know." That's a finding — note it as an interview target.

Activity 3 — Score Your Map

Format: Triad • 45 min • Block 3

Purpose

Place each promoted pain on the Severity × Frequency matrix and color-code by Addressability — surfacing pains we must engineer for and pains we must communicate about.

Setup

Each triad has 5–8 promoted pains and the printed 3×3 Severity × Frequency matrix.

Steps

1. Place each promoted pain on the Severity × Frequency matrix (20 min)
2. Color-code by Addressability: green (fully our product), amber (partial), red (out of scope) (10 min)
3. For each **red "Must fix"** pain (high sev + high freq + low addr), draft two sentences (10 min):

- *Why we cannot solve this.*
 - *What we will do instead* (communicate, partner, accept with mitigation).
4. Identify **one pain** where AI-augmented analysis could raise addressability — e.g., AI-summarizing inbound support tickets to reduce dispatcher load (5 min)

Scoring guidance

SEVERITY	LOW	MEDIUM	HIGH
Means	Annoyance	Workaround in place	Blocked — can't complete the goal

FREQUENCY	LOW	MEDIUM	HIGH
Means	Monthly or less	Weekly	Daily or more

ADDRESSABILITY	LOW (RED)	MEDIUM (AMBER)	HIGH (GREEN)
Means	Org/regulatory	Partial (need other teams)	Fully within our product

Deliverable

A completed matrix with all promoted pains placed and color-coded. "Must live with" notes for red cells.

Facilitation cues

- The discomfort around "must live with" is real. Honor it — don't paper over it with optimism.
- A matrix with everything in the "Must fix" quadrant means severity and frequency were not discriminated. Push for honest scoring.

Activity 4 — Cross-Triad Challenge

Format: Paired triads • 60 min • Block 4

Purpose

Triads pick a Top 3, defend it under cross-triad challenge, and rank-order the final set for Friday's problem statement.

Setup

Pair each triad with another. Both triads bring their scored matrices.

Steps

Step 1 — Select Top 3 (within triad, 10 min)

Pick the three pains you'll carry into Friday's problem statement. Rank-order them. Be prepared to defend:

1. Why these three over the others? (matrix + evidence)
2. Are they independent, or aspects of the same root cause?
3. What's the "if we solved this, everything else is easier" pain?

Step 2 — Cross-triad challenge (25 min each direction)

Triad A presents Top 3 + matrix. Triad B must:

- Nominate the **weakest** of the three (based on evidence tier, not feel)
- Propose one pain **not** selected that might be stronger, with reasoning
- Ask one "so what if we're wrong?" question per pain

Step 3 — Revise (within triad, 15 min)

Update Top 3 based on critique. If nothing changes, re-read the critique.

Step 4 — Readout (full room, 10 min)

Each triad: 60 seconds. Final Top 3, with one-sentence defense each.

Scoring rubric (each critique pair peer-scores)

DIMENSION	1	3	5
Pain specificity	Category words	Verb-based but vague	Verb + circumstance + consequence
Evidence strength	Un sourced	1 source per	Multiple tiers, observed present
Independence	Overlapping	Related	Three distinct root causes
Honesty	Avoided the weakest	Named the weakest	Publicly dropped/downgraded one

Deliverable

A rank-ordered Top 3 pain set per triad, defended against cross-triad challenge, with one AI-leverage candidate identified.

Facilitation cues

- Watch for triads that don't revise after critique — usually means they didn't hear it. Re-anchor: "What's one thing the other triad surfaced that you hadn't seen?"
- The "if we solved this, everything else is easier" pain is often the second-ranked one. That's a useful surprise to call out in readouts.

End-of-day checkpoint

- ✓ Scored Severity × Frequency × Addressability matrix per triad
- ✓ "Must live with" notes for any red "Must fix" cells
- ✓ Rank-ordered Top 3 pains, each defended against cross-triad critique
- ✓ One AI-leverage candidate identified (for raising addressability)

Bridge to Day 5

The Top 3 pain set is the direct input to the Friday problem statement. Each triad should also carry forward **the one pain they dropped that they're still wrestling with** — it's useful material for Day 5.