Arduino IDE Instruction

1. Arduino IDE Interface Setting

1) Modify the Chinese interface: select “File -> Preferences” on the Arduino IDE interface. Then, choose Chinese from the “Language”, and click “OK”.



2) You can modify the project file path, editor text size, color themes, etc by selecting “File -> Preferences” in the pop-up window.



2. Arduino Download Program

1) In this case, we will use an example that prints “Hiwonder” to illustrate. Open the example program “Demo.ino” in the “Demo” folder at the same folder as this document.



2) Connect Arduino board to the computer using Type-B cable.



3) In the “Select board” option, find the corresponding Arduino

development board. (Take “Arduino Uno” and “COM6” as en example to demonstrate. The COM port is not unique. You can can check the COM port number in the computer’s device manager.)



4) Click button to compile the program, which can check if the program has syntax errors and other issues.



5) After the compilation is complete, click to upload the program into the Arduino development board.



6) When the upload is done, click to open the serial monitor. The word “hiwonder” is printed on the serial monitor.



3. Import Library File

If the program requires importing the library files, you can refer to the following operations:

1) Online Importing

This method is usually used for importing some official Arduino library files. For example, the library file for servo control (Servo), the library file for PID control algorithm (PID), and the library file for driving the RGB light (FastLED).

Take the library file for driving the RGB light (FastLED) as an example to illustrate:

① Click at the sidebar of Arduino IDE interface.

② In the pop-up library management bar, enter “FastLED” to automatically search for the library files, then click “install”.



③ The prompt shown in the red box indicates the successful installation.



2) Local Importing:

This method is usually used for downloading library file or customizing the library file importing. Here will take the “FastLED” library file as an example to illustrate.

① Select “Sketch -> Import library-> Add .ZIP library”.



② Search for the “2.4_Demo\FastLED.zip” file and open it.

③ The prompt shown in the below red box indicates that the library file has been installed already.



! In the process of importing the library file in the local, if you encounter the below error during the process of importing library files locally, you can refer to the following solution.



Take the library file “FastLED” as example to illustrate. In Arduino IDE versions 1.8.5 and above, the error above may arise when importing this library file. You can solve this problem by extracting the library file and placing it directly into the 'libraries' folder in the path of the project. The specific solution is as follows:

- At first, extract the library file “FastLED”.

- Click “File->Preferences” in sequence.



- In the opening preferences, copy the path.

- Paste it in my computer, and then press “Enter” to access the path.



- Place the previously extracted library file into the “libraries” folder.





- Restart Arduino IDE. The library file has been located in the library of Arduino IDE.