## IM1H Book 1 Selected Answers

## Mr. Spence

## June 2025

- 1. (a)  $A_{ABCD} = 25$ ,  $A_{BCEF} = 9$ 
  - (b) -
  - (c) -
  - (d) A = 34
  - (e)  $l = \sqrt{34}$
  - (f) -
- 2.  $l = 4\sqrt{5}$
- 3. Yes
- 4. –
- 5. –
- 6.  $AB = \sqrt{41}$
- 7.  $l = 5\sqrt{2}$
- 8.  $l = \sqrt{5}$ , No
- 9. 12
- 10. (12, 2), (2, 2)
- 11. No
- 12.  $d = 10\sqrt{2}$
- 13. (a) C = (5,0). Answers may vary.
  - (b) D = (5, 1). Answers may vary.
  - (c) x = 5
  - (d) -
- 14. (a) 13, 17, 13, 17
  - (b) -

- 15. (a)  $AP = BP = 2\sqrt{5}$ 
  - (b) (3,5), (2,2), (4,8). Answers may vary.
  - (c) No
  - (d) y = 3(x-2) + 2
- 16. (10,3), (-6,3)
- 17. -
- 18. (a) (0,0), (6,0). Answers may vary.
  - (b) (0,4), (4,2). Answers may vary.
  - (c) (0,4),(2,2). Answers may vary.
- 19.  $AB = BC = \sqrt{10}$
- 20. C = (6,3). Infinite. Answers may vary for C.
- 21.  $(0,0), (\sqrt{13},0)$ . Answers may vary.
- 22. (0,0), (2,3)
- 23.  $(0,0), (\sqrt{13},0), (2+\sqrt{13},3), (\sqrt{13},6), (0,6), (-2,3)$ . Answers may vary.
- 24.  $24 12\sqrt{2}$ ,  $24\sqrt{2} 24$
- 25. There are an infinite number of different ways.
- 26. 208m
- 27.  $AP = BP = 5\sqrt{2}$ .

2 more equidistant points: Q = (2, 2), R = (5, 3). Answers may vary. All equidistant points:  $y = \frac{1}{3}(x - 2) + 2$ .

28. Short leg:  $21 - 7\sqrt{5}$ 

Long leg:  $42 - 14\sqrt{5}$ 

Hypotenuse:  $21\sqrt{5} - 35$ 

- 29.  $\frac{5}{12}$
- 30.  $(0,5+4\sqrt{2}), (0,5-4\sqrt{2})$
- 31. (a) (0,0), (4,1). Answers may vary.
  - (b) No.
- 32. Yes.
- 33. (a) Yes.
  - (b)  $\overline{KL}$
  - (c) ∠*KLM*

- (d)  $\angle BAC$
- (e) They're congruent.
- 34. They sum to  $90^{\circ}$ .
- 35. It's a right angle.
- 36. (a) -
  - (b)  $\frac{b}{a}$  is the negative reciprocal of  $\frac{-a}{b}$ .
- 37. –
- 38. –
- 39. A line with an undefined slope is perfectly vertical while a line with a slope of 0 is perfectly horizontal.
- 40.  $n = \frac{49}{4}$
- 41. x = 1. Answers may vary.
- 42. y = 1. Answers may vary.
- 43. They're the same line. -50x + 30y = 90.
- 44. –
- 45. No.
- 46. (a)  $y = \frac{1}{2}(x-5) + 5$ 
  - (b) 4x 5y = 8
- 47. Yes.
- 48.  $\left(\frac{15}{8}, \frac{15}{8}\right)$
- 49. m = -1
- 50. Yes.
- 51. (a) -
  - (b)  $\angle Q$ ; CPTC
- 52.  $\triangle ACT \cong \triangle ION$ 
  - $\triangle ATC \cong \triangle INO$
  - $\triangle CAT \cong \triangle OIN$
  - $\triangle CTA \cong \triangle ONI$
  - $\triangle TAC \cong \triangle NIO$
  - $\triangle TCA \cong \triangle NOI$

- 53.  $\triangle BAL \cong \triangle GEL$ 
  - $\triangle ELB \cong \triangle ALG$
  - $\triangle GEA \cong \triangle BAE$
  - $\triangle ABG \cong \triangle EGB$
- 54.  $\angle ABC$  or  $\angle CBA$  or  $\angle B$  (different ways of writing the same thing).
- 55.  $\overline{AB}$
- 56. (a) PNMRQ
  - (b)  $\angle Q$
- 57. (a)  $d_{AP} = \sqrt{(x+1)^2 + (y-5)^2}$ 
  - (b)  $d_{BP} = \sqrt{(x-5)^2 + (y-2)^2}$
  - (c)  $\sqrt{(x+1)^2 + (y-5)^2} = \sqrt{(x-5)^2 + (y-2)^2}$
  - (d) 4x 2y = 1
  - (e) (2, 3.5)
  - (f)  $m_{AB} = -\frac{1}{2}$ ;  $m_P = 2$
  - (g) -
- 58. (a) The distance between (x, y) and (3, 5) is equal to the distance between (x, y) and (7, -1).
  - (b) 2x 3y = 4
- 59. (a) -
  - (b) -
  - (c) (6, 9.5)
  - (d) (6.2, 9.8)
- 60. (a) 10x 8y = -35
  - (b) (4.5, 10). Answers may vary.
  - (c)  $\overline{PA} = \overline{PB}$