

## IM2 Book 2 Selected Answers

IM2 Dream Team

March 2025

1.  $P_{original} = 32 \text{ in.}$   
 $A_{original} = 64 \text{ in.}^2$   
 $P_{cut} = 32 \text{ in.}$   
 $A_{cut} = 48 \text{ in.}^2$
2.  $P = 20 \text{ m}$
3. 45-45-90:  $1, \sqrt{2}$   
30-60-90:  $\sqrt{3}, 2$
4. (a)  $w = \pi r; h = r$   
(b)  $A = \pi r^2$   
(c)  $A = \pi r^2$
5. (a) yes  
(b) no  
(c) no  
(d) yes
6. 320 sugar cubes.  $V = 320 \text{ cm}^3$
7.  $BA = 80 \text{ cm}^2$   
 $h = 4 \text{ cm}$   
 $V = BA \cdot h$
8. (a)  $V = 800 \text{ in.}^3$   
(b)  $V = 800 \text{ in.}^3$   
(c) No
9.  $P = 6x + 18$   
 $A = 2x^2 + 9x + 8$
10. (a)  $AC = 4, BC = 4\sqrt{3}$   
(b)  $\frac{16\sqrt{2}}{2}, \frac{16\sqrt{2}}{2}$   
(c)  $\sqrt{2}, 2\sqrt{2}$

- (d)  $x = 2, y = 2\sqrt{3}, z = 2\sqrt{6}$
11.  $4\sqrt{3}$
  12.  $24\sqrt{3}$
  13. They all have the same area.
  14. (a)  $A_{shaded} = 40\pi \text{ cm}^2$   
(b)  $A_{shaded} = 12\pi$
  15. –
  16. Cylinder
  17. Cereal box, Toblerone box, Pringles can
  18. (a) 32  
(b) 24
  19. –
  20. Yes: 9, 8, 7, 6, 5, 4  
No: 1, 2, 3
  21.  $A_{shaded} = 50 \text{ m}^2$
  22. (a)  $50 \text{ in.}^2$   
(b)  $75\sqrt{3} \text{ in.}^2$
  23. (a) –  
(b)  $A = 192\sqrt{3} + 384 = 716.6 \text{ cm}^2$   
(c)  $A = 192 \tan 75^\circ = 716.6 \text{ cm}^2$
  24. (a) One is a scaled version of the other.  
(b) Diagonals: 2 : 1  
Perimeters: 2 : 1  
(c) 4 : 1
  25. –
  26. –
  27.  $V = 5.91 \text{ in.}^3$ . The volume doesn't change when we shift the cards.
  28. They have the same volume.
  29. 18%
  30.  $V(x) = x^3$   
Domain:  $x \in (0, \infty)$

31. Base area and height  
 $V = BA \cdot h$
32. (a) One circle is just a scaled version of the other.  
 (b) Diameters: 3 : 1  
 Circumferences: 3 : 1  
 (c) 9 : 1
33. (a) One circle is a scaled version of the other.  
 (b) 8 : 3  
 (c) I'd expect it to be 8 : 3 because the ratio of corresponding 1-D measurements in similar shapes appears to be constant.  
 (d)  $AB = 6$ ,  $PQ = 16$ ,  $PQ : AB = 8 : 3$   
 (e) 64 : 9
34. (a) –  
 (b) 72 bars  
 (c)  $V_{bar} = \frac{\sqrt{3}}{2} in.^3$   
 $V_{box} = 36\sqrt{3} in.^3$
35.  $1280\pi$
36. (a)  $1,000 m^3$   
 (b)  $250\sqrt{3} cm^3$   
 (c)  $1,920\sqrt{3} ft^3$
37.  $2,400 + 2,400\sqrt{3}$  cubic feet of grain
38. The midpoint is closest to the center.
39. 64 m
40. 9 : 25
41.  $r^2 : 1$
42. 14 prisms  
 $V = 56\sqrt{77}$
43.  $V = 90\pi$
44.  $A = \frac{s^2\sqrt{3}}{4}$
45. (a) Rectangular prism  
 (b) Hexagonal prism  
 (c) Cylinder

46.  $108\pi$  in.
47.  $-$
48.  $SA = 88 \text{ in.}^2$
49. (a)  $SA = 132 \text{ ft}^2$   
(b)  $SA = 144 + 48\sqrt{3} \text{ ft}^2$
50.  $20\sqrt{2} - 20$
51. (a)  $120 \text{ ft}^2$   
(b)  $144 \text{ ft}^2$
52. (a) All cubes are similar. They have congruent angles and their side lengths are proportional.  
(b)  $2 : 1$   
(c)  $4 : 1$   
(d)  $8 : 1$
53.  $r^3$
54. (a) True  
(b) True
55. (a)  $\sqrt{157}$   
(b)  $4\sqrt{5}$   
(c)  $6\sqrt{2}$
56.  $24\pi \text{ in}^2$
57. First, calculate the circumference of the base. Second, multiply the circumference by the height.
58. (a)  $700 \text{ m}^2$   
(b)  $300 + 50\sqrt{3} \text{ cm}^2$
59.  $4\sqrt{3} \text{ cm}$
60.  $P = 125.5 \text{ cm}$   
 $A \approx 1250 \text{ cm}^2$
61.  $V = 384\pi \text{ ft}^3$   
 $SA = 224\pi \text{ ft}^2$
62.  $3 : 1$
63. (a)  $SA = 156\pi$   
 $V = 360\pi$

- (b)  $SA = 1,260 \text{ m}^2$   
 $V = 2,040 \text{ m}^3$
64.  $V = 320$   
 $SA = 64 + 160\sqrt{2}$
65.  $r = \frac{1}{2} \text{ in.}$   
 $V = \frac{3\sqrt{3}}{2} \text{ in.}^3$
66. –
67.  $8.125 \text{ in.}$
68.  $243\pi$
69. (a) Answers may vary.  
 (b)  $SA = 2s^2 + \frac{6,000}{s}$   
 (c)  $s \approx 11.45 \text{ in.}$   
 $SA \approx 786.22 \text{ in.}$   
 (d) –
70. (a) 2.939  
 (b) 3.090  
 (c)  $A(n) = n \sin\left(\frac{180}{n}\right) \cos\left(\frac{180}{n}\right)$
71. If you don't actually draw these shapes, I'm going to throw a temper tantrum.
72. Cone
73. (a)  $28\pi \text{ mi.}^2$   
 (b) –  
 (c)  $14\pi \text{ mi.}$   
 (d) –
74. (a)  $y = \frac{3}{2}x$   
 (b) Yes  
 (c) –
75. First cube:  $12.910 \text{ cm}$   
 Second cube:  $6.455 \text{ cm}$
76. –
77. (a) –  
 (b) –
78. –

79. (a) Height:  $\sqrt{7}$   
Slant height: 4  
(b) No
80. (a)  $\sqrt{119}$   
(b)  $\sqrt{\frac{611}{3}}$   
(c)  $\sqrt{351}$
81. (a) Thickness =  $R - r$   
Area =  $\pi(R^2 - r^2)$   
(b) Width =  $\pi(R + r)$   
(c) Circumference  $\approx \pi(R + r) \rightarrow 2\pi R$
82. (a)  $(x - 2)^2 + (y + 4)^2 = 50$   
(b) Inside
83. (a) Triangular pyramid  
(b) Square pyramid  
(c) Cone
84. –
85.  $843 \text{ cm}^2$
86. (a)  $18\pi$   
(b)  $9\pi$   
(c)  $12\pi$
87. (a)  $6\pi$   
(b)  $3\pi$   
(c)  $4\pi$
88.  $\frac{64}{3}$
89. (a)  $\frac{1}{3}$   
(b)  $V_{\text{pyramid}} = \frac{1}{3}BA \cdot h$   
(c) No
90. –
91. 

Yes	Yes	Yes	No
No	No	Yes	Yes
Yes	Yes	No	Yes
92.  $324 + 108\sqrt{5} \text{ cm}^2$

93. (a) Center:  $(-3, 5)$   
Radius:  $2\sqrt{11}$   
(b) Center:  $(-1, 4)$   
Radius: 3
94.  $\frac{2}{3}\pi$
95.  $\frac{2}{n}\pi$
96. Yes
97.  $\frac{400}{3} \text{ in.}^3$
98. (a)  $(x-2)^2 + (y-3)^2 = 65$   
(b) No
99. (a)  $12\pi \text{ cm}^3$   
(b)  $5 \text{ cm}$
100. (a)  $8\pi - 16$   
(b)  $16\sqrt{3} - 8\pi$
101. (a)  $8\pi - 16$   
(b)  $16\sqrt{3} - 8\pi$
102. Fraction:  $\frac{s}{2\pi r}$   
Area:  $\frac{sr}{2}$
103. (a)  $\frac{64}{3}\pi \text{ cm}^2$   
(b)  $8 \text{ cm}$   
(c)  $\frac{8}{3} \text{ cm}$
104. (a) Cone  
(b)  $32\pi$
105. 64
106. 134,136
107.  $100 + 100\sqrt{3} \text{ m}^2$
108. –
109. (a) Radius: 12 cm  
Arc Length:  $10\pi \text{ cm}$   
(b)  $\frac{5}{12}$   
(c)  $60\pi \text{ cm}^2$

110. (a) Center:  $(2, 0)$   
 Radius:  $\sqrt{14}$   
 (b) Center:  $(3, -\frac{1}{2})$   
 Radius:  $\frac{7}{2}$
111.  $18\sqrt{2}$
112.  $V = \frac{x^3\sqrt{2}}{12}$   
 Domain:  $x \in (0, \infty)$
113. (a) Cylinder, circle  
 (b) Cone, circle  
 (c) Sphere, circle
114. (a) Circle  
 (b) Triangle
115. (a)  $-$   
 (b)  $\frac{r}{l}$   
 (c)  $\pi r l$
116.  $V = \frac{578\pi\sqrt{38}}{3} \text{ cm}^3$   
 $SA = 646 \text{ cm}^2$
117.  $4,021 \text{ ft}^2$
118. (a)  $72^\circ$   
 (b)  $72^\circ$   
 (c)  $288^\circ$
119.  $3\pi$
120. Angular size:  $106.3^\circ$   
 Arc length: 18.5 in.
121.  $\frac{64\pi\sqrt{3}}{3}$
122.  $48\pi$
123.  $AB : AC = 3 : 7$   
 $BC : AC = 4 : 7$
124. angular size =  $112.9^\circ$   
 arc length = 23.6 in.
125. (a) True  
 (b) True



126. angular size =  $53.1^\circ$   
 arc length = 4.6

127.  $\frac{128\pi}{3}$

128. (a)  $r = 30$  cm  
 $\theta = 216^\circ$

(b) –

(c) 37.70 cm

(d) 35.27 cm

129.  $AB : BC = 3 : 7$   
 $BC : AC = 7 : 10$

130.  $\angle ABC = 90^\circ$

131. (a)  $135^\circ$

(b)  $270^\circ$

(c) The measure of the arc is twice the measure of the interior angle.

(d) Answers may vary.

132.

$$\text{Area} = \frac{\theta}{360} \pi r^2$$

$$\text{Arc Length} = \frac{\theta \pi r}{180}$$

$$\text{Perimeter} = \frac{\theta \pi r}{180} + 2r$$

133.  $r_1 = 3$

$r_2 = 8$

$r_3 = 5$

134.  $\frac{10\sqrt{3}}{3}$

135. (a) 4 : 25

(b) 4 : 21

136.  $\frac{12,400\pi}{3} + 800\sqrt{3} \text{ ft}^2$

137. (a)  $46^\circ$

(b)  $46^\circ$

138. –

139. –

140.  $\frac{\pi}{4}$
141. (a) 1 : 8  
(b) 7 : 8
142. 12.5
143. (a)  $2k$   
(b)  $2k$   
(c)  $-$
144.  $\angle BCA = 20^\circ$ ,  $\angle CAB = 110^\circ$ ,  $\widehat{AC} = 100^\circ$ , major arc  $\widehat{BC} = 220^\circ$
145.  $-$
146.  $-$
147.  $-$
148.  $-$
149.  $-$
150. (a)  $\frac{1}{2}$   
(b)  $\frac{1}{8}$   
(c)  $100\pi \text{ cm}^3$   
(d)  $\frac{25\pi}{2} \text{ cm}^3$
151.  $\angle R = 67^\circ$ ,  $\angle P = 126^\circ$
152.  $-$
153.  $-$
154.  $-$
155.  $1 : \sqrt[3]{2}$
156.  $V = \frac{485\pi}{3}$ ,  $LA = 55\sqrt{2}$
157.  $104^\circ$ ,  $76^\circ$
158.  $\frac{9}{4}$
159.  $\frac{13.6}{\sin 63^\circ}$
160.  $-$
161.  $-$
162.  $864\pi \text{ cm}^2$

163.  $2\sqrt{2} \text{ in.}$
164.  $90^\circ$
165.  $-$
166. (a)  $8:27$   
 (b)  $2:3$   
 (c)  $-$
167.  $2\pi - 3\sqrt{3}$
168.  $16 \text{ cm}$
169. (a)  $70^\circ$   
 (b)  $180 - k^\circ$
170. (a)  $\frac{12.1}{\sin 48^\circ}$   
 (b)  $\frac{a}{\sin A}$
171.  $\frac{5\sqrt{3}}{3}$
172.  $-$
173.  $144\pi \text{ cm}^2$
174.  $\frac{250\pi}{3}$
175. 21, 1
176. 30
177.  $-$
178. Minor arc length = 11.07; major arc length = 20.34;  $A_1 = 17.68$ ;  $A_2 = 60.86$
179.  $\frac{2\pi r^3}{3}$
180. (a)  $39\pi \text{ cm}^2$   
 (b)  $39\pi \text{ cm}^2$
181.  $-$
182.  $V_1 = \frac{1,280\pi}{3} - 320\sqrt{3}$ ,  $V_2 = \frac{2,560\pi}{3} + 320\sqrt{3}$
183.  $15, \sqrt{505}$
184.  $L = 16, A_1 = 48, A_2 = 120$
185.  $-$
186. tangent line:  $y - 12 = \frac{1}{8}(x - 6)$

187.  $2\pi - 4$
188. (a)  $16h\pi - h^2\pi \text{ cm}^2$   
 (b)  $16h\pi - h^2\pi \text{ cm}^2$   
 (c)  $-$   
 (d)  $-$   
 (e)  $\frac{1,024\pi}{3} \text{ cm}^3$   
 (f)  $\frac{2,048\pi}{3} \text{ cm}^3$
189.  $\sqrt{r^2 - d^2}$
190.  $-$
191.  $\frac{29}{4}$
192. 66.33
193. (a) 120  
 (b)  $25r$   
 (c)  $\frac{24}{5}$
194. (a)  $-$   
 (b)  $-$   
 (c) 1
195. 4, 9, 13, 12
196. (a)  $2\pi rh - \pi h^2 \text{ cm}^2$   
 (b)  $2\pi rh - \pi h^2 \text{ cm}^2$   
 (c)  $-$   
 (d)  $-$   
 (e)  $\frac{2\pi r^3}{3} \text{ cm}^3$   
 (f)  $\frac{4\pi r^3}{3} \text{ cm}^3$
197. 8 in.
198. 2.21 cm
199.  $-$
200. (a)  $-$   
 (b)  $R - r$   
 (c)  $-$
201.  $1.5 - \frac{\sqrt[3]{19}}{2} \text{ cm}$

202. (a)  $\frac{1}{3}$   
 (b)  $\frac{2}{3}$
203.  $8\sqrt{3}$
204.  $12\pi + 36 \text{ in.}$
205.  $V = 9\sqrt{3}\pi, SA = 27\pi$
206. (a)  $4.52 \text{ in.}^2$   
 (b)  $452 \text{ in.}^2$
207.  $x^3 - y^3$
208.  $-$
209. (a)  $h = 8, V = 72\pi$   
 (b)  $V(r) = 2\pi r^2 \sqrt{25 - r^2}$   
 (c) 302.30
210. (a)  $-$   
 (b)  $\frac{2}{3}$  (Assume the sphere is tangent to both bases and the lateral surface of the cylinder)
211. (a)  $-$   
 (b)  $y = -\frac{4}{3}(x - 4) + 3$   
 (c)  $(\frac{25}{4}, 0)$   
 (d)  $y = \frac{4}{3}(x - 4) - 3$
212.  $-$
213. (a)  $\frac{4}{3}\pi(R^3 - r^3)$   
 (b)  $-$   
 (c)  $-$   
 (d)  $BA = \frac{4}{3}\pi(R^2 + Rr + r^2)$   
 (e)  $4\pi R^2$   
 (f)  $SA = 4\pi R^2$
214.  $3,364\pi \text{ cm}^2$
215. (a) 67%  
 (b)  $LA = 12\pi r^2, SA = 12\pi r^2$
216. (a) 3:2  
 (b) 9:4

- (c)  $27:8$
217. (a) 3  
 (b)  $r = \frac{w\sqrt{100-w^2}}{10+w}$   
 (c) –
218.  $\pi$
219. –
220. –
221. 57.30, 6
222.  $y = -\frac{5}{12}(x-13)$  or  $y = \frac{5}{12}(x-13)$
223. 80
224.  $10\pi + 4\sqrt{3}$
225. Skip
226. 125:343
227. –
228. –
229. (a)  $2\pi r$   
 (b)  $\pi r$   
 (c)  $r$
230. (a)  $\frac{3}{2}$   
 (b)  $\left(\frac{270}{\pi}\right)^\circ$
231. 15 in.
232.  $\left(-\frac{1}{2}, -\frac{\sqrt{3}}{2}\right), \left(-\frac{1}{2}, \frac{\sqrt{3}}{2}\right)$
233. –
234. –
235. –
236.  $A_{sector} = \frac{\theta r^2}{2}$ , Arc length  $= \theta r$
237.  $\sin\left(\frac{\pi}{4}\right) = \frac{\sqrt{2}}{2}$ ,  $\cos\left(\frac{\pi}{4}\right) = \frac{\sqrt{2}}{2}$
238.  $\sin\left(\frac{\pi}{6}\right) = \frac{1}{2}$ ,  $\cos\left(\frac{\pi}{6}\right) = \frac{\sqrt{3}}{2}$
239.  $\frac{\pi}{6} = 30^\circ$ ,  $\frac{\pi}{4} = 45^\circ$ ,  $\frac{\pi}{3} = 60^\circ$ ,  $\frac{\pi}{2} = 90^\circ$