

IM2 Book 2 Selected Answers

IM2 Dream Team

March 2025

1. $P_{original} = 32 \text{ in.}$
 $A_{original} = 64 \text{ in.}^2$
 $P_{cut} = 32 \text{ in.}$
 $A_{cut} = 48 \text{ in.}^2$
2. $P = 20 \text{ m}$
3. 45-45-90: 1, $\sqrt{2}$
30-60-90: $\sqrt{3}$, 2
4. (a) $w = \pi r; h = r$
(b) $A = \pi r^2$
(c) $A = \pi r^2$
5. (a) yes
(b) no
(c) no
(d) yes
6. 320 sugar cubes. $V = 320 \text{ cm}^3$
7. $BA = 80 \text{ cm}^2$
 $h = 4 \text{ cm}$
 $V = BA \cdot h$
8. (a) $V = 800 \text{ in.}^3$
(b) $V = 800 \text{ in.}^3$
(c) No
9. $P = 6x + 18$
 $A = 2x^2 + 9x + 8$
10. (a) $AC = 4, BC = 4\sqrt{3}$
(b) $\frac{16\sqrt{2}}{2}, \frac{16\sqrt{2}}{2}$
(c) $\sqrt{2}, 2\sqrt{2}$

(d) $x = 2, y = 2\sqrt{3}, z = 2\sqrt{6}$

11. $4\sqrt{3}$

12. $24\sqrt{3}$

13. They all have the same area.

14. (a) $A_{shaded} = 40\pi \text{ cm}^2$

(b) $A_{shaded} = 12\pi$

15. –

16. Cylinder

17. Cereal box, Toblerone box, Pringles can

18. (a) 32

(b) 24

19. –

20. Yes: 9, 8, 7, 6, 5, 4

No: 1, 2, 3

21. $A_{shaded} = 50 \text{ m}^2$

22. (a) 50 in.^2

(b) $75\sqrt{3} \text{ in.}^2$

23. (a) –

(b) $A = 192\sqrt{3} + 384 = 716.6 \text{ cm}^2$

(c) $A = 192\tan 75^\circ = 716.6 \text{ cm}^2$

24. (a) One is a scaled version of the other.

(b) Diagonals: 2 : 1

Perimeters: 2 : 1

(c) 4 : 1

25. –

26. –

27. $V = 5.91 \text{ in.}^3$. The volume doesn't change when we shift the cards.

28. They have the same volume.

29. 18%

30. $V(x) = x^3$

Domain: $x \in (0, \infty)$

31. Base area and height
 $V = BA \cdot h$
32. (a) One circle is just a scaled version of the other.
(b) Diameters: 3 : 1
Circumferences: 3 : 1
(c) 9 : 1
33. (a) One circle is a scaled version of the other.
(b) 8 : 3
(c) I'd expect it to be 8 : 3 because the ratio of corresponding 1-D measurements in similar shapes appears to be constant.
(d) $AB = 6, PQ = 16, PQ : AB = 8 : 3$
(e) 64 : 9
34. (a) –
(b) 72 bars
(c) $V_{bar} = \frac{\sqrt{3}}{2} \text{ in.}^3$
 $V_{box} = 36\sqrt{3} \text{ in.}^3$
35. 1280π
36. (a) $1,000 \text{ m}^3$
(b) $250\sqrt{3} \text{ cm}^3$
(c) $1,920\sqrt{3} \text{ ft}^3$
37. $2,400 + 2,400\sqrt{3}$ cubic feet of grain
38. The midpoint is closest to the center.
39. 64 m
40. 9 : 25
41. $r^2 : 1$
42. 14 prisms
 $V = 56\sqrt{77}$
43. $V = 90\pi$
44. $A = \frac{s^2\sqrt{3}}{4}$
45. (a) Rectangular prism
(b) Hexagonal prism
(c) Cylinder

46. 108π in.

47. -

48. $SA = 88 \text{ in.}^2$

49. (a) $SA = 132 \text{ ft}^2$

(b) $SA = 144 + 48\sqrt{3} \text{ ft}^2$

50. $20\sqrt{2} - 20$

51. (a) 120 ft^2

(b) 144 ft^2

52. (a) All cubes are similar. They have congruent angles and their side lengths are proportional.

(b) 2 : 1

(c) 4 : 1

(d) 8 : 1

53. r^3

54. (a) True

(b) True

55. (a) $\sqrt{157}$

(b) $4\sqrt{5}$

(c) $6\sqrt{2}$

56. $24\pi \text{ in}^2$

57. First, calculate the circumference of the base. Second, multiply the circumference by the height.

136. $\frac{12,400\pi}{3} + 800\sqrt{3} ft^2$

137. (a) 46°

(b) 46°

138. -

139. -

140. $\frac{\pi}{4}$

141. (a) 1 : 8

(b) 7 : 8

142. 12.5

143. (a) $2k$

(b) $2k$

(c) -

144. $\angle BCA = 20^\circ$, $\angle CAB = 110^\circ$, $\widehat{AC} = 100^\circ$, major arc $\widehat{BC} = 220^\circ$

145. -

146. -

147. -

148. -

149. -

150. (a) $\frac{1}{2}$

(b) $\frac{1}{8}$

(c) $100\pi \text{ cm}^3$

(d) $\frac{25\pi}{2} \text{ cm}^3$

151. $\angle R = 67^\circ$, $\angle P = 126^\circ$

152. -

153. -

154. -

155. $1 : \sqrt[3]{2}$

156. $V = \frac{485\pi}{3}$, $LA = 55\sqrt{2}$

157. 104° , 76°

158. $\frac{9}{4}$

159. $\frac{13.6}{\sin 63^\circ}$

160. -

161. -

162. $864\pi \text{ cm}^2$

163. $2\sqrt{2} \text{ in.}$

164. 90°

165. -

166. (a) 8:27

(b) 2:3

(c) -

167. $2\pi - 3\sqrt{3}$

168. 16 cm

169. (a) 70°

(b) $180 - k^\circ$

170. (a) $\frac{12.1}{\sin 48^\circ}$

(b) $\frac{a}{\sin A}$

171. $\frac{5\sqrt{3}}{3}$

172. -

173. $144\pi \text{ cm}^2$

174. $\frac{250\pi}{3}$

175. 21, 1

176. 30

177. -

178. Minor arc length = 11.07; major arc length = 20.34; $A_1 = 17.68$; $A_2 = 60.86$

179. $\frac{2\pi r^3}{3}$

180. (a) $39\pi \text{ cm}^2$

(b) $39\pi \text{ cm}^2$

181. -

182. $V_1 = \frac{1,280\pi}{3} - 320\sqrt{3}$, $V_2 = \frac{2,560\pi}{3} + 320\sqrt{3}$

183. 15, $\sqrt{505}$

184. $L = 16$, $A_1 = 48$, $A_2 = 120$

185. -

186. tangent line: $y - 12 = \frac{1}{8}(x - 6)$

187. $2\pi - 4$

188. (a) $16h\pi - h^2\pi \text{ cm}^2$

(b) $16h\pi - h^2\pi \text{ cm}^2$

- (c) -
- (d) -
- (e) $\frac{1,024\pi}{3} \text{ cm}^3$
- (f) $\frac{2,048\pi}{3} \text{ cm}^3$

189. $\sqrt{r^2 - d^2}$

190. -

191. $\frac{29}{4}$

192. 66.33

193. (a) 120
(b) $25r$
(c) $\frac{24}{5}$

194. (a) -
(b) -
(c) 1

195. 4,9,13,12

196. (a) $2\pi rh - \pi h^2 \text{ cm}^2$
(b) $2\pi rh - \pi h^2 \text{ cm}^2$
(c) -
(d) -
(e) $\frac{2\pi r^3}{3} \text{ cm}^3$
(f) $\frac{4\pi r^3}{3} \text{ cm}^3$

197. 8 in.

198. 2.21 cm

199. -

200. (a) -
(b) $R - r$
(c) -

201. $1.5 - \frac{\sqrt[3]{19}}{2} \text{ cm}$

202. (a) $\frac{1}{3}$
(b) $\frac{2}{3}$

203. $8\sqrt{3}$

204. $12\pi + 36 \text{ in.}$

205. $V = 9\sqrt{3}\pi, SA = 27\pi$

206. (a) 4.52 in.^2

(b) 452 in.^2

207. $x^3 - y^3$

208. –

209. (a) $h = 8, V = 72\pi$

(b) $V(r) = 2\pi r^2 \sqrt{25 - r^2}$

(c) 302.30

210. (a) –

(b) $\frac{2}{3}$ (Assume the sphere is tangent to both bases and the lateral surface of the cylinder)

211. (a) –

(b) $y = -\frac{4}{3}(x - 4) + 3$

(c) $(\frac{25}{4}, 0)$

(d) $y = \frac{4}{3}(x - 4) - 3$

212. –

213. (a) $\frac{4}{3}\pi(R^3 - r^3)$

(b) –

(c) –

(d) $BA = \frac{4}{3}\pi(R^2 + Rr + r^2)$

(e) $4\pi R^2$

(f) $SA = 4\pi R^2$

214. $3,364\pi \text{ cm}^2$

215. (a) 67%

(b) $LA = 12\pi r^2, SA = 12\pi r^2$

216. (a) 3 : 2

(b) 9 : 4

(c) 27 : 8

217. (a) 3

(b) $r = \frac{w\sqrt{100-w^2}}{10+w}$

(c) -

218. π

219. -

220. -

221. 57.30, 6

222. $y = -\frac{5}{12}(x-13)$ or $y = \frac{5}{12}(x-13)$

223. 80

224. $10\pi + 4\sqrt{3}$

225. Skip

226. 125:343

227. -

228. -

229. (a) $2\pi r$

(b) πr

(c) r

230. (a) $\frac{3}{2}$

(b) $(\frac{270}{\pi})^\circ$

231. 15 in.

232. $\left(-\frac{1}{2}, -\frac{\sqrt{3}}{2}\right), \left(-\frac{1}{2}, \frac{\sqrt{3}}{2}\right)$

233. -

234. -

235. -

236. $A_{sector} = \frac{\theta r^2}{2}$, Arc length = θr

237. $\sin\left(\frac{\pi}{4}\right) = \frac{\sqrt{2}}{2}, \cos\left(\frac{\pi}{4}\right) = \frac{\sqrt{2}}{2}$

238. $\sin\left(\frac{\pi}{6}\right) = \frac{1}{2}, \cos\left(\frac{\pi}{6}\right) = \frac{\sqrt{3}}{2}$

239. $\frac{\pi}{6} = 30^\circ, \frac{\pi}{4} = 45^\circ, \frac{\pi}{3} = 60^\circ, \frac{\pi}{2} = 90^\circ$