

IM2 Book 1 Selected Answers

IM2 Dream Team

November 27, 2025

1. $x = -3$

2. $-$

3. (a) $x(x + 4)$
 (b) $3x(x - 5)$
 (c) $-x(2x + 7)$

4. (a) $x = 0, 4$
 (b) $x = 0, 5$
 (c) $x = 0, -\frac{7}{2}$

| | | | | |
|----|--------------|-----|---------------------------------|----------------|
| | $2 \leq x$ | $-$ | all values that are at least 2 | $-$ |
| 5. | $-4 < x < 0$ | $-$ | $-$ | $(-4, 0)$ |
| | $x < 1$ | $-$ | all values that are less than 1 | $(-\infty, 1)$ |

6. Answers may vary. Soln: $(0, 5)$. Non-soln: $(0, 0)$.

7. $4a^2, 2a^2$

8. (a) $-$
 (b) $24 \leq x$

9. $(x + 4)(x + 1)$. 4 and 1 add to 5 and multiply to 4.

10. $x^2 + (q + p)x + pq$. $\nabla = (q + p)$. $\Delta = pq$.

11. (a) $-$
 (b) $37 \leq 37$
 (c) $-$
 (d) $x \geq 18$

12. $x = 1, -4, \frac{3}{2}$

13. (a) Answers may vary.
 System soln: $(2, 4)$
 Soln to one eqn but not the other: $(0, 0)$
 Not a system soln: $(0, 0)$

- (b) –
 (c) One solution.

14. Answers may vary.

$$\begin{cases} y = x \\ y = x + 1 \end{cases}$$

15. Answers may vary.

$$\begin{cases} y = x \\ 2y = 2x \end{cases}$$

16. $(3x)^2$

17. $x > -5$

18. (a) $x \leq -10$

(b) $x \leq -10$

19. (a) $x = -4$

(b) $x = 3, 5$

(c) $x = -1, 7$

20. (a) $(\frac{1}{2}, \frac{1}{3})$

(b) $(1, -2)$

21. (a) –

(b) $y = x^2$

22. (a) $f(2) = 5$

$f(-4) = -1$

(b) $x = -1$

23. (a) $2x + y = 3$

(b) No solutions

| | Words | Function Formula |
|-----|---------------------------------|------------------|
| 24. | | $f(x) = 2x$ |
| | | $f(x) = 5x - 1$ |
| | divide the input by 2 and add 5 | |

25. (a) $f(-3) = 3$

$f(0) = 0$

$f(2) = 2$

(b) $x = \pm 4$

26. (a) $-$
 (b) 6
 (c) $x = \pm 10$

27. $(3x + 4)(x - 3)$

28. (a) $-7 \leq x$
 (b) $x < 4$

29. (a) 5
 (b) 12
 (c) $|x - y|$

30. No

31. $x \geq 0$

32. $|a - b| = |b - a|$

33. $(4x + 1)(x + 5)$

34. (a) 9 and 4
 (b) 9 and -4
 (c) x and 7
 (d) x and 0

35. (a) $-$
 (b) $|x| > 6$
 (c) $-$

| | | | | |
|-----|---------------|--|-----|--------------|
| | $-$ | all values that are 2 units away from -5 | $-$ | $x = -3, -7$ |
| 36. | $ x = 5$ | $-$ | $-$ | $x = -5, 5$ |
| | $ x + 1 = 2$ | all values that are 2 units away from -1 | $-$ | $x = -3, 1$ |

37. (a) All values that are 5 units away from 2 .
 (b) All values that are 10 units away from -4 .

38. $A = (2a + b)(a + 3b)$

39. (a) $(x - 2)(x - 6)$
 (b) $(3x - 2)(2x + 3)$
 (c) $2x(3x - 1)$

40. $BC = 8$, $AC = 15$, and $AB = 17$

41. (a) $x^2 - 16$
 (b) $x^2 - 49$

(c) $9x^2 - 4$

(d) $x^2 - a^2$

42. (a) $(x - 8)(x + 8)$

(b) $(x - c)(x + c)$

(c) $(2x - 5)(2x + 5)$

(d) $(ax - c)(ax + c)$

| | | | | |
|-----|------------------|--|---|---------------------|
| 43. | – | all values that are at most 2 units away from -5 | – | $-7 \leq x \leq -3$ |
| | $ x \geq 6$ | – | – | $x < -6$ or $x > 6$ |
| | $ x - 1 \leq 4$ | all values that are at most 4 units away from 1 | – | – |

44. (a) –

(b) $(0, 0)$

(c) $(-\infty, \infty)$

(d) $y = 0$

(e) $[0, \infty)$

45. $y = -x, y = x$

$$|x| = \begin{cases} -x & \text{if } x < 0 \\ x & \text{if } x \geq 0 \end{cases}$$

46. $x = 12$

47. (a) All values at most 2 units away from 7.

(b) $x > -2$ or $x < -8$

48. $(-2, 2)$

$(3, 7)$

49. (a) –

(b) $|x - 52| \leq 3$

50. $|x - y| = 12$. Infinite.

51. (a) $3x(x + 4)$

(b) $(x + 5)(x + 3)$

(c) $2(x + 1)(x - 3)$

(d) $9(x - 2)(x + 2)$

52. 120

53.

$$|x + 2| = \begin{cases} -x + 2 & \text{if } x < -2 \\ x + 2 & \text{if } x \geq -2 \end{cases}$$

54. (a) $x = -5, 5$
 (b) $\text{blob} = -5, 5$
55. Yes
56. $f(x) = |x|$
57. (a) 77 blocks
 (b) 19 blocks
 (c) –
 (d) $y = |x - 91|$
58. –
59. $|l - 12| \leq 0.01$
60. (a) $(-28, 12)$
 (b) $(-\infty, 0] \cup [8, \infty)$
61. (a) $a = -1, -6$
 (b) $x = \frac{-19}{2}, \frac{9}{2}$
62. $-1 \leq a \leq 6$
63. $|x| = 3$
 $x = -3$ or $x = 3$
64. No
65. (a) –
 (b) $y = |x - 34|$
 (c) $x = 18, 50$
66. $x = -4, 4$
67. (a) –
 (b) vertex: $(4, 0)$
 domain: $(-\infty, \infty)$
 range: $[0, \infty)$
 minimum value: $y = 0$
 (c) $x = 4$
68. (a) Shift $f(x)$ left by 5
 (b) $(-5, 0)$. Shift it left by 5.
69. $x = 6, 1$

70.

$$|x - 7| = \begin{cases} x - 7 & \text{if } x \geq 7 \\ -x + 7 & \text{if } x < 7 \end{cases}$$

71. $(10, 3)$

72. $x = 4, -6$

73. $x = -1, -4$

74. Shift it right by 3

75. $g(x) = |x - h|$

| x | $ x $ | $ x - 2$ |
|-----|-------|-----------|
| -3 | 3 | 1 |
| -2 | 2 | 0 |
| -1 | 1 | -1 |
| 0 | 0 | -2 |
| 1 | 1 | -1 |
| 2 | 2 | 0 |
| 3 | 3 | 1 |

Translate $f(x)$ down by 2.

77. (a) $(-\frac{4}{3}, \frac{4}{3})$

(b) $(-\infty, -\frac{84}{5}] \cup [\frac{56}{5}, \infty)$

(c) $[-\frac{1}{2}, \frac{13}{2}]$

78. (a) $x = -5, -4$

(b) $x = -\frac{7}{2}, 3$

(c) $x = -9, 9$

(d) $x = -\frac{1}{4}, 4$

79. Left graph: $y = |x|$

Right graph: $y = |x - 3|$

80. Shift/translate the graph up by 3

Shift/translate the graph down by 5.

81. $f(x) = |x - 3|$

82. n^2

83. $x = -2, 4$

$x \in [-2, 4]$

84. (a) Shift/translate the graph up by k

- (b) $(0, k)$
Shift/translate $(0, 0)$ up by k

85.

| x | $ x $ | $- x $ |
|-----|-------|--------|
| -3 | 3 | -3 |
| -2 | 2 | -2 |
| -1 | 1 | -1 |
| 0 | 0 | 0 |
| 1 | 1 | -1 |
| 2 | 2 | -2 |
| 3 | 3 | -3 |

You can reflect $y = |x|$ over the x -axis.

86. $(2, 0); (-2, 0), (2, 0)$

87.

$$g(x) = \begin{cases} -x - 2 & \text{if } x \leq 0 \\ x - 2 & \text{if } x > 0 \end{cases}$$

88. Shift $f(x)$ to the right h and up k . Vertex: (h, k) .

89.

| x | $ x $ | $2 x $ | $0.5 x $ |
|-----|-------|--------|----------|
| -3 | 3 | 6 | 1.5 |
| -2 | 2 | 4 | 1 |
| -1 | 1 | 2 | 0.5 |
| 0 | 0 | 0 | 0 |
| 1 | 1 | 2 | 0.5 |
| 2 | 2 | 4 | 1 |
| 3 | 3 | 6 | 1.5 |

You can vertically stretch $|x|$ by a factor of 2 to get $2|x|$. You can vertically compress $|x|$ by a factor of 2 to get $0.5|x|$.

90. (a) Vertically stretch $|x|$ by a factor of a .
(b) Vertically stretch $|x|$ by a factor of a and then reflect it over the x -axis.

91. 320, 210

92. $\begin{bmatrix} 320 & 98 & 135 \\ 405 & 110 & 120 \end{bmatrix}$

93. $(0, |h| + k)$

94. Vertex: $(0, 0)$
Vertex: $(0, 6)$. x -intercepts: $(-2, 0), (2, 0)$

95. (a) Shift $|x|$ right by 1. Vertically stretch it by a factor of 2. Shift it down by 6.

- (b) –
 (c) Vertex: $(1, -6)$
 Domain: $(-\infty, \infty)$
 Range: $[-6, \infty)$
 Minimum-value: $y = -6$
 (d) $(-2, 0), (4, 0)$

96. (a) Shift $f(x)$ right by 3. Reflect it over the x-axis. Shift it up by 5.
 (b) –
 (c) Vertex: $(3, 5)$
 Domain: $(-\infty, \infty)$
 Range: $(-\infty, 5]$
 Maximum value: 5
 (d) $(-2, 0), (8, 0)$

97. $a = -3$

98.

| x | $ x $ | x^2 |
|----------------|---------------|---------------|
| -2 | 2 | 4 |
| -1 | 1 | 1 |
| $-\frac{1}{2}$ | $\frac{1}{2}$ | $\frac{1}{4}$ |
| 1 | 1 | 1 |
| 2 | 2 | 4 |

Vertex: $(0, 0)$
 Domain: $(-\infty, \infty)$
 Range: $[0, \infty)$
 Minimum value: 0
 Axis of symmetry: $x = 0$

99. (a) $y = |x - 1| + 2$
 (b) $y = -|x| + 1$
 (c) $y = 2|x + 3| - 1$

100. $A + B = \begin{bmatrix} -1 & 3 \\ 6 & -2 \end{bmatrix} + \begin{bmatrix} 7 & 0 \\ 2 & -4 \end{bmatrix} = \begin{bmatrix} 6 & 3 \\ 8 & -6 \end{bmatrix}$

$$A - B = \begin{bmatrix} -1 & 3 \\ 6 & -2 \end{bmatrix} - \begin{bmatrix} 7 & 0 \\ 2 & -4 \end{bmatrix} = \begin{bmatrix} -8 & 3 \\ 4 & 2 \end{bmatrix}$$

101. Vertex: $(5, -3)$
 Domain: $(-\infty, \infty)$
 Range: $[-3, \infty)$
 Minimum: -3
 x -intercepts: $(\frac{1}{2}, 0), (\frac{19}{2}, 0)$

$$y = \begin{cases} \frac{2}{3}(x-5) - 3, & x \geq 5 \\ -\frac{2}{3}(x-5) - 3 & x < 5 \end{cases}$$

102. Two: $(0, h-k), (0, h+k)$

| x | x^2 | $x^2 + 1$ | $x^2 - 5$ |
|-----|-------|-----------|-----------|
| -2 | 4 | 5 | -1 |
| -1 | 1 | 2 | -4 |
| 0 | 0 | 1 | -5 |
| 1 | 1 | 2 | -4 |
| 2 | 4 | 5 | -1 |

103.

$g(x)$: shift $f(x)$ up by 1
 $f(x)$: shift $f(x)$ down by 5

104. (a) 3

(b) -9

105. Intersections: $(1, 2), (5, 2)$

$Area = 8$

106. (a) $x = -1, 5$

(b) $(-\infty, -1] \cup [5, \infty)$

107. (a) $[0, 100]$

(b) The midpoint of the road between Salina and Green River

(c) $y = -|x - 50| + 50$

(d) $d = -\frac{5}{6}|t - 60| + 50$

| x | x^2 | $-x^2$ |
|-----|-------|--------|
| -3 | 9 | -9 |
| -2 | 4 | -4 |
| -1 | 1 | -1 |
| 0 | 0 | 0 |
| 1 | 1 | -1 |
| 2 | 4 | -4 |

108.

Reflect $f(x)$ over the x -axis.

| x | x^2 | $2x^2$ | $0.5x^2$ |
|-----|-------|--------|----------|
| -3 | 9 | 18 | 4.5 |
| -2 | 4 | 8 | 2 |
| -1 | 1 | 2 | 0.5 |
| 0 | 0 | 0 | 0 |
| 1 | 1 | 2 | 0.5 |
| 2 | 4 | 8 | 2 |

109.

$g(x)$: Vertically stretch $f(x)$ by a factor of 2.

$h(x)$: Vertically compress $f(x)$ by a factor of 2.

110. (a) Friday: \$2,250
 Saturday: \$7,100
 Sunday: \$5,650
 (b) $[120, 210] \cdot [10, 5] = 120(10) + 210(5) = \$2,250$

111. Shift $f(x)$ up by c .
 Vertex: $(0, c)$
 Range: $[c, \infty)$
 Minimum: c

112. (a) $-$
 (b) $(32, 55)$
 (c) $(21, 55]$
 (d) $[45, 65]$

113. Vertically stretch the graph by a factor of 3.
 Shift it up by 6.

114. (a)

| x | x^2 |
|-----|-------|
| -3 | 9 |
| -2 | 4 |
| -1 | 1 |
| 0 | 0 |
| 1 | 1 |
| 2 | 4 |
| 3 | 9 |

| x | \sqrt{x} |
|-----|------------|
| 0 | 0 |
| 1 | 1 |
| 4 | 2 |
| 9 | 3 |
| 16 | 4 |

The values of x^2 are useful as inputs for the $g(x) = \sqrt{x}$ table.

- (b) Vertex: None
 Domain: $[0, \infty)$
 Range: $[0, \infty)$
 Min: 0

It does not have an axis of symmetry.

115. $a = \frac{3}{2}$

116. It's the total revenue that the zoo made on Sunday.

- 117.

$$\begin{bmatrix} 120(10) + 210(5) \\ 400(10) + 620(5) \\ 320(10) + 490(5) \end{bmatrix} = \begin{bmatrix} 2,250 \\ 7,100 \\ 5,650 \end{bmatrix}$$

118. Vertex: $(0, 0)$
 Max: 64
 Axis of symmetry: $x = 0$
 x -intercepts: $(-4, 0), (0, 4)$

119. Skip

120. Highest: $y = x^2 + 1$
 Middle: $y = \frac{1}{2}x^2$
 Lowest: $y = -x^2 - 2$

121. Shift the graph right by h

122. Shift $f(x)$ right by 3
 Domain of f : $[0, \infty)$
 Domain of g : $[3, \infty)$

123.

$$\begin{bmatrix} 16 \\ 20 \end{bmatrix}$$

124.

$$\begin{bmatrix} 5x - 2y \\ 3x + 4y \end{bmatrix}$$

125. No. The number of columns in A must equal the number of rows in B .

126. (a) $(1, 9), (7, 9)$
 (b) $x = 1, 7$

127. -

128. -

129. $h(x) = -2(x + 2)^2$

130. $x = -2$
 $(-4, 4)$

131. (a) $(x + 5)(x + 5) = (x + 5)^2$, $5 = \frac{10}{2}, \sqrt{25}$
 (b) $(x + 6)(x + 6) = (x + 6)^2$, $6 = \frac{12}{2}, \sqrt{36}$
 (c) $(x - 7)(x - 7) = (x - 7)^2$, $-7 = \frac{-14}{2}, -\sqrt{49}$

132.

$$\begin{bmatrix} 1 & 6 \\ -7 & -3 \end{bmatrix}$$

133. (a) Shift $f(x)$ down by 4.
 (b) $h(x) = -(x + 2)^2 - 7$

134. (a) $x = 1, 4$
 (b) $(1, 3), (4, 6)$
 (c) $-$
135. Domain: $[4, \infty)$
 Range: $[3, \infty)$
136. $a = -\frac{1}{2}$
137. $-$
138. $(-\frac{4}{3}, \frac{7}{3}), (\frac{8}{3}, -\frac{1}{3})$
139. (a) $x^2 - 16x + 64 = (x - 8)^2$
 (b) $x^2 + 10x + 25 = (x + 5)^2$
 (c) $x^2 - 5x + \frac{25}{4} = (x - \frac{5}{2})^2$
140. $(-4, 0), (2, 0)$
141. (a) $2x(x - 4)(x + 4)$
 (b) $(x + 12)^2$
 (c) $(3x + 1)(3x - 2)$
142. Sum: $\begin{bmatrix} 8 & -2 \\ 1 & 2 \end{bmatrix}$
 Product: $\begin{bmatrix} 12 & 2 \\ 2 & -3 \end{bmatrix}$
143. $(5, 0), (0, 1)$
144. Domain: $(-\infty, 0]$
 Range: $[0, \infty)$
145. $-$
146. (a) $x = 3 \pm \sqrt{11}$
 (b) $x = 3 \pm \sqrt{11}$
 (c) $x = 3 \pm \sqrt{11}$
147. $x = 2 \pm \sqrt{6}$
148. No
- 149.
- $$\begin{bmatrix} 1 & 2 \\ 3 & 3 \end{bmatrix} \begin{bmatrix} x \\ y \end{bmatrix} = \begin{bmatrix} 5 \\ 6 \end{bmatrix}$$
150. (a) $x = 0, 10$

- (b) A.O.S.: $x = 5$
Vertex: $(5, -25)$
- (c) $-$
151. $x = 5$
152. (a) $(0, 0), (0, 4), (-2, -4)$
(b) $(0, 0), (3, 0), (\frac{3}{2}, -\frac{9}{2})$
(c) $(0, 0), (-\frac{7}{2}, 0), (-\frac{7}{4}, \frac{49}{8})$
153. $x = h \pm \sqrt{-\frac{k}{a}}$
154. (a) $x = 4 \pm \sqrt{19}$
(b) $x = -11, 1$
(c) $x = \frac{5}{2} \pm \frac{1}{2}\sqrt{33}$
155. $x = -\frac{3}{5} \pm \sqrt{\frac{14}{25}}$
156. (a)
$$\begin{bmatrix} 2 & 3 \\ -1 & 5 \end{bmatrix}$$

(b)
$$\begin{bmatrix} 2 & 3 \\ -1 & 5 \end{bmatrix}$$
157.
$$\begin{bmatrix} 1 & 0 \\ 0 & 1 \end{bmatrix}$$
158. (a) $0 = a(0^2) + b(0) + c$
(b) $a = 1$
 $b = 1$
(c) $y = x^2 + x$
159. Greatest height: 3 units above the ground
Distance: 12 units away
160. x -intercepts: $(-2, 0), (4, 0)$
Axis of symmetry: $x = 1$
The axis of symmetry runs through the midpoint of the x -intercepts.
161. (a) x -intercepts: $(0, 0), (-\frac{b}{a}, 0)$
Axis of symmetry: $x = -\frac{b}{2a}$
(b) Translate it up by c
Axis of symmetry: $x = -\frac{b}{2a}$

162. $2(x - 2)^2 - 7$

163. $3(x + \frac{2}{3})^2 - \frac{7}{3}$

164. (a) $x = -\frac{1}{2}, 3$

(b) $x = -\frac{1}{2}, 3$

165. The multiplicative inverse of $\frac{2}{3}$ is $\frac{3}{2}$.
No, zero doesn't have a multiplicative inverse.

166.

$$\begin{bmatrix} -1 & 2 \\ -3 & 5 \end{bmatrix}$$

167. $y = x^2 - 2x + 3$ is $y = x^2 - 2x$ translated up by 3.

168. $y = 2x^2 - 6x + 2$

169. (a) $y = -0.002x(x - 250)$

(b) 250 yards away

Domain: $x \in [0, 250]$

(c) $\frac{125}{4}$ yards

170. $x = -\frac{b}{2} \pm \sqrt{\frac{b^2}{4} - c}$

171. (a) $p^2(p - 2)(p + 2)$

(b) $w(w - 5)(w + 3)$

(c) $y(4 - 3z)(4 + 3z)$

(d) $2(x + 5)^2$

172. (a) $x = 7 \pm \sqrt{3}$

(b) $x = -\frac{5}{3}, -2$

(c) $x = \pm\sqrt{6}$

173. $(\frac{m+n}{2}, -\frac{a}{4}(m - n)^2)$

174.

$$\begin{bmatrix} 3 & 4 \\ 1 & 2 \end{bmatrix}^{-1} = \begin{bmatrix} 1 & -2 \\ -\frac{1}{2} & \frac{3}{2} \end{bmatrix}$$

175. (a) $x = 1 \pm \sqrt{10}$

(b) $x = -1, 3$

(c) $x \in [-1, 3]$

176. x -intercepts: $(-7, 0), (-5, 0)$
vertex: $(-6, -1)$

177. (a) –
 (b) $(4, 1), (5, 1)$. These are the two solutions to the system.
178. $a = \frac{2}{3}$
179. $y = \frac{3}{16}x(x - 8)$
180. $y = 2x^2 + 3x - 4$
181. (a) 2
 (b) 1
 (c) 10
182. Step $1 \rightarrow 2$ uses the multiplicative inverse. Step $2 \rightarrow 3$ uses the multiplicative identity.
183. (a) Because they're multiplicative inverses
 (b) Because it's the multiplicative identity
 (c) $(x, y) = (2, 1)$
 (d) –
- 184.
- $$\begin{bmatrix} 4 \\ 7 \end{bmatrix}$$
185. Not necessarily
186. $x^2 - 14x + 43 = 0$
187. –
188. Factored form. $y = -\frac{2}{3}(x + 2)(x - 3)$
189. $(-1 + \sqrt{2}, -1 + 2\sqrt{2}), (-1 - \sqrt{2}, -1 - 2\sqrt{2})$
190. Answers may vary. $(5, 0), (0, 5), (-5, 0), (0, -5), (3, 4)$
191. Answers may vary. $(0, 2), (4, 4), (-4, 4)$
192. Parabola. Vertex: $(\frac{b}{2}, \frac{b^2}{4})$
193. $x^2 - 4x - 1$. Yes.
- 194.
- $$\begin{bmatrix} x \\ y \end{bmatrix} = \begin{bmatrix} 5 \\ -1 \end{bmatrix}$$
195. There are no solutions. Not every matrix has an inverse.
196. Answers may vary. 35, -35, 16. There are nine examples.

197. Answers may vary. 0, 3, 4. There are infinite examples.
198. $x^2 + y^2 = 25$. No, it doesn't represent a function of y in terms of x .
199. Answers may vary. $(0, 1), (2, 2), (-2, 2)$.
200. (a) $|y| = \sqrt{(x-0)^2 + (y-2)^2}$
 (b) $y = \frac{1}{4}x^2 + 1$
 (c) It's a parabola.
201. $(x, y, z) = (1, 2, 1)$
202. $x = -4, 6$
203. (a) $x = -4 \pm \sqrt{23}$
 (b) $x = -20, 8$
 (c) $x = -7, 3$
 (d) $x = -5, \frac{1}{3}$
204. $x = \frac{-b \pm \sqrt{b^2 - 4ac}}{2a}$
205. $x = -3, 1$
206. (a) $A = (10, 0), B = (-8, 6)$
 (b) $C = (-8, -6)$
207. Translate the graph 2 units to the right. Translate it 5 units down. Dilate it by a factor of 3.
208. $(-4, 2), (0, 0), (4, 2)$
209. $y = \frac{1}{8}x^2$
210. (a) $x = -\frac{b}{2a}$
 (b) $\left(\frac{-b + \sqrt{b^2 - 4ac}}{2a}, 0\right), \left(\frac{-b - \sqrt{b^2 - 4ac}}{2a}, 0\right)$
 Both intercepts are $\frac{\sqrt{b^2 - 4ac}}{2a}$ away from the axis of symmetry.
211. (a) $(-3, 3), (2, 2)$
 (b) $(4, 1), (5, 2)$
212. $(a, b, c) = (5, -1, -15)$
 $y = 5x^2 - x - 15$
213. $x^2 - 10x + 23 = 0$
 $x = 5 \pm \sqrt{2}$
 Both solutions are $\sqrt{2}$ away from the axis of symmetry, $x = 5$. Note that
 $\sqrt{2} = \frac{\sqrt{b^2 - 4ac}}{2a}$.

214. (a) $R = (-3, 1), D = (3, 1)$
 (b) –
215. $r = \frac{13}{2}$
216. $5 = \sqrt{(x+3)^2 + (y+1)^2}$
217. $r = \sqrt{(x-h)^2 + (y-k)^2}$
 It's a circle.
 r is the radius of the circle.
 (h, k) is the center of the circle.
218. (a) $(0, 10)$
 (b) $x = 125 \pm 25\sqrt{33}$
 (c) $y = 41.25$ yards
219. (a) x -intercepts: $(-7.296, 0), (38.546, 0)$
 y -intercept: $(0, 4.5)$
 Max value: $y = 8.406$
 (b) 385 ft
 (c) No
220. (a) $l = 60$ ft
 $A = 2,400$ ft²
 (b) $l = 100 - x$ ft
 $A = x(100 - x)$ ft²
 Domain: $(0, 100)$
 (c) 50 ft by 50 ft
 $A = 2,500$ ft²
221. (a) $|y| = \sqrt{(x-3)^2 + (y-2)^2}$
 $y = \frac{1}{4}(x-3)^2 + 1$
222. (a) No
 (b) You have to take the square root of a negative number.
223. Center: $(3, 4)$
 Radius: $\sqrt{18}$
 Max: $y = 4 + \sqrt{18}$
224. (a) $(-1, 2), (2, 1)$
 (b) $x + 3y = 5$
 The line runs through the intersection points. That means it's a chord of both circles.
 (c) They do.

225. Center: $(3, 1)$
 Radius: 5
 Max: $y = 4$
 Min: $y = -6$
226. $(x - 2)^2 + (y + 1)^2 = 9$
227. It has no solutions. The calculator says the matrix is singular (in other words, it has no inverse).
228. (a) $l = 70$ ft
 $A = 2,800$ ft²
 (b) $l = 150 - 2x$ ft
 $A = 2x(75 - x)$ ft²
 Domain: $(0, 75)$
 (c) 37.5 ft by 75 ft
 $A = 2,812.5$ ft²
229. (a) It does not.
 (b) You have to take the square root of a negative number.
230. (a) $-$
 (b) $l = 2\sqrt{3}$
231. Answers may vary.
 x -intercepts –
 0: $x^2 + (y - 2)^2 = 1$
 1: $x^2 + (y - 1)^2 = 1$
 2: $x^2 + y^2 = 1$
 y -intercepts –
 0: $(x - 2)^2 + y^2 = 1$
 1: $(x - 1)^2 + y^2 = 1$
 2: $x^2 + y^2 = 1$
232. It has no real solutions. It opens upward because $a = 3$, and the vertex is above the x -axis because it has no x -intercepts.
233. (a) They intersect at $(0, 5)$.
 (b) It also looks like a line if you zoom in enough.