# Statistics for CSAFE-ISU/shoeprintr


Generated for CSAFE-ISU/shoeprintr with jgehrcke/github-repo-stats at 2024-10-03 23:14 UTC.

Table of contents:

- Views
- Clones
- Stargazers
- Forks
- Top referrers and paths


## **Views**

## **Unique visitors**



Cumulative: 223


#### **Total views**



Cumulative: 921


## **Clones**

## **Unique cloners**



Cumulative: 48


#### **Total clones**



Cumulative: 62

## **Stargazers**


Each data point corresponds to at least one stargazer event. The time resolution is one day.



Note: this plot shows a larger time frame than the view/clone plots above because the star/fork data contains earlier samples.

## **Forks**

Each data point corresponds to at least one fork event. The time resolution is one day.




Note: this plot shows a larger time frame than the view/clone plots above because the star/fork data contains earlier samples.

## Top referrers and paths

Note: Each data point in the plots shown below is influenced by the 14 days leading up to it. Each data point is the arithmetic mean of the "unique visitors per day" metric, built from a time window of 14 days width, and plotted at the right edge of that very time window. That is, these plots respond slowly to change (narrow peaks are smoothed out).


#### **Top referrers**



Top 15 referrers: 01: forensicstats.org, 02: Google, 03: onlinelibrary.wiley.com, 04: github.com, 05: chatgpt.com, 06: forensicsoftware.nist.gov, 07: ncbi.nlm.nih.gov, 08: sctyner.github.io, 09: csafe-isu.github.io, 10: cn.bing.com

#### Top paths





Top 15 paths: 01: CSAFE-ISU/shoeprintr, 02: CSAFE-ISU/shoeprintr/tree/master/inst/bin, 03: CSAFE-ISU/shoeprintr/tree/master/data, 04: CSAFE-ISU/shoeprintr/tree/master/R, 05: CSAFE-ISU/shoeprintr/tree/master/inst, 06: CSAFE-ISU/shoeprintr/blob/master/data/input\_example.rda, 07: CSAFE-ISU/shoeprintr/blob/master/DESCRIPTION, 08: CSAFE-

ISU/shoeprintr/blob/master/shoeprintr. Rproj~, 09:~CSAFE-ISU/shoeprintr/tree/master/man~, 10:~CSAFE-ISU/shoeprintr/tree/master/inst/bin/win64~, 11:~CSAFE-ISU/shoeprintr/tree/master/inst/bin/win64~, 11:~CSAFE-

 $\label{localize} ISU/shoeprintr/tree/master/inst/bin/mac64\,,\,12:\ CSAFE-ISU/shoeprintr/blob/master/NAMESPACE\,,\,13:\ CSAFE-ISU/shoeprintr/commits/master\,,\,14:\ CSAFE-ISU/shoeprintr/commits/master,\,14:\ CSAFE-ISU/shoepr$ 

 ${\tt ISU/shoeprintr/blob/master/inst/bin/win64/pmc.exe\ ,\ 15:\ {\tt CSAFE-loop} is a substitution of the control of the control$ 

ISU/shoeprintr/blob/master/README.md